

The **academicons** package

High quality icons of online academic profiles

Diogo A. B. Fernandes* (L^AT_EX code)
James Walsh (font and icons design)

v1.8.3, released on 03 April 2018

Abstract

The **academicons** package provides specific L^AT_EX bindings with the free *Academicons* font, allowing to access 66 high quality icons of online academic profiles.

1 Description

The **academicons** package provides access in L^AT_EX to 66 high quality icons of online academic profiles included in the free *Academicons* font. This package requires the **fontspec** package and either the X_YL^AT_EX or LuaL^AT_EX engine to load the *Academicons* font from the system, which requires installing the bundled **academicons.ttf** font file. As new releases come out, it is recommended to install the bundled font version as there may be differences between the package and previous font versions or newest font versions not yet contemplated in the package.

The *Academicons* font was designed by James Walsh and released¹ under the open SIL Open Font License². This package is a redistribution of the free *Academicons* font with specific bindings for L^AT_EX. It is inspired and based on the **fontawesome**³ package.

2 Usage

\aiicon The **academicons** package provides the generic **\aiicon** command to access icons, which takes as mandatory argument the *<name>* of the desired icon. It also provides individual direct commands for each specific icon. The full list of icons and their respective names and direct commands can be found below. For example, **\aiicon{googlescholar}** yields the same result as **\aiGoogleScholar**.

*Email: diogoabfernandes@gmail.com


¹See <http://jpswalsh.github.io/academicons/>.

²Available at <http://scripts.sil.org/OFL>.

³Available at <http://www.ctan.org/pkg/fontawesome>.

2.1 Academicons Icons

Icon	Name ($\langle name \rangle$)	Direct Command
	<i>academia</i>	<code>\aiAcademia</code>
	<i>academia-square</i>	<code>\aiAcademiaSquare</code>
	<i>acclaim</i>	<code>\aiAcclaim</code>
	<i>acclaim-square</i>	<code>\aiAcclaimSquare</code>
	<i>acm</i>	<code>\aiACM</code>
	<i>acm-square</i>	<code>\aiACMSquare</code>
	<i>ads</i>	<code>\aiADS</code>
	<i>ads-square</i>	<code>\aiADSSquare</code>
	<i>arxiv</i>	<code>\aiarXiv</code>
	<i>arxiv-square</i>	<code>\aiarXivSquare</code>
	<i>biorxiv</i>	<code>\aibioRxiv</code>
	<i>biorxiv-square</i>	<code>\aibioRxivSquare</code>
	<i>ceur</i>	<code>\aiCEUR</code>
	<i>ceur-square</i>	<code>\aiCEURSquare</code>
	<i>coursera</i>	<code>\aiCoursera</code>
	<i>coursera-square</i>	<code>\aiCourseraSquare</code>
	<i>dataverse</i>	<code>\aidataverse</code>
	<i>dataverse-square</i>	<code>\aidataverseSquare</code>
	<i>dblp</i>	<code>\aidblp</code>
	<i>dblp-square</i>	<code>\aidblpSquare</code>
	<i>depsy</i>	<code>\aiDepsy</code>
	<i>depsy-square</i>	<code>\aiDepsySquare</code>
	<i>doi</i>	<code>\aiDoi</code>
	<i>doi-square</i>	<code>\aiDoiSquare</code>
	<i>dryad</i>	<code>\aiDryad</code>
	<i>dryad-square</i>	<code>\aiDryadSquare</code>
	<i>figshare</i>	<code>\aiFigshare</code>
	<i>figshare-square</i>	<code>\aiFigshareSquare</code>
	<i>googlescholar</i>	<code>\aiGoogleScholar</code>
	<i>googlescholar-square</i>	<code>\aiGoogleScholarSquare</code>
	<i>ieee</i>	<code>\aiIEEE</code>
	<i>ieee-square</i>	<code>\aiIEEESquare</code>
	<i>impactstory</i>	<code>\aiImpactstory</code>
	<i>impactstory-square</i>	<code>\aiImpactstorySquare</code>
	<i>inspire</i>	<code>\aiInspire</code>
	<i>inspire-square</i>	<code>\aiInspireSquare</code>
	<i>mathoverflow</i>	<code>\aiMathOverflow</code>
	<i>mathoverflow-square</i>	<code>\aiMathOverflowSquare</code>
	<i>mendeley</i>	<code>\aiMendeley</code>
	<i>mendeley-square</i>	<code>\aiMendeleySquare</code>
	<i>open-access</i>	<code>\aiOpenAccess</code>

Icon	Name ($\langle name \rangle$)	Direct Command
	<i>open-access-square</i>	<code>\aiOpenAccessSquare</code>
	<i>orcid</i>	<code>\aiOrcid</code>
	<i>orcid-square</i>	<code>\aiOrcidSquare</code>
	<i>osf</i>	<code>\aiOSF</code>
	<i>osf-square</i>	<code>\aiOSFSquare</code>
	<i>overleaf</i>	<code>\aiOverleaf</code>
	<i>overleaf-square</i>	<code>\aiOverleafSquare</code>
	<i>philpapers</i>	<code>\aiPhilPapers</code>
	<i>philpapers-square</i>	<code>\aiPhilPapersSquare</code>
	<i>piazza</i>	<code>\aiPiazza</code>
	<i>piazza-square</i>	<code>\aiPiazzaSquare</code>
	<i>publons</i>	<code>\aiPublons</code>
	<i>publons-square</i>	<code>\aiPublonsSquare</code>
	<i>pubmed</i>	<code>\aiPubMed</code>
	<i>pubmed-square</i>	<code>\aiPubMedSquare</code>
	<i>researchgate</i>	<code>\aiResearchGate</code>
	<i>researchgate-square</i>	<code>\aiResearchGateSquare</code>
	<i>scirate</i>	<code>\aiSciRate</code>
	<i>scirate-square</i>	<code>\aiSciRateSquare</code>
	<i>springer</i>	<code>\aiSpringer</code>
	<i>springer-square</i>	<code>\aiSpringerSquare</code>
	<i>cv</i>	<code>\aiCV</code>
	<i>cv-square</i>	<code>\aiCVSquare</code>
	<i>zotero</i>	<code>\aiZotero</code>
	<i>zotero-square</i>	<code>\aiZoteroSquare</code>

3 Change History

v1.4.0	General: First public release (version number set to match the included <code>academicons.ttf</code> font version). 1	v1.7.1	General: Fix release: corrected a bug in the style file. 1
v1.4.0-1	General: Fix release: corrected a few typos and errors in the manual. 1	v1.7.2	General: Fix release: corrected a bug in the style file. 1
v1.6.0	General: Major release of v1.6.0. . . 1	v1.8.0	General: Major release of v1.8.0. . . 1
v1.6.0-1	General: Better documentation. . . 1	v1.8.1	General: Enhancement release: adjusted <code>\newfontfamily</code> to account for the font installed via <code>tlmgr</code> 1
v1.7.0	General: Major release of v1.7.0. . . 1	v1.8.3	General: Release of v1.8.3. 1