

Mini-Micro Systems

THE MAGAZINE FOR COMPUTER SYSTEMS INTEGRATION

A CAHNERS PUBLICATION

SPECIAL REPORTS:

- Upper level OSI protocols near completion
- PC board vendors rush to fill EGA demands
- Graphics tools broaden PC horizons
- Software development fires up workstations



AST card offers PC graphics choices



The problem with most 4GLs is they're finished before you are.

And where does that leave you?

With the final, tricky ten percent of your application yet to write, and no 4GL left to write it with.

Introducing INFORMIX®4GL.

Never again will you have to switch to C or COBOL to truly customize your application. Instead, INFORMIX-4GL provides an all encompassing syntax for every aspect of your application building.

So once you're programming in INFORMIX-4GL, you never have to leave it. And considering all it can do, you may never want to.

Now, for instance, you can write in just ten to twenty pages of 4GL code, applica-

tions that would take hundreds of pages with C.

That's because INFORMIX-4GL was designed from the start to be an application building language. It's built around the full implementation of ANSI Standard SQL. And features Custom Screen Generation, Custom Menu Building and a built-in Report Writer.

What's more, INFORMIX-4GL works with UNIX,™ MS™-DOS and Networked DOS operating systems. And, of course, it's compatible with INFORMIX-SQL—our popular, proven DBMS. So files you build with one, you can access with the other.

For more information and our free booklet, "A 20-Minute Guide to INFORMIX-4GL," call 415/322-4100.

Or write RDS, 4100 Bohannon Drive, Menlo Park, CA 94025.

And start taking your applications to even greater heights.




RELATIONAL DATABASE SYSTEMS, INC.

INFORMIX is a registered trademark of RDS. Other names identified by TM are tradenames and/or trademarks of their respective manufacturers.
© 1986, Relational Database Systems, Inc.

CIRCLE NO. 1 ON INQUIRY CARD

HOW FAR DOES YOUR DRIVE SUPPLIER GO TO GIVE YOU AN EDGE?



9" Drives: 800 MB, or 520 MB sized for today's smaller superminis.

NEC goes all the way to 800 MB.

NEC continues to expand the edges of disk drive technology farther and farther. So your computer systems can be more competitive.

Again we've edged out every other Winchester drive maker. One of our 9" Winchesters now has a capacity of 800 MB. Our other 9" Winchester has 520 MB. Our newest 8" has a capacity of 337 MB.

We make you faster on your feet.

Capacity is not the only edge our large drives offer. They're also fast. Our 800 MB drive has a 2.4 MB/sec data transfer rate and a 15 ms. seek time.

And our 9" Winchesters use a special design that supports the spindle at both ends resulting in greater read/write accuracy.

NEC drives are still going, after others fail.

Take our 8" Winchester. It has the longest MTBF in the industry. 24,000 POH. Which makes it two to three times as reliable as anybody else's.

Our 9" drives are also outstanding. With 20,000 POH. And the MTTR of our large drives is less than one hour.

NEC keeps going for more.

NEC offers you one other important thing you need in a disk drive supplier. A solid future. Our experience in disk drive technology goes all the way back to 1959. And during the past 27 years we've added a stream of innovations in both design and manufacturing. So, we have the resources, the talent and the commitment to keep giving you an edge.

If your disk drive supplier doesn't go this far, isn't it time you called NEC. Call 1-800-343-4418 (in MA 617-264-8635). Or send us the coupon.



NEC 8" Winchesters have twice the industry standard MTBF.

- Please send me more information on NEC disk drives.
- Please have a salesperson call.

Name _____

Title _____

Company _____

Address _____

City _____

State _____ Zip _____

Tel () _____


NEC Information Systems, Inc.
1414 Massachusetts Avenue
Department 1610
Boxborough, MA 01719

C&C Computers and Communications

NEC

NEC Information Systems, Inc.

mms 7 86



128
USERS

9
USERS

IBM Business
Computers
Diskette System 250

IBM Business
Computers

For the VAR with multi-user environment problems, Texas Instruments has industry-standard answers.

Whether your multi-user system needs are low-end or high-end, TI provides commercially tuned operating systems derived from UNIX™ System V, and a common programming language for both.

Multi-user systems can present sizable problems to system designers: Configuration. Performance. Cost. Texas Instruments has solved these problems with the XENIX® V-based Business-Pro™ and TI System V derived from UNIX V on the Business System 1500.

A common environment across the family.

We preserved your end-user's software investment. An enhanced UNIX interface — TI Business Shell, a commercialized file system, and COBOL System V are supported on both the Business-Pro and the Business System 1500.

The TI Business System 1500: High performance delivered to a larger number of users.

The Business System 1000 Series Model 1500 provides exceptional expandability and processing power in a multiprocessor environment. With the multiprocessor design, increasing performance may be as simple as adding processor boards. The Business System 1500 can support up to 128 users. And through

the use of common peripherals, its connectivity and configuration flexibility meet the changing needs of most business applications.

The XENIX V-based TI Business-Pro: Minicomputer power in a micro package.

The Business-Pro was designed with multi-user capabilities in mind. The standard architecture features eight full-size and six half-size expansion slots and memory capacity up to 15 MB. The Business-Pro with XENIX V supports up to nine users. And now, many of the software features available on the Business System 1500 are offered for the Business-Pro, too.

The Business-Pro can also function as a high-performance, single-user workstation and network server. Under MS®-DOS, it offers software compatibility with both the TIPC™ and the IBM® Personal Computer AT™.

The VAR's computer company: Ready today for tomorrow.

Texas Instruments offers VARs the opportunity to step into the next generation of computing and artificial intelligence. We even offer VARs the ability to marry the advances of knowledge-based systems into traditional data processing applications.

Our portfolio of tools includes a broad range of software, hardware, training and support.

For today's needs, TI system peripherals include a wide array of VDTs, printers and customizable portable data terminals. We'll even help you convert your proprietary software to the new standards at the TI Migration Center in Austin, Texas. And in service and support, TI offers VAR-tailored maintenance agreements and a nationwide network of support offices.

The multi-user story here is simple. If you are a VAR with the desire to move to industry-standard multi-user operating systems, then we have the answers. Texas Instruments is the VAR's computer company.

For more information on TI's multi-user systems, call 1-800-527-3500.



TEXAS INSTRUMENTS



From left to right,
TI Business System 1500 and TI Business-Pro.

TIPC and Business-Pro are trademarks of Texas Instruments Incorporated. IBM is a registered trademark and Personal Computer AT is a trademark of International Business Machines Corporation. MS and XENIX are registered trademarks of MicroSoft Corporation. UNIX is a trademark of Bell Laboratories. 31625 © 1986 TI

NEWS/INTERPRETER



p. 27 AST card offers a choice.
Art direction and design by Vicki
Blake and AST. Courtesy of AST
Research Inc.

AST card gives OEMs choice of PC graphics possibilities 27
A new upgrade chip offers greater flexibility in configuring systems

Coming next from Japan: the bionic computer? 28
The Human Frontiers program could spell a new industrial revolution

High-speed modems trudge to market 30
Where are you, V.32?

Heard on the Hill: NSA's waffling on DES worries encryption industry 36
Secrets aren't what they used to be—or so the National Security Agency would have us believe

London link heralds global sales of U.S. computer stocks 39
Satellites bring new meaning to the phrase, "going public"


From Down Under: Software to end program incompatibility 43
An Australian company offers full network-software portability for COBOL applications

*DEC DIRECTIONS

(section begins opposite Page 118)

Mini vendors squeeze into IBM's 'sandwich' D3
Minicomputer vendors claim middle ground with what they tout as a better machine for departmental computing than IBM's System/36

*Appearing in issues of subscribers who have indicated having DEC computers



p. 28 A new revolution?

Cahners Publishing Company • A Division of Reed Publishing USA • Specialized Business Magazines for Building and Construction • Electronics and Computers • Foodservice • Manufacturing • Book Publishing & Libraries • Medical/Health Care. MINI-MICRO SYSTEMS (ISSN 0364-9342) is published monthly with additional issues in February, April, June and November by Cahners Publishing Company, A Division of Reed Publishing USA, 275 Washington St., Newton, MA 02158. William M. Platt, President; Terrence M. McDermott, Executive Vice President; Jerry D. Neth, Vice President of Publishing Operations; J.J. Walsh, Financial Vice President/Magazine Division; Thomas J. Dellamaria, Vice President Production and Manufacturing; Terrence M. McDermott, Group Vice President. Copyright 1986 by Reed Publishing USA, a division of Reed Holdings Inc., Saul Goldweitz, Chairman; Ronald G. Segel, President and Chief Executive Officer. Circulation records are maintained at Cahners Pub-

INTEGRATION

FEATURES


Feature Highlights49

Upper level OSI protocols near completion53
As lower level OSI protocols gain acceptance, the protocols of the upper levels—where they are visible to users—are approaching standardization

PC board vendors rush to fill EGA demands69
Eager to share in the personal computer-based enhanced graphics adapter market, vendors are packaging boards with greater display functions while maintaining IBM compatibility

Graphics tools broaden PC horizons85
Taking advantage of improved PC display capabilities, graphics software-development tools enable developers to concentrate on more complex applications

Software development fires up workstations101
System integrators turn workstations into their platforms of choice for computer aided software engineering



p. 85 Software tools

DEPARTMENTS

Editorial Staff6

Editorial9

Letters13

Breakpoints17

New Products119

Software Review135

Index to Advertisers139


Mini-Micro Marketplace140

Career Opportunities142




p. 69 Filling EGA demand

Publishing Co., 270 St. Paul St., Denver, CO 80206. Second class postage paid at Denver, CO 80202 and additional mailing offices. Postmaster: Send address changes to MINI-MICRO SYSTEMS, 270 St. Paul St., Denver, CO 80206. MINI-MICRO SYSTEMS is circulated without charge by name and title to U.S. and Western European-based corporate and technical management, systems engineers and other personnel who meet qualification procedures. Available to others at the rate of \$65 per year in the United States; \$70 in Canada and Mexico; \$95 surface mail in all other countries; air mail surcharge, \$35 (16 issues). Special HANDBOOK issues, \$15. Single issues, \$5 in the United States; \$6 in Canada and Mexico; \$7 in all other countries.



© 1986 by Cahners Publishing Company, Division of Reed Publishing USA. All rights reserved.

HI-TECH NOISE KILLER



SONEX acoustic foam is deadly to annoying computer room noise. And it'll look great in your hi-tech environment. Simply hang sheets of this patented, professional foam to quiet the combined clatter of fans, motors and printers. Call or write for complete facts and a free brochure: 3800 Washington Ave. North, Minneapolis, MN 55412. (612) 521-3555.



illbruck

CIRCLE NO. 3 ON INQUIRY CARD



**Think
of a Viking
workstation as another
way to add value.**

If you're not integrating ergonomic support furniture in your system, you may be missing an easy way to increase margins and add even more value. Users don't like shopping around to complete the system any more than you do. Try buying a good workstation in your area sometime. It's tough, and it sometimes opens the door to competition and criticism.

We think a lot of users care about the system environment, and well-designed support furniture can make your system more comfortable. And therefore more useful and productive.

Call us on our toll-free line. Everyone wins: users get good furniture at no more cost; you increase margins; and we win through economy of scale, even if the scale is just a few units a month.

Call today, or write our OEM Department:
Viking Acoustical, Airlake Industrial Park,
Lakeville, MN 55044. 612/469-3405, or Telex 290693.

VIKING

Call toll free
1-800-328-8385

CIRCLE NO. 4 ON INQUIRY CARD

STAFF

Vice President/Publisher
S. Henry Sacks

Editor-in-Chief
George V. Kotelly

Managing Editor
James F. Donohue

Assistant Managing Editor
Bruce J. MacDonald

Senior Editor: **David Simpson**

Western Editor: **Carl Warren**
Irvine, (714) 851-9422

European Editor: **Keith Jones**
London: (011-441-661-3040)

Associate Editor: **Frances T. Granville**

Associate Editor: **Lynn Haber**

Associate Editor/Research: **Frances C. Michalski**

Associate Western Editor: **Mike Seither**

San Jose, (408) 296-0868

Associate Editor: **Gregory Solman**

Associate Editor: **Michael Tucker**

Associate Editor: **Jesse Victor**

Assistant Editor/New Products: **Megan Niels**

Assistant Editor/Research: **Pamela Gorski**

Contributing Editors

Andrew Allison

Mini/Micro Computer

Product and Market Consultant

Raymond C. Freeman Jr.

Freeman Associates

Special Features Editor: **Wendy Rauch-Hindin**

Dix Hills, N.Y.

(516) 667-7278

Washington, D.C.: **Stephen J. Shaw**

(202) 387-8666

Gene R. Talsky

Professional Marketing Management Inc.

Edward Teja

Freehold Corp.

Editorial Production

Senior Copy Editor: **Arsene C. Davignon**

Production Editor: **Mary Anne Weeks**

Editorial Services

Lisa Kramer, Terri Gellegos

Assistant to the Publisher: **Linda L. Lovett**

Art Staff

Art Director: **Vicki Blake**

Assistant Art Director: **Cynthia McManus**

Director of Art Dept.: **Norm Graf**

Production Staff

VP Production: **John Sanders**

Supervisor: **William Tomaselli**

Production Manager: **Betsy Cooper**

Composition: **Diane Malone**

Editorial Offices

Boston: 275 Washington St., Newton, MA 02158, (617)964-3030. **Irvine:** 2041 Business Center Dr., Suite 109, Irvine, CA 92715. **Los Angeles:** 12233 W. Olympic Blvd., Los Angeles, CA 90064. **San Jose:** 3031 Tisch Way, San Jose, CA 95128. **London:** PO. Box 37E, Worcester Park, Surrey, KT4 8RQ, England.

Reprints of Mini-Micro Systems articles are available on a custom printing basis at reasonable prices in quantities of 500 or more. For an exact quote, contact Art Lehmann, Cahners Reprint Service, Cahners Plaza, 1350 E. Touhy Ave., Box 5080, Des Plaines, IL 60018. Phone (312)635-8800.

EMULEX'S GROWING Q-BUS LINE. ENGINEERED TO FIT THE TIGHTEST BUDGET.

Emulex has the Q-Bus controller and communications products you need for **MicroVAX I and II, PDP-11, MicroPDP, and LSI-11**. We also offer both tape and disk packaged subsystems. All are packed with performance features, very attractively priced and software transparent to DEC operating systems.

WINCHESTER DISK CONTROLLERS ST506

Our QD01/D dual-wide MSCP

controller interfaces two ST506 5¼" Winchester.

SMD

The QD32 controller, functionally equivalent to DEC's KDA50, is a dual wide board which supports disk with transfer rates up to 2.5 MByte/sec.

ESDI

The QD21 dual wide controller will interface two 10MHZ ESDI high capacity Winchester disks and emulate DEC's MSCP protocol.

COMBINATION CONTROLLERS

Like the QD01/D, the DM01 supports two ST506 5¼" Winchester but (in addition) also supports two SA450 floppy drives, software compatible with DEC's RX50. For higher performance the DM02 will support two ESDI drives and two floppy disk drives. Both the DM01 and DM02 emulate MSCP for controlling the hard disks.

SCSI HOST ADAPTER

The UC04 implements MSCP and supports the opticals via the SCSI connection.

TAPE PRODUCTS

For ¼" tape backup our dual wide QT12 controller is compatible with QIC02 drives.

For ½" tape drives use the TC03. The TC03 supports NRZI/PE and GCR drives with speeds to 125 ips.

COMMUNICATIONS PRODUCTS

Our CS02 single quad board supports 16 lines on PDP-11, MicroVAX and LSI-11, and is compatible with DEC's DHV11.

For larger line counts the CS01/H single-quad multiplexer is expandable from 16 lines to 64 lines for 50% or more savings per line.

To see how well Emulex fits your needs, call toll free 1-800-EMULEX3. In California, (714) 662-5600. Or write: Emulex Corporation, 3545 Harbor Boulevard, P.O. Box 6725, Costa Mesa, California 92626.



The genuine alternative.


U.S. Regional Offices: Anaheim, CA (714) 385-1685; Schaumburg IL (312) 490-0050; Roswell, GA (404) 587-3610; Nashua, NH (603) 882-6269. **International Offices:** Australia, Eastwood, N.S.W. (02) 858-4833; Canada, Mississauga, Ontario (416) 673-1211; France Montrouge (1) 735-7070; United Kingdom, Bracknell, Berkshire (334) 484234; West Germany, Munich (089) 304051.


Most products shown are stocked nationally by Hamilton/Avnet, Kierulff Electronics and MTI Systems Corp.

Q-Bus, LSI-11, PDP-11, MicroPDP, MicroVAX I, MicroVAX II, and DEC are trademarks of Digital Equipment Corporation.

CIRCLE NO. 5 ON INQUIRY CARD

BALANCE SHEET





There's a new star in Transaction Processing.

Reliance STAR™ With the power to support 1000 terminals.

Reliance STAR brings the power of parallel processing technology to your transaction processing environment. You can design and buy for today. And grow into tomorrow. Up to 1000 terminals, without sacrificing any of your hardware/software investments.

Application development is fast and economical. You start with a dedicated database server and add the power of up to 8 modular front-end processors as your requirements grow. And because you can use any of our compatible systems, growth is even more flexible and cost-efficient.

You can rely on Reliance PLUS™ relational database.

Our fourth generation relational DBMS provides the transaction-per-second performance you demand. At surprisingly low cost.

It includes a suite of powerful menu-driven application development tools such as a full feature query language, database update and report generation facilities and an active data dictionary. And 99+% up time can be guaranteed when continuous system availability and maximum data integrity are needed.

For transparent connection to IBM and other environments, we support a full range of industry-standard data communication software. Including SNA and Bisync protocols. Plus Ethernet, X.25 and X.29.

It runs in the family.

Concurrent Computer Corporation offers a full range of 32 bit superminis, maximizing the price/performance potential of your transaction processing system with low entry level cost and increased flexibility. Our high performance transaction processing solutions are proven in over 500 installations around the world. And we back them with worldwide service and support.

Find out how we can make you a star. Call **1-800-631-2154** for complete information. Or write to Concurrent Computer Corporation, 2 Crescent Pl., Oceanport, NJ 07757.

**Concurrent
Computer Corporation**



CIRCLE NO. 6 ON INQUIRY CARD

EDITORIAL

MULTIUSER VENDORS FACE DIM PROSPECTS



Squeezed between departmental minicomputers on one side and PC-based local area networks on the other, small multiuser microcomputer suppliers confront a bleak future. Ironically, just a few years ago, this market was booming. But as usual, when a market segment gains notoriety, competitors jump in and erode individual market share.

At the start, there was room for everyone. But the recent sales slowdown rocked the computer industry in general and its multiuser segment in particular. With overall business fading, leading minicomputer vendors incorporated more powerful processor technologies and lowered prices drastically. These tactics quickly invaded the high end of the multiuser microcomputer market. What's more, departmental minicomputers established order and control in managing the pervasiveness of personal microcomputers and the flood of applications software.

Likewise, at the low end, LANs solved the application control problems in joining different microcomputers and in sharing expensive peripherals.

Meanwhile, between these two pincer forces, small multiuser microcomputer vendors were preoccupied with upgrading their 8-bit systems to 16- and 32-bit systems. In addition, these vendors were spread thin in varied distribution schemes. More important, though, hardware and software standards did not exist. Nearly all multiuser microcomputer companies supplied proprietary equipment.

Not surprisingly, then, the drop in industry business exposed those companies selling nearly identical products. The result? Most small multiuser microcomputer suppliers reported financial losses over the past year.

Yet, market research firms still claim an expanding multiuser market. For example, Input Inc. estimates that the multiuser microcomputer market for two- to 16-user systems will spurt ahead 29 percent annually until 1990, reaching a \$10 billion sales level. Similarly, International Data Corp. predicts that

shipments will jump from about 231,000 systems in 1985 to more than 974,000 in 1990. This market should grow steadily because many businesses have not yet bought computers for the first time.

Although considered less flexible by industry experts, small multiuser microcomputer systems possess price/performance advantages. These systems generally use inexpensive dumb terminals connected to a central processor. A proprietary, multitasking operating system effectively manages the system's resources and efficiently allocates users their share of CPU, memory and I/O peripherals. Moreover, these small systems increase user productivity and furnish high data integrity.

Unfortunately, though, system throughput drops markedly during heavy duty cycles, and when the central processor fails, the entire system usually goes down. Additionally, system upgrades, enhancements or expansions prove cumbersome, complex and costly.

What's needed, therefore, to move this market forward? One solution to these problems centers on compatibility with de facto hardware and software standards. Another solution calls for concentrated distribution schemes instead of blanket coverage, as exemplified by Altos Computer Systems. Yet another solution involves the porting of popular applications packages that run on widely accepted computers, as typified by North Star Computers Inc. and TeleVideo Systems Inc. Still another solution points to connectivity to common LANs and departmental computers.

In sum, then, small multiuser microcomputer vendors must provide reliable and standardized products that expand easily to meet new, or unplanned, applications and that accommodate evolving technologies—and at competitive prices. Sounds like basic business practice to me.

George V. Kotelly

George V. Kotelly
Editor-in-Chief

A Comprehensive Analysis of the Computer Magnetic Tape Marketplace

The shift from removable disk drives in the seventies to fixed disk drives in the eighties has created a growing demand for tape drives to be used for back-up in addition to their established roles as data interchange and archival storage devices. "Tape Storage Technology" analyzes these and other forces which are shaping the OEM market for tape drives and forecasts both technology and market demand on a quarterly basis.

"Tape Storage Technology" has been prepared with the needs of both suppliers and integrators carefully considered. It is a comprehensive yet focused planning tool for product planning, engineering, marketing, and general management personnel.

"Tape Storage Technology" covers all computer digital magnetic tape products, including the following tape drives and media:

- IBM Tape Cartridge
- Quarter Inch Cartridge
- Standard Half Inch Open Reel Tape
- Quarter Inch Mini-Cartridge
- Unique Open Reel Tape
- Data Cassette
- Mini-Cartridge
- Unique Cartridges and Cassettes

The dynamics of the peripheral storage marketplace often render annual reports on magnetic tape drives out-of-date well before their next publication date. By updating and publishing quarterly, clients who subscribe to "Tape Storage Technology" will always have access to the latest data on technology, forecasts, specifications, standards, and other important subjects. Single copies of "Tape Storage Technology" are priced at \$995. Clients who subscribe on an annual basis will receive one current copy for each quarter of their annual subscription period at an annual price of \$2495.

Disk Storage Technology Seminars Tape Storage Technology Seminars

Three-hour seminars are given periodically by industry experts on both magnetic disk and tape. These seminars are held on the same day to facilitate attendance at both. Some of the subjects covered are Technology, Standards, Forecasts, Market Trends and New Products.

I would like to receive the "Tape Storage Technology" Report. Please send me:

- One quarterly copy at \$995.00 per copy.
- Annual subscription at \$2495.00 for 4 quarterly copies.
- Check here if you would like more information on the "Tape Storage Technology" Report.
- Check here if you would like more information on the Seminars above.

NAME _____


TITLE _____ PHONE _____

COMPANY _____

ADDRESS _____

MAIL TO: **Technology Forums** • 3425 Pomona Boulevard, Suite F, Pomona, CA 91768 • (714) 861-7300

CIRCLE NO. 7 ON INQUIRY CARD





XENIX RISING

“It was back in 1986 that we first grasped the full significance of SCO XENIX®.

“We had been thinking of it as just an ‘operating system’ — as we used to call them — when it was really much more. It was the foundation of a whole new approach to shared information and resource computing for PCs: networked DOS *and* XENIX workstations.

“The ‘SCO XENIX solution’ integrated XENIX and DOS, multiuser and LAN, and PCs and mainframes, into a unified environment unprecedented in its power, productivity, and price performance per user for personal computers.

“SCO’s solution included not only 16-user licensed SCO XENIX itself, but also SCO XENIX-NET XENIX/DOS networking; SCO Professional™ and SCO FoxBASE™, SCO’s XENIX-based workalikes of 1-2-3® and dBASE II™; SCO Lyrinx™ Word Processing System, and other productivity tools; and SCO uniPATH™ SNA-3270 Mainframe Communications, plus languages and graphics packages.

“Together with unparalleled SCO hot-line support, documentation, and training, plus the explosive growth of the XENIX applications base, it changed the way we would look at personal computers forever.

“In short, it was the ‘SCO XENIX solution’ that turned personal computers into *real* computers.”

SCO SALES AND INFORMATION
(800) 626-UNIX

(800) 626-8649

(408) 425-7222

TWX: 910-598-4510 SCO SACZ

uucp: ...decvax!microsoft!sco!info




from “XENIX RISING:
*The Ascent of Shared Information
Computing from 1979 to 1999*”

SCO XENIX System V is available for
IBM® PC AT®, PC XT®, ITT XTRA® XL and other
compatibles, and AT&T PC 6300 Plus — now!

XENIX is a registered trademark of Microsoft Corporation. • SCO Professional and Lyrinx are trademarks of The Santa Cruz Operation, Inc. • FoxBASE is a trademark of Fox Software, Inc. • 1-2-3 is a registered trademark of Lotus Development Corporation. • dBASE II is a trademark of Ashton-Tate. • uniPATH is a trademark of Pathway Design. • UNIX is a trademark of AT&T Bell Laboratories. • IBM, AT and XT are registered trademarks of International Business Machines Corporation. • ITT XTRA is a trademark of ITT Corporation. The Santa Cruz Operation, Inc., P.O. Box 1900, Santa Cruz, CA 95061

©1986 The Santa Cruz Operation, Inc. 6/86

CIRCLE NO. 8 ON INQUIRY CARD



How many more reasons do you need to Unplug your computer?

Until now, connecting 128 terminals to your computer meant one thing. A myriad of cards taking up precious space on the backplane. And accomplishing nothing but communications. All of which could frustrate almost any self-respecting system designer into hanging up his calculator.

Well, at Systech, we understand the serial communications problems of a multi-user system. So we developed The Unplug™ asynchronous distributed multiplexer that can be used with any Multibus®, VMEbus or Multibus® II system.

The Unplug can take those 128 connections off the back of the computer and turn them into just one. And presto, you've got all the expansion slots you need for more important things. Like disks. Streaming tapes. More CPU power. A synchronous communications processor. And your imagination.

You see, what we did was move part of the computer's operating system—the part devoted to managing traffic to and from the terminals—out of the computer and into The Unplug. Giving the host computer the freedom to concentrate on more important tasks.

We know it sounds simple. And the truth is, it is. In fact, you might wonder why no one thought of it before. Then again, no one else has our commitment to make your job easier. And a lot more gratifying.

Just give us a call at Systech to hook up with The Unplug. Then you can start figuring out what you want to add on next.

Instead of trying to figure out how to untangle all those wires.

Systech Corporation, 6465 Nancy Ridge Drive, San Diego, CA 92121, (619) 453-8970.


CIRCLE NO. 9 ON INQUIRY CARD

The Unplug.

An outlet for your frustrations.

When you're ready to expand, you simply run one cable from the last Unplug to the next. And you've hooked up 8 new users, without ever opening the computer cabinet.

The Unplug is a trademark of Systech Corporation. Multibus is a registered trademark of Intel Corporation.



SYSTECH

© 1986 Systech Corporation.

LETTERS

SONY DISK STABILITY

To the editor:

I read your article, "Optical storage shines on the horizon" (MMS, December 1985, Page 68), with interest. I am writing to correct some inaccurate information reported on the Sony write-once optical disk media.

The article indicates that the Sony media uses a "phase-change technique whereby the physical state of the material is changed from a crystalline to an amorphous state to denote a written bit." The Sony media actually uses a more stable phase-transition technique that changes the media from an amorphous state to an alloy.

In tests carried out so far by Sony engineers, this media has proved to be reliable for over 30 years when stored at 70 degrees Celsius at 90 percent relative humidity.

Bernie Farkas
Manager, Systems Engineering
Systems Products Group
Sony Corp. of America
Sony Drive
Park Ridge, N.J. 07656

MULTIPLE-USER WORM

To the editor:

Regarding your "Optical storage shines on the horizon" (MMS, December 1985, Page 68), let me correct a few incorrect references pertaining to Laserdrive Ltd. and our initial WORM [write once, read many] product.

Laserdrive's optical memory product, denominated the LD33, is *not* particularly well suited for low-level computer applications. The LD33 currently sports the highest single-sided capacity (442M bytes, unformatted) of any announced 5¼-inch optical product, with system performance and universal host adaptor capabilities that make the LD33 much more appropriate in multiple-user environments, such as [Digital Equipment Corp.] VAX [computers] and [IBM Corp.] PC/AT [computers], and similar minicomputer file server and local area network configurations.

One of the fundamental principles un-

derlying the LD33 concept is the combination of the lowest cost per megabyte (our anticipated OEM cost for media is 7 cents per megabyte) together with high system performance and compatibility features that easily will interface the LD33 with all existing minicomputer-based workstations and LANs.

[In addition,] your article listed our fax number as our telephone number, which has caused our fax number to receive untold spurious callups. [Laserdrive's telephone number is (408) 970-3600.]

Paul W. Helgesen
President
Laserdrive Ltd.
Santa Clara, Calif. 95054

WHICH DOS VERSION?

To the editor:

A few errors of commission and omission must be pointed out [in the Systems Integrators' Notebook, April, 1986, Page 154, "How to solve serial interconnect problems"].

First, although turning off the default state of the echo in DOS for the execution of batch files is useful, you neglect to mention which version of DOS this works with. This is important as the COMMAND.COM files in the different versions are of different sizes and, therefore, the particular section of code you are replacing appears in different places.

Second, the environment space in DOS stores only strings, not programs.

The example you gave of:

```
SET PAY=\ACCOUNTING
```

simply adds the string "\ACCOUNTING" to DOS' environment. If you then say, PAY, nothing happens, as this does not automatically invoke the environment string. The environment can be read by programs that run under DOS and by the DOS BATCH PROCESSOR. In order to invoke the program, ACCOUNTING, which resides in the main directory of the current default drive, the following line must be present in the batch file:

```
%PAY%
```

The %'s tell the BATCH PROCES-

SOR to look for a string in DOS' environment. This does not work interactively, however. A simple example of how this could be used would be to set a variable called "CURRENT" equal to the current path (i.e., SET CURRENT=C:\BATCH). Then, if batch file needed to return to this directory, all it would need at that point would be the following line:

```
CD %CURRENT%
```

which would be interpreted as:

```
CD C:\BATCH
```

Note that this works only with DOS versions 2.0, 2.1 and 3.1.

Finally, the "COMSPEC" variable is understood by the resident portion of DOS to contain the path to its COMMAND.COM file. When a large program is run under DOS, it allows the application to overwrite the nonresident part of itself. When an application program terminates, it normally returns control to the resident portion of DOS (which is simply a loader), which in turn does a checksum on the memory space where the nonresident portion of DOS resides. If the checksum is not correct, the resident portion of DOS simply reloads the rest of the operating system from the path denoted in the COMSPEC variable in DOS' environment and passes control to it. If the checksum is correct, it passes control to the nonresident portion of DOS (i.e., normally COMMAND.COM). Also, the name of the file containing the nonresident portion of the operating system is normally included in the COMSPEC variable; that is

COMSPEC=\COMMAND.COM as the nonresident portion of the operating system, can have any name.

William L. Meyer
Computer Coordinator
School of Aerospace Engineering
Georgia Institute of Technology
Atlanta, Ga. 30332-0150

Editor's response:

The DOS is version 2.0 and the example is MS-DOS.

—Carl Warren

INCREASE YOUR AT THE SPEED

With the new MT 910sl laser printer, you can do more without paying more. And you can do it laser fast.

The MT 910sl zips out crisp, clean copies at 10 pages per minute.

That's fast.

But the real story is performance.

You'll have dual paper bins with a 500 page total capacity.

A short, simple paper path with fewer obstructions to virtually eliminate jamming.

A special paper path to allow single feeds of envelopes, labels and transparencies without changing bins.

Five emulation modes — Diablo 630, Epson FX, IBM ProPrinter, LaserJet Plus, Qume II — to meet existing software needs.

Front panel programming to prompt an operator through easy operation without dip switches, without numeric codes.

Two resident fonts that allow bold, italic, enlarged or condensed type in both portrait and landscape mode.

And a laser engine designed to print 300,000 pages before servicing. Which is 5,000 pages a month for five full years.

Your options?

Two font cartridges, a one megabyte memory expansion (allowing, with the

resident 512K, a total of 1.4 megabytes user-accessible RAM), a 5-bin output sorter and a shared interface that allows access from up to four separate stations.

And the price lists at just \$3,695.

No other printer in the price range gives you as much for your money. Not in performance. Not in productivity.

Combine that with the Mannesmann Tally reputation for quality and reliability, and your next step becomes clear.

Pick up a phone and dial (206) 251-5524.

And at the speed of sound, you can order an MT910sl

for your own competitive evaluations.

When the results are on the table, we think you'll be suitably impressed.


And why not?

Our goal isn't just to produce copies at the speed of light. But to do the same for your sales.

Diablo, Epson,* IBM,* Hewlett-Packard,* & Qume.*

MANNESMANN
TALLY

*THE NEW MT 910sl
LASER PRINTER*




PERFORMANCE OF LIGHT.



CIRCLE NO. 10 ON INQUIRY CARD

MARKET FORECAST



IF NUMBERS ARE THE WEAPONS OF YOUR MARKETPLACE, IT'S TIME YOU GOT A SHERMAN TANK.


Sometimes, "crunching the numbers" simply means making them look good and getting them to the right people on time. And when people are under the gun, they need a printer that can translate their computer's impressive spreadsheet and graphics software to paper. Fast.

That's why a new MICROLINE® 290 series printer is the best weapon in the battle of the numbers.

OKIDATA MICROLINE 290's are faster than other leading printers in their class. And we can prove it. We recently compared the MICROLINE 292 to the IBM® Proprinter and the Epson® FX286.

The other printers require two passes of the printhead to produce crisp, clear Near Letter Quality text. But the MICROLINE 292 and wide-

carriage 293 feature our unique "Dual Nine" printhead, that needs only one pass. The result? After four hours of continuous Near Letter Quality printing, the Epson printed only 181 pages, the IBM, 215. But the MICROLINE 292 was the clear winner with 545 pages!



The 292 and 293 are winners in other ways, too, with speeds of 200 cps in the Utility mode. Color capability for impressive reports and presentations. Versatile paper handling. And a feature selection menu that's as easy to order from as pointing a finger.

OKIDATA printers are made especially for most PC's. Whether it's an IBM, AT&T®, or Compaq®, OKIDATA is fully compatible. And every printer is designed and manufactured by OKIDATA, one of the most reliable and respected printer companies.

A slingshot was a terrific weapon once. But it's no match for today's big guns. When the battle lines are drawn, draw on an OKIDATA. For the dealer nearest you, call 1-800-OKIDATA today.

CIRCLE NO. 11 ON INQUIRY CARD

OKIDATA®
an OKI AMERICA company
We put business on paper.

OKIDATA is a registered trademark of Oki America, Inc.
Marque déposée de Oki America, Inc.
MICROLINE is a registered U.S. trademark of Oki America, Inc.
IBM is a registered trademark of International Business Machines Corp.
AT&T is a registered trademark of American Telephone & Telegraph, Inc.
Epson is a registered trademark of Epson Corporation.
Compaq is a registered trademark of Compaq Computer Co.

BREAKPOINTS

NISO, ECMA VIE TO PRESENT CDROM FORMAT AS STANDARD

The National Information Standards Organization (NISO) and the European Computer Manufacturers Association (ECMA) are going head-to-head over who should present the High Sierra compact disk ROM logical file-format standard to the International Standards Organization (ISO). ECMA says it can get the standard approved more quickly. Digital Equipment Corp.'s Howard Kaikow, a member of the ECMA subcommittee working on the standard, says ECMA will have a standard to present to ISO a year from now—much earlier than any standard from ANSI prepared by NISO, he contends. He also believes that ISO will accept ECMA's standard as a Draft International Standard immediately, and that it will be adopted as a full International Standard by the end of 1987 or early 1988. NISO executive director Patricia Harris warns that ANSI can vote against the ECMA standard and predicts that ANSI will have its own standard ready for ISO "18 months from now or even sooner."—*Keith Jones*

FCC BROADCASTS MOTOROLA'S IDEA FOR RADIO LANS

The Federal Communications Commission has issued a Notice of Proposed Rulemaking (NPR—PR Docket 86-174) to solicit comments on a proposal by Motorola Inc. to allocate radio frequencies for the wireless interconnection of computers and associated peripheral equipment. The radio local area network service will employ small transceivers to relay data within an office environment. The FCC has proposed to allocate the 1,700-MHz-to-1,710-MHz frequency band for the radio LAN service.

—*Stephen Shaw*

MOLECULAR FILES FOR CHAPTER 11, PLANS REPOSITIONING

Saddled with debt and an inability to turn a profit since it was founded five years ago, Molecular Computer Corp. is seeking protection under Chapter 11 of the bankruptcy laws. The San Jose, Calif., company, which builds 8- and 16-bit multiuser computers, recently laid off all but a handful of workers. The remaining employees will continue development work on a 100M-bit-per-second local area network, according to Molecular president Frank Zurcher. Although the company plans to market its computers in Europe, Zurcher says Molecular's domestic operations will revolve mainly around selling its planned LAN to OEMs.—*Mike Seither*

CIPHER BUYS MAJORITY SHARE OF OPTICAL-DRIVE MAKER

Cipher Data Products Inc. built its reputation manufacturing tape drives. Now the San Diego, Calif., company wants a piece of the optical disk-drive business. It acquired a stake in June by paying more than \$6 million for 90 percent of Optimem Inc., a Xerox Corp. subsidiary based in Sunnyvale, Calif. Optimem, which manufactures a 1G-byte, 12-inch, write-once, read-many optical drive, will remain an independent Cipher business

unit, and is working with 3M on a 5¼-inch, 250M-byte erasable optical drive. Evaluation units are expected later this year.—*Mike Seither*

BOCA PACKS GRAPHICS, EMS MEMORY ON MULTIFUNCTION BOARD

Boca Research Inc., Boca Raton, Fla., has begun shipping its MEMEK multifunction board, which offers up to 2M bytes of expanded memory and conforms to EMS 3.1, (or, the Lotus-Intel-Microsoft Expanded Memory Specification). It offers graphics support for a variety of modes, including IBM Corp. monochrome, IBM Color Graphics Adapter (CGA), Hercules Computer Technology monochrome graphics and Plantronics/PC+ Products Inc. ColorPlus. The company claims that it is the only memory/display board that allows full control over the allocation of memory between video, system and expanded memory.—*Dave Simpson*

ATASI EMERGES FROM CHAPTER 11 WITH NEW PRODUCTS

Financially troubled Atasi Corp., San Jose, Calif., a victim of the downturn in U.S. disk-drive manufacturing, may have put its troubles behind it. The company, recently emerged from Chapter 11 reorganization, has continued to ship its 46M-byte and 53M-byte, 5¼-inch, series 3000 Winchester drives and is introducing this month the series 2000. The new models include 85M-byte, 128M-byte and 170M-byte units, which incorporate the small computer systems interface (SCSI) and have a 25-msec average access time. Deliveries are scheduled for the third quarter.

—*Carl Warren*

TOLERANT SUPPORTS 80G-BYTE DATABASE

Tolerant Systems Inc., the San Jose, Calif., manufacturer of fault-tolerant machines, has rolled out a new high-end, on-line transaction-processing machine. The P200, based on National Semiconductor Corp.'s NS32032, processes 45 percent more transactions per second than its 32016-based predecessor, the P100, for a 13 percent increase in price. Tolerant has also reached a sales agreement with Online Computer Library Center Inc., Dublin, Ohio, under which OCLC will use Tolerant's Eternity computers (which include the P100 and P200) to manage its 80G-byte library-information database. That is believed to be the largest database ever supported by a UNIX operating system.—*Dave Simpson*

TREASURY PROGRAMS PROMISE BIG BUSINESS

The U.S. Treasury Department is expected to award more than \$1 billion in contracts during the next three years for automated data-processing and telecommunications equipment and services, according to International Data Corp. (IDC), a market-research organization based in Framingham, Mass. The monies will be spent through a dozen multiyear programs ranging in value from \$10 million to \$700 million. The largest programs, according to IDC, are the Treasury's automated-examination, integrated-collection and automated criminal-investigation programs.—*Stephen Shaw*



Tired of running cables to add terminals?

Don't Go Through The Ceiling!

Equinox Local Multiplexers let you connect clusters of async terminals to host computers located thousands of feet away over a single new or existing 4-wire cable. Use them instead of running miles of cable and buying dozens of line drivers. For small terminal clusters use two Equinox LM-8s to connect eight terminals. For up to 48 terminals use two LM-48s.

A Transparently Better Way.

Equinox Local Multiplexers pass data up to 9600 bps with control signals. And because they're fully transparent to all data, they work with virtually any async terminal, printer or computer. Easy to install, Equinox Local Multiplexers send data up to one mile.

Save Now, Switch Later.

Use Equinox Local Multiplexers to distribute data to terminal rooms, between floors in high-rise buildings,

or across a campus. The greater the distance, the more you save by eliminating multiple cables and line drivers for each terminal.

Equinox LM-8 and LM-48 Local Multiplexers connect directly to our popular Data PBXs. So the Local Multiplexers you install today can be used tomorrow as terminal servers in a fully featured async Local Area Network. This upgrade from cost-saving data distribution to low-cost data switching lets you solve today's problems with a plan for the future.

Let's Communicate.

Whether you're tired of running new cable just to add another terminal, need to add terminals but your conduits are clogged or just want to save money by eliminating cable and line drivers, we've got a down-to-earth solution.

Call 1-800-DATA-PBX
In Florida Call (305) 255-3500

Equinox Systems
12041 S.W. 144th Street
Miami, FL 33186-6108




LM-8; 8 Channels
\$700

LM-48; 48 Channels
\$3100

EQUINOX
Systems

We Make The Right Connections.

FAST MicroVAX Graphics



- 1280 x 1024 x 8 display (QG-1280)
- 640 x 480 x 8 display (QG-640)
- 35,000 vectors/second drawing speed

- 1 million pixels/second image load
- 3D accelerator SPACE MACHINE[®] option
- MicroVMS and RSX drivers

Matrox now offers two new intelligent color graphics boards for the Q-Bus. The QG-1280 and QG-640 provide the speed and resolution necessary to upgrade DEC's MicroVAX and PDP computers into Professional Graphics workstations.

The QG-1280 has a resolution of 1280 x 1024. The board's drawing speed of 35,000 vectors/second means complex pictures are displayed in under a second. For solid modelling applications, an optional 3D accelerator module complete with Z buffer provides fast hidden surface elimination and shading.

The QG-640 is the perfect solution for OEM's requiring the same performance but with less resolution; 640 x 480, at 50% less cost.

Unlike conventional graphics terminals the QG-1280 and QG-640 are directly accessible from the Q-Bus. There are no slow serial communication links. **You "see" results immediately.**

Let our new generation graphics boards **"speed up"** your workstation design — today.

Call Toll Free: 1-800-361-4903



matrox

1055 St-Regis Blvd
Dorval, Québec, Canada
H9P 2T4
Tel.: (514) 685-2630
Tlx: 05-822798

WYSE BROADENS LINE WITH AT-COMPATIBLE AND DISPLAY PRODUCTS

Wyse Technology, San Jose, Calif., has unveiled a blitz of monitors and a new microcomputer compatible with the IBM Corp. PC/AT. The three new monitors, all with 14-inch screens, are PC-compatible. The WY-530 (\$235) is monochrome with non-glare etched glass; the WY-630 (\$599) has a 16-color palette but can also work in amber or green; and the WY-640 (\$749) offers high resolution for compatibility with IBM's Enhanced Graphics Adapter (EGA). The AT clone, called the WYSEpc 286, is priced from \$2,999, with a single 1.2M-byte flexible disk drive, to \$4,199, with a 40M-byte rigid disk drive.—*Mike Seither*

APOLLO TO SUPPORT LATEST UNIX ON ITS WORKSTATIONS

Apollo Computer Inc., Chelmsford, Mass., has announced intentions to incorporate AT&T Co.'s UNIX System V Release 3 on its technical workstations. The two companies began working together on the UNIX implementation several months ago. By incorporating the latest version of the operating system into its proprietary DOMAIN/IX system, Apollo hopes to reinforce its commitment to a multivendor computing environment.

—*Lynn Haber*

COBOL GETS A BOOST ON ATTIS' UNIX MACHINES

An agreement between Micro Focus Inc., Palo Alto, Calif., and AT&T Information Systems, Morristown, N.J., will see Micro Focus developing COBOL programming products for all ATTIS computers running under UNIX System V. The two companies are working together to increase the impact of COBOL in the UNIX environment, says Joanne Masingill, a software division manager at ATTIS.—*Keith Jones*

INTEL SUPPORTS MAP WITH INI AGREEMENT

Intel Corp., Folsom, Calif., and Industrial Networking Inc. (INI), Santa Clara, Calif., have signed an agreement to market network products based on the IEEE 802.4 Manufacturing Automation Protocol (MAP). The companies will also jointly develop future products for the token-bus environment. Under the agreement, Intel has exclusive distribution rights for the INI token-bus controller, broadband modem and Multibus I boards.

—*Lynn Haber*

TECH FILES: A QUICK LOOK AT NEW PRODUCTS AND TECHNOLOGY

The latest in dot-matrix printers from **Epson America Inc.**, Torrance, Calif., is the \$749 model EX-800, which incorporates a nine-pin printhead providing near-letter-quality printing at 54 characters per second (cps) and draft quality at 250 cps. Available with parallel or serial interfaces, the EX-800 features printing in seven colors: black, red, blue, violet, yellow, orange and green. Deliveries begin this month.—*Carl Warren*

The Modem Combo Cards from the **Persyst Division** of Emulex Corp., Costa Mesa, Calif., are reportedly the first IBM Corp. PC-compatible enhancement boards to combine communications and display capabilities on a single card. Two versions are offered: the Modem Mono Combo provides a fully compatible IBM monochrome display adapter, while the Modem Color Combo offers a fully compatible IBM color display adapter. Both boards also provide a 2,400-baud modem, parallel port and calendar/clock, and are priced at \$899. Persyst has also introduced the EG-8 graphic expansion board to provide four types of graphics support: IBM's monochrome, Enhanced Graphics Adapter and Color Graphics Adapter; and Hercules Computer Technology's Graphics Adapter. The \$599, PC-compatible card also offers serial and parallel ports, a calendar/clock, print spooling and RAM disk software.—*Bruce MacDonald*

Claiming to have the first color graphics board able to create images 24 planes deep with independent alphanumeric overlay, **Peritek Corp.**, Oakland, Calif., will debut the VCX-Q/U at the SIGGRAPH graphics show, Dallas, August 19 to 22. The VCX-Q/U works with Q-bus and UNIBus computers from Digital Equipment Corp.—*Dave Simpson*

Consider add-in boards from **Clearpoint Inc.**, Hopkinton, Mass., if you want to take full advantage of the IBM Corp. RT PC's 16M-byte address space. Organized as two 40-bit arrays, the \$1,895 RTRAM/4 stores 4M bytes using 256K dynamic RAMs, while the \$4,395 RTRAM/8 provides 8M-byte capacity via 1M-bit DRAMs. The boards, which have a 150-nsec access time, support the RT PC's error-detection and correction logic.—*Jesse Victor*

LabVIEW software from **National Instruments**, Austin, Texas, takes a novel, interactive graphical approach to developing and running software for laboratory and scientific instrumentation. Based on the Apple Computer Inc. Macintosh, the \$1,995 package allows system integrators to use block diagrams functioning as executable subroutines, graphical front-panel representations and icons to program, configure, debug and control IEEE-488-based instrumentation systems. Statistical-analysis, matrix-manipulation, signal-processing, mathematical and file I/O routines are built in.—*Jesse Victor*

NOTES FROM OVERSEAS: Paris software house **GIE Emeraude** is porting its integrated project-support environment, also called Emeraude, to a wide variety of computer systems, and U.S. companies are among the potential customers. Emeraude is an implementation of the Portable Common Tool Environment (PCTE), now being defined by six leading European computer makers. PCTE runs on top of UNIX System V and adds substantially to the project and programming support facilities that UNIX provides. Additional tools written to run with PCTE can call PCTE functions using a set of C-language instructions being established as a standard in Europe so that a tool can run with PCTE on any machine.—*Keith Jones*



If Keyboard Data Entry Is Slowing You Down, Have A Talk With Your Computer

For fast, accurate data entry, Verbox voice input is the answer. Our voice data entry products are helping companies in material handling, inventory control, inspection, test and other applications save thousands of dollars in labor, time and equipment costs, often with productivity gains of 100% and more. Now you can take advantage of this proven technology in a new, low-cost voice data entry peripheral—the Verbox Series 4000 Voice Recognizer.

Integrating seamlessly with your existing data entry operation, the Voice Recognizer works with virtually any mainframe, mini-, micro- or personal computer. Unique, reusable, CMOS cartridges hold each user's voice patterns

and vocabulary words. He or she simply drops the pocket-sized cartridge into the Voice Recognizer console and it instantly responds to verbal commands despite accent, dialect, or interference from loud background noise.

Simple software tools let you create your own vocabularies.

With our IBM® PC-compatible Voice Developer software, programming custom vocabularies is no sooner said than done. Simple software tools let you select words of any length using terminology specific to your application, your industry, and your firm. Training your users is fast, retraining is typically unnecessary, and you may change your vocabulary at any time.

True continuous speech recognition: the key to your success.

With Verbox, the user inputs data in a natural voice, so there's no risk of fatigue or irritation caused by the staccato diction that other products require. And while others may claim it, only Verbox's patented continuous speech recognition algorithm achieves this natural man/machine interface without sacrificing accuracy or vocabulary size.

For details on the Series 4000 or our OEM/VAR programs, call (201)267-7507. Or write on company letterhead and ask for a free video tape of voice applications: Verbox, VOICE INDUSTRIES CORPORATION, Ten Madison Avenue, Morristown, NJ 07960.

Verbox

VOICE INDUSTRIES CORPORATION

CIRCLE NO. 14 ON INQUIRY CARD

IBM is a registered trademark of International Business Machines Corp.

Ducommun Data Systems configures Convergent for you -Fast!

Now you can get the Convergent products you need. Featuring the highest price-performance available.


DDS is prepared to offer you Convergent's complete lineup of UNIX*-based multi-user computer systems. Convergent already builds products for leading OEMs like AT&T (the inventor of UNIX), Motorola and others. So you know they do it right.

DDS can deliver Convergent MightyFrames* Or if you need fast performance for over 64 users, the new MegaFrame II* will soon be available.

More importantly, DDS can offer you special configurations you can't get anywhere else. For instance, only we can deliver you MiniFrames* and MightyFrames with a variety of disk drives ranging from 50 MB to 675 MB each.

*Mighty Frame, MegaFrame II and MiniFrame are trademarks of Convergent.

UNIX is a trademark of AT&T Bell Laboratories.



*"Convergent MightyFrames, huh?
I'll have to pull some strings
to get 'em. But I'll get 'em."*

Configurations in the MightyFrame alone that total over 5.0 gigabytes of disk storage.

Other features available from

DDS are half-inch, 9-track tape drives supporting 1600 and 6250 bytes per inch for your MightyFrame and MegaFrame II.

DDS is also a great source for service and support. Even nationwide Honeywell service for hardware is available. DDS people work hard. DDS people know your business.

And DDS has other ways to support VARS. Like continuing to provide them with an impressive array of multi-user products from leading manufacturers — everything from minis and micros to peripherals and software.

So, if you need help integrating high-performance systems you can sell with confidence, call DDS and we'll respond. DUCOMMUN DATA SYSTEMS, 10824 Hope Street, Cypress, California 90630, 1-800-FOR VARS.

DUCOMMUN
DATA SYSTEMS
A DIVISION OF DUCOMMUN INCORPORATED

AT&T • AT&T Teletype • Ashton-Tate • Alloy • CDC • Convergent • Data Technology Corporation • Dataproducts
DEC • FIS • HANDLE • Lear Siegler • 3-M • NEC • Novation • Quadratron • Qume • Sola • Tandon • Televideo
Thesys • TI • Touchstone • Unify • Western Digital • WYSE

CIRCLE NO. 15 ON INQUIRY CARD

The VME BUS and OS-9:

Ultimate Software for the Ultimate Bus.

Modularity. Flexibility. High Performance. Future growth. These are probably the prime reasons you chose the VME bus. Why not use the same criteria when selecting your system software? That's why you should take a look at Microware's OS-9/68000 Operating System—it's the perfect match for the VME bus.


When you're working with VME you must have access to every part of the system. Unlike other operating systems that literally scream KEEP OUT!, OS-9's open architecture invites you to create, adapt, customize and expand. Thanks to its unique modular design, OS-9 naturally fits virtually any system, from simple ROM-based controllers up to large multiuser systems.

And that's just the beginning of the story. OS-9 gives you a complete UNIX-application compatible environment. It is multitasking, real time, and extremely fast. And if you're still not impressed, consider that a complete OS-9 executive and I/O driver package typically fits in less than 24K of RAM or ROM.


Software tools abound for OS-9, including outstanding Microware C, Basic, Fortran, and Pascal compilers. In addition, cross C compilers and cross assemblers are available for VAX systems under Unix or VMS. You can also plug in other advanced options, such as the GSS-DRIVERS™ Virtual Device Interface for industry-standard graphics support, or the OS-9 Network File Manager for high level, hardware-independent networking.

Designed for the most demanding OEM requirements, OS-9's performance and reliability has been proven in an incredible variety of applications. There's nothing like a track record as proof: to date, over 200 OEMs have shipped more than 100,000 OS-9-based systems.

Ask your VME system supplier about OS-9. Or you can install and evaluate OS-9 on **your own** custom system with a reasonably priced Microware PortPak™. Contact Microware today. We'll send you complete information about OS-9 and a list of quality manufacturers who offer off-the-shelf VME/OS-9 packages.



Modular Hardware Deserves Modular Software



MICROWARE®

Microware Systems Corporation

1866 N.W. 114th Street • Des Moines, Iowa 50322
Phone 515-224-1929 • Telex 910-520-2535

Microware Japan, Ltd.

41-19 Honcho 4-Chome, Funabashi City • Chiba 273,
Japan • Phone 0474-22-1747 • Telex 298-3472

Micromaster Scandinavian AB
St. Persgatan 7
Box 1309 S-751 43 Uppsala
Sweden
Telex: 76129 microma s
Phone: 018-138595

Dr. Rudolf Keil, GmbH
Porphystrasse 15
D-6905 Schriesheim
West Germany
Telex: 465025 keil d
Phone: .06203-6741

Elsoft AG
Bankstrasse 9
CH-5432 Neuenhof
Switzerland
Telex: 57136 elso ch
Phone: 056-862724

Vivaway, Ltd.
36-38 John Street, Luton
Bedfordshire LU1 2JE
England
Telex: 825115
Phone: 0582-423425

Microprocessor Consultants, Ltd.
16 Bandera Avenue
Waga Waga, 2650
NSW Australia
Phone: (069) 312331

OS-9 is a trademark of Microware and Motorola. PortPak is a trademark of Microware. GSS-Drivers is a trademark of Graphic Software Systems, Inc. VAX and VMS are trademarks of DEC. Unix is a trademark of AT&T.

CIRCLE NO. 16 ON INQUIRY CARD

TODAY IS THE BLACKEST DAY IN DOT MATRIX PRINTER HISTORY.

It would pay you to mark it on your calendar.

Because today is the day we introduce our new Pinwriter™ P5XL dot matrix printer. The only dot matrix printer available capable of producing the rich, black printing you associate with a letter-quality printer. Because it's the only one designed to use a multi-strike film ribbon — the same ribbon used in typewriters and letter-quality printers.

A LITTLE BLACK MAGIC.


Actual line printed with the Pinwriter P5XL printer.

Black letter-quality printing is only the beginning. The Pinwriter P5XL printer can also use an optional ribbon to print in seven other colors. And it has the finest graphics resolution of any impact printer you can buy. Plus it's very fast and exceptionally quiet.

It's only natural that

the first dot matrix printer with true letter-quality printing should be an NEC. After all we make Spinwriter® letter-quality printers, the most popular line today, as well as the Pinwriter P5 dot matrix printer, the most advanced 24-pin printer.

The Pinwriter P5XL printer is part of the most extensive line of 24-pin printers available. You'll find a model designed to fit every need and budget. See them at your dealer or call 1-800-343-4418 (in MA 617-264-8635). Or write: NEC Information Systems, Dept. 1610, 1414 Massachusetts Ave., Boxborough, MA 01719.



**NEC PRINTERS. THEY ONLY STOP
WHEN YOU WANT THEM TO.**

NEC
NEC Information Systems, Inc.

C&C Computers and Communications
© 1986 NEC Corp.

CIRCLE NO. 17 ON INQUIRY CARD

AST card gives OEMs choice of PC graphics possibilities

Mike Seither

Associate Western Editor


AST Research Inc. has broadened its foray into the highly charged market for personal computer graphics by introducing an upgrade chip that gives OEMs more flexibility in configuring systems.

The Irvine, Calif., chip manufacturer has added compatibility with the IBM Corp. color graphics adapter (CGA) and the Hercules Graphics Card to the AST-3G board. When the company began shipping the AST-3G in late April, the board provided compatibility only with the IBM enhanced graphics adapter (EGA).

Now, system integrators can add CGA and Hercules capability by plugging the \$75 upgrade chip into a socket on their AST-3G boards. AST will market a high-end board—the AST-3G Plus—that includes a factory-installed CGA/Hercules chip. The company says shipments of the AST-3G Plus have begun.

The firmware for CGA and Hercules compatibility adds another level of “modularity” to the AST-3G board, says Marty Stein, the company’s director of graphics products. The board now supports three popular graphics standards—CGA, EGA and Hercules—and provides either 64K bytes or 256K bytes of onboard RAM to serve various graphics software packages. A parallel port for IBM-compatible printers and plotters is optional. In all, AST Research offers a choice of eight 3G adapter board configurations ranging in price from \$425 to \$600 (see table).

“System integrators or large corporate end users can standardize on a single board but [need] not buy more



The AST-3G Plus offers system integrators three graphics standards from which to choose: the IBM EGA and CGA and the Hercules. Options for 256K bytes of memory and a parallel port are also available.

than they need for any one PC,” says Stein. The choices in AST-3G adapters give system integrators with an installed base easy flexibility in upgrading personal computers as their customers’ graphics needs change, he adds. For example, some users who ultimately require graphics may already have personal computers equipped with a parallel printer port, so they wouldn’t need to include one as part of the AST board.

AST also says that the flexibility of the 3G line allows buyers to purchase personal computers in volume and configure them with one board for several graphics applications. Later changes in graphics capabilities would only involve adding a chip or changing monitors, according to Stein. No new adapter would be necessary.

For AST, which has manufactured enhancement products for the IBM PC and compatibles since 1980, the 3G cards follow a number of earlier graphics boards. The company also sells Preview!, a \$399 card that is compatible with IBM’s monochrome display adapter (MDA), and Color-

GraphPlus, a \$295 adapter that supports only the CGA standard. The company is perhaps best known for its SixPackPlus, which combines on a single board such functions as serial and parallel ports, extra RAM and a clock. Along with Lotus Development Corp., Intel Corp. and others, AST was instrumental last year in creating the Above Board standard, which allows memory extensions beyond the 640K-byte barrier imposed by the IBM PC.

Half a million boards

Despite its considerable experience in the IBM PC market, AST faces plenty of competition, not the least of which comes from IBM itself. According to industry analysts, graphics adapter cards are becoming one of the hottest after-market enhancements for the PC. It’s estimated that last year, when it had the market mostly to itself, IBM sold 125,000 of its \$930 EGA cards. So says Lewis Brentano, vice president and director of graphics and terminal services at Dataquest Inc., the San Jose, Calif., market-research outfit.

PAYING ONLY FOR WHAT'S NEEDED

AST-3G		AST-3G Plus	
Configuration	Price(\$)	Configuration	Price(\$)
EGA/64K	425	EGA/CGA/ Hercules/64K	500
EGA/256K	450	EGA/CGA/ Hercules/256K	575
EGA/64K/ parallel port	450	EGA/CGA/ Hercules/64K/parallel port	525
EGA/256K/ parallel port	500	EGA/CGA/ Hercules/256K/parallel port	600

"I'm not afraid to say that 400,000, even 500,000 [EGA units], will be shipped in 1986," says Brentano. "EGA has come of age."

But Robert Lefkowitz, an analyst with InfoCorp of Cupertino, Calif., says those figures are out of line. "I'd be surprised if 1986 shipments passed 100,000. There isn't a demand for EGA yet because there isn't that much software that takes advantage of it."

However, AST's Stein agrees with the higher figures, saying that he has seen information that shipments of EGA monitors exceed 30,000 a month.

Whatever their number, many of those 1986 EGA sales will come from non-IBM sources. Brentano says that, besides AST, two companies, Quadram Corp. of Norcross, Ga., and Video-7 Inc. of Milpitas, Calif., "are shipping in good volumes." Add to that several other companies that are introducing a variety of EGA-compatible cards (see "PC board vendors rush to fill EGA demand," Page 69).

Brentano believes that AST may be well positioned to take advantage of current user needs now that its AST-3G Plus provides compatibility with CGA and Hercules. That's because Brentano, like Lefkowitz, believes that much of the software written for those standards has not been rewritten for EGA.

"Fifty percent of the applications that people buy are ready for EGA," Brentano says. "The rest run on CGA or Hercules. Until it's 100 percent, they'll want emulation features."

Meanwhile, Stein says that AST has hired an independent testing firm to run the AST-3G boards against about 80 specific graphics programs to en-

sure compatibility in all modes: EGA, CGA, Hercules and MDA. "We claim to run with all mainstream software and most compatible PCs," he says. "It's been quite a massive testing effort."

AST plans to bring its substantial marketing and distribution muscle to bear on getting the new boards to market. The company, which totalled \$90 million in sales during the first half of its fiscal year, will move the boards through several channels, including dealers, value-added resellers, distributors and large retailers such as Computerland Corp. and Entré Computer Centers Inc.

Stein also foresees significant OEM business. The biggest customer in that category will be manufacturers of IBM PC lookalikes, he says. He further anticipates that 40 percent of AST-3G Plus early sales will be to foreign manufacturers. □

Coming next from Japan: The bionic computer?

Michael Tucker, Associate Editor

In an uncharacteristic move, Japan is proposing a massive, long-term, international R&D project into the field of bionics and related sciences. The program, titled "Human Frontiers," could have a significant impact on world computing technology. The Japanese hope to produce improved artificial-intelligence software, "biochips," intelligent robots and more, in concert with other industrial nations.

Backed by Japan's powerful Ministry of International Trade and Industry (MITI), Human Frontiers would be funded initially with roughly \$5 billion at the current rate of exchange. The United States, Canada, Commonwealth countries and other industrial nations have been invited to participate—at first drawing on Japanese funds but later paying their own way. The program is expected to last 20 years, to 2007.

Observers in the United States seem generally positive about the program, but cautious. Some industry insiders question whether any project backed by the typically insular MITI would actually be open to non-Japa-

nese. On the other hand, officials at the U.S. State Department and the U.S. National Science Foundation say the Japanese wish to begin a genuinely open and international project.

Mother Nature knows best

Bionics is the application of biological principles to the design of machines and electronic systems. AI software, certain kinds of robots, prosthetic limbs, dialysis machines and artificial hearts could all be called bionic applications. One related field is biotechnology, which essentially attempts to do the reverse of bionics and create machines based on the principles of biology (see "Research holds promise of biochips," right).

The Japanese say that applied bionics could lead to a new industrial revolution. Explains Taizo Yokoyama, minister of commercial affairs at the Japanese embassy in Washington, "The basic idea is that the next technological breakthroughs may come from the study of living things. The functions of living beings might be translated into mechanical or electronic functions. For instance, very advanced computers might

come from the study of the human brain."

The Frontiers program has been conceived as a way to effectuate the basic research necessary for this "bionics revolution." "We know," says Yokoyama, "that this is far too ambitious a project for any one nation to carry out."

In the short run, Japan hopes the program will provide improved AI software, better computer-user interfaces, superior industrial robots and so forth. Research programs to make these possible would include work in machine vision, natural languages, artificial associative memory and symbolic processing.

In the long run, the Japanese are quite seriously discussing revolutionary technologies. These include biochips—electronic circuits based on protein molecules, which would, in theory, be far smaller and more powerful than any silicon chip. (Some visionaries have even talked about embedding them in the brain as the ultimate personal computer.)

Frontier or fraud?

The American response to the proposal has been mixed. Government officials who have studied the proposal have been optimistic overall, although they caution that the project is still very much in the planning stages. "At the moment," says Charles Wallace, senior program manager at the National Science Foundation in Washington, "it's just a twinkle in the eye of MITI."

However, Wallace approves of the project's long-term goals. "I'm not cynical about this," he says. "I'm tempered, perhaps, by looking at some of their other research programs, particularly their Fifth Generation project." The Fifth Generation project is the well-known Japanese attempt to leapfrog world computer technology. So far, it has not been a ripping success, partly because of intense competition among the sponsoring Japanese companies.

The U.S. State Department also seems to approve of the Frontier project. An official there says, "From our point of view, we think it's a nice

Research holds promise of biochips


The biochip or, more properly, "molecular computing," is a tantalizing technology even though implementation in computer systems is still many years in the future.

Partisans of molecular computing propose that advances in synthetic chemistry and biotechnology make it possible to manufacture electronic components from individually tailored molecules. For example, some researchers have designed (but not built) diode-like switches that consist of long chains of carbon atoms.

"The idea is to do what semiconductor science does, but with molecular physics," explains G. Allan Schick, a research scientist with the Center for Molecular Electronics at Carnegie-Mellon University, Pittsburgh. But because individual components would be molecule-sized, they could be packed to densities beyond the wildest dreams of silicon designers.

The most effective means of manipulating structures on the atomic level is to use the same techniques employed by biotechnology companies, or even by living things—hence the term "biochip." Schick notes that molecular electronics researchers want molecular components to assist in their own assembly, rather like the DNA molecule. "In biofabrication circles, there's a lot of interest in self-assembly."

Full-scale molecular computers are decades away, even by the most optimistic estimates. But biofabrication is already easing



its way into the commercial world. For example, Gentronix Laboratories Corp., Rockville, Md., is seriously considering biofabricated components.

"The product we envision is an optically addressed memory medium manufactured with biofabrication techniques," says Gentronix president John Wehrung. Existing optical memory systems—laser disks—are limited in the amount of stored information by the size of the area that can be marked by a laser, the so-called "laser spot." But, with biofabrication techniques, says Wehrung, designers might give different optical characteristics to individual molecules. "In the space of a single laser spot, you could store 10,000 bits of information," he explains.

idea." But Dr. Robert Rabin, the assistant director for life sciences at the White House Office of Science and Technology, has mixed feelings. "We're taking a conservative position at the moment, because we're not sure

what their intentions are. One wonders, for instance, how such a project would separate basic from applied research." In other words, the question is how to prevent any one participant from exploiting the others by

using the research to jump the gun on producing commercial products.

Serious objections to the program have been raised by members of the business community. One individual involved in a joint venture with a Japanese software concern, who asked not to be named, bluntly calls the project a "fraud," saying that the Japanese mean to use Frontiers simply as an inexpensive way to get other countries to do their basic research—the results of which they'd later use to develop still more products for export.

"The [Fifth Generation] project was supposed to be an open, international effort too," he says. "In point of fact, it was open the way a tube of toothpaste is open when you leave the cap off—easy to make things flow in one direction, impossible in the other. The Japanese were more than happy to send their people to study at Cal Tech or MIT, but try and get them to let your people work with them!"

However, the government officials who've actually seen the proposal seem to feel less concern about Japan's current motives. Notes the NSF's Wallace, "I think you have to realize this [Frontiers] is a very sincere effort. There is a very big push in their government for the internationalization of basic research."

State Department officials have similar opinions. One of them comments, "This is a program of basic, as opposed to applied, research. In such a situation, you have to have free exchange of information, or it just doesn't work."

Want Americans in

Whatever the purpose of the Frontiers project, the Japanese are eager for American participation. They are openly inviting American business to become involved. "We have told the U.S. government that the involvement of the private sector is quite essential," said Yokoyama. However, the exact mechanism for that involvement remains undefined—along with much of the rest of the program's proposed operation.

This vagueness could seriously discourage American researchers from

participating, particularly given the business community's suspicions about Japan's real motivations. One possible solution to the problem, which has been aired in certain government and business circles, would be the creation of an R&D consortium, like the Microelectronics and Computer Corp. of Austin, Texas, established as a response to the Fifth Generation project.

But, instead of competing with the Japanese, this new consortium would act as a middleman between Ameri-

can researchers and the Frontiers administration in Japan—making Americans aware of the program, conveying information, and, generally, protecting American interests.

But American participation in the program in any form will have to await clarification of Frontier's basic aims and organization. Says the White House's Rabin, "We're enthusiastic about this thing. It looks interesting. But we're not ready to say that we know enough about it to get involved." □

High-speed modems trudge to market

Lynn Haber, Associate Editor

Implementation of the international CCITT V.32 recommendation for synchronous, high-speed data transmission in full-duplex mode over dial-up or leased lines has sent modem vendors down an unexpectedly bumpy road.

After a series of postponed product introductions by a number of manufacturers, only Concord Data Systems Inc. (CDS) and Infinet Inc. are shipping fully compatible V.32 products. British Telecommunications Plc, Codex Corp. and NEC America Inc. have scheduled shipments this summer.

The V.32 modems allow, for the first time, full-duplex, dial-up capability at 9,600 bits per second (bps). Such high-speed performance is the result of a built-in error-correction scheme, known as trellis coded modulation, and an echo-cancellation technique that makes speedy data transmission possible over unshielded telephone lines.

For users, these modems provide four times the data throughput of the slower V.22 modems, which operate at 2,400 bps in full-duplex mode. The ability of the V.32 modems to operate over both private and dial-up lines gives them greater flexibility than the V.22s.

CDS, of Marlborough, Mass., the

first company to ship V.32 modems, has approximately 1,500 units in the field, according to CDS products marketing manager Philip Sliney. Priced at \$3,495, the CDS V.32 Trellis modem features 9,600 bps and 4,800 bps; full-duplex over two-wire dial, or four-wire and two-wire unconditioned leased lines; and full CCITT V.32 compatibility with trellis coding. It also provides auto-answer and auto-rate determination of the incoming call; full automatic adaptive equalization with echo cancelling; and test and diagnostic capabilities.

According to Sliney, CDS, like some of its competitors, ran into development difficulties. "We expected to have our product out a year ago, but found problems with the far-end echo cancellation in the beta tests, and had to postpone delivery until corrections and new tests were complete," he says.

NEC America, San Jose, Calif., also encountered delays in shipping its V.32 trellis modem after it was announced last fall. According to product line manager Rick Pitz, echo-cancellation problems caused the delay, but they have been corrected.

Pitz, like CDS' Sliney, agrees that the delivery delays of the V.32 modems can be attributed to manufacturers underestimating the prob-



Codex's 2260 V.32 high-speed modem, priced at \$3,495, is scheduled for shipment this summer.

lems involved in dealing with the units' advanced technology. "Implementing the far-end echo cancellation was difficult and costly," he maintains, adding, "getting products out the door then became largely a development problem."

The price of an echo

Echo cancellation is necessary to maintain data integrity during transmission. Moreover, it must be employed for trellis modems to comply with the CCITT V.32 standard. Unfortunately, says Sliney, the CCITT recommendations do not specify how echo cancellation should be done.

As explained by modem maker Codex, of Mansfield, Mass., there are two possible sources of echo in a dial connection: the local and remote terminations. An echo during data transmission is the same as that experienced during a telephone conversation when, for example, the voice is delayed for a few seconds after speaking. This is merely annoying in a telephone conversation; in data transmission it is unacceptable. Because both the transmitter and receiver share the same bandwidth in a two-wire scheme, the received signal will be masked by the transmitted signal unless the transmitted signal can be eliminated—thus, the need for echo cancellation. This problem is most commonly encountered when satellite phone links are used.

According to Codex director of dial products, Michael Moritz, the company's models 2250 and 2260 high-speed modems are due out this summer and will be priced at \$2,995 and \$3,495, respectively. The 2250

operates at 4,800 bps. The 2260 is compatible with other V.32 trellis and non-trellis coded modems at 9,600 bps and 4,800 bps.

Also shipping fully V.32-compatible modems is Infinet of Andover, Mass., with its V.32 Trellis that it buys under an OEM agreement from CDS. Lynn Faust-Berger, product marketing manager, expects to see sales of the V.32 units to dial customers who are looking for speed enhancements. She also believes the modems will be attractive to private-line users who want improved leased-line capabilities with an easy-to-use, single-call dial backup, all in one box.

Awaiting mass VLSI production

One reason for V.32 modem delays has been a lack of needed VLSI chips. Product-development time has been long, and costs have been high, because manufacturers have had to custom-design their own chip sets. Although Sliney says that CDS' modem uses off-the-shelf components and adds value by software, he contends that most semiconductor manufacturers are now developing V.32 chip sets. Indeed, a spokeswoman from Rockwell International Inc.'s Semiconductor Division in Newport Beach, Calif., says that the company is working on a board-level product expected to be available in mid-1987. Meanwhile, Codex's V.32 trellis modem uses a VLSI chip set designed by parent company Motorola Corp.

Lynne Davis, a senior research analyst with International Data Corp. (IDC) of Framingham, Mass., contends that, because of the high cost of the technology for the V.32 modems, many vendors have refrained from manufacturing them. She believes that will change when the chip sets are produced in volume.

While companies such as CDS, Codex, Infinet and NEC are busily going ahead with products, other modem makers believe that too many aspects of the CCITT V.32 recommendation remain unclear to risk pursuing the technology. That was the consensus at a recent CCITT V.32 meeting in Europe, says attendee Gregor Ferguson, vice president of



Concord Data Systems' V.32 Trellis modem satisfies the full international CCITT V.32 recommendation for synchronous two-wire, full-duplex data transmission at 9,600 and 4,800 bits per second for dial-up and leased lines.

marketing at Microcom Inc., Norwood, Mass. A number of proposals to modify or extend the current V.32 recommendation were suggested at the meeting, he says.

Sliney reports that while buyers of CDS' V.32 Trellis have been positive about the units, it will take another three to six months of using them in a network before it becomes clear in which applications the modems function best.

Sliney believes that perhaps the greatest stamp of authority for the new trellis technology has been AT&T Information Systems' entrance in the V.32 arena. ATTIS recently introduced the \$2,995 model 2248 modem, which complies with the V.32 standards for operation at 4,800 bps (but not at 9,600 bps).

Drawbacks remain

According to IDC's Davis, one disadvantage of the V.32 modems is that they are not compatible with the large installed base of CCITT-compliant and Bell Laboratories modems operating at 1,200 bps and 2,400 bps. But she expects that vendors will solve this problem and add backward compatibility to their products when CCITT defines the fall-back procedure. Additionally, while adhering to international standards implies that different vendor's equipment will be compatible, no testing between different manufacturers' products has yet taken place. □

Appearing on Screens Everywhere!



When you need a guy with powerful mainframe-to-micro connections, call *The Emulator* from Graffpoint.

It's no mystery why *The Emulator's* become an amazing success story. He's a master of disguise, and his software emulates Tektronix™ 4105/6/7/9 and DEC VT100™ terminals with surprising speed and resolution. He's cracked cases coast-to-coast. And he's the one with the

right connections when it comes to most popular PCs and associated boards.

If you're after a mirror-image for a lot less, look into TGRAF™ from Graffpoint. But don't ask how it's done. Only *The Emulator* really knows.



GRAFFPOINT

4340 Stevens Creek Blvd., Suite 280,
San Jose, CA 95129 (408) 249-7951

CIRCLE NO. 18 ON INQUIRY CARD



OFFICE AUTOMATION



UNIX

MS-DOS

All Together Now

Office Automation

Looking for reliable UNIX™-based office automation? It's time you looked at Fortune, with a complete line of applications that all work together.

Fortune:Word-Wang™-like word processing, international languages, and the largest share of the UNIX word processing market.

Multiplan® for everything from number crunching to "what-if."

Graphics-create your own business presentations, based on GSS™ standards.

Databases-over 15 of the most popular available.

Fortune:Windows-cut and paste between eight applications, all together on a single screen.

Communications-to put you on-line with practically any local or remote system.

UNIX-Based Systems

All this software runs on Fortune's high-performance, UNIX-based, multi-user supermicro—expandable, upgradeable, and remarkably easy to use. A single system can handle up to 32 users. And Fortune:Link connects up to 255 multi-user Fortune systems in a local area network. So that all the users in an office can share all the information, all the software, and all the peripherals—all the time.

MS-DOS® Compatibility

If you have IBM™PCs® or compatibles, Fortune:Works puts them right into our network. And Fortune's UNIX Coprocessor card adds multi-user UNIX capability to your IBM PC. No need to choose between your existing investment and multi-user technology. Now they work together.

Vertical applications? Hundreds of UNIX-based software packages run on a Fortune. And MS-DOS compatibility means you can keep all your old favorites, too.

It's All Yours

Fortune offers the ideal system for small to large businesses. Or even corporate America. And with five years' development and testing and 50,000 workstations installed worldwide, you know it works. With Fortune Systems, it's all together. Now.

For all the facts, send in this coupon today.

- Tell me how a Fortune reseller can have it all together.
 Tell me how a Fortune user can get it all together. mms 7 86

Name _____

Company _____

Address _____


City _____ State _____ Zip _____

Phone _____ Ext _____

Fortune Systems, 300 Harbor Boulevard, Belmont, CA 94002 (415) 593-9000 Ext. 35

UNIX is a trademark of AT&T Bell Laboratories, Wang is a trademark of Wang Laboratories, Inc., Multiplan and MS-DOS are registered trademarks of Microsoft Corp., GSS is a trademark of Graphics Software Systems, Inc., IBM and IBM PC are trademarks of International Business Machines, Corp.

**ANNOUNCING
A MAJOR
BREAKDOWN
IN SOFTWARE
DEVELOPMENT.**



A Pyramid system helps you break major microcomputer or embedded system programs into manageable parts, without letting you lose sight of the big picture.

Developing a microcomputer mega-program these days is hardly what you'd call a day in the country. Programs for embedded systems aren't exactly a picnic, either.

They have to be broken into individual, manageable pieces.

Then the pieces put back together. In the right order, at the right time, without sacrificing anyone's productivity. Or sanity.

It's a real art.

And it requires plenty of resource.

Otherwise known as a Pyramid Technology system.

Dollar for dollar, nobody makes more development horsepower, or more flexibility, available to more developers, all at once, than we do.

Take our ISOPROCESSOR™ for instance. The ultimate 32-bit, RISC-based commercial computer.

It's one and a half times the speed of a VAX™ 8600, only two-thirds the cost, and runs all the popular UNIX®-based development software.

That's right. All.

Thanks to our dualPort™ OSx operating system. Itself an original.

OSx was the first combined implementation of both the Berkeley 4.2 BSD and AT&T System V UNIX standards.

It's a programming environment software vendors find irresistible. Which is why you have an overwhelming collection of tools to choose from.

IBM is a registered trademark of International Business Machines Corp. Macintosh is a trademark licensed to Apple Computer, Inc. VAX is a trademark of Digital Equipment Corp. UNIX is a registered trademark of AT&T Bell Laboratories. ISOPROCESSOR and dualPort are trademarks of Pyramid Technology Corp. ©1986 Pyramid Technology Corporation.

Tools like cross-assemblers and cross-compilers for all the popular microprocessor families. In all the popular development languages. Including C, Pascal and FORTRAN.

High-performance design packages that allow even the largest collection of programmers to test, time, analyze, debug, update, integrate and document their code as a team.

So they can finish before the product they're developing becomes obsolete. And the dollars they're consuming become obscene.

There are even two kinds of communications software available.

The computer-to-computer kind. For moving, massaging and sharing data. Say, between Macintoshes™, IBM® PCs, and a Pyramid host.


And the people-to-people kind. For writing, revising and sharing ideas. With the aid of our UNIX word-processing utilities.

But mere hardware and software aren't all we offer.

There's also our round-the-clock service and support. A boon for design teams that do their best work at three in the morning.

Plus an extensive training program. A lifesaver for managers who need to get a dozen engineers up to speed by a week from tomorrow. Even so, why wait?

Before your next development effort is ready to come apart, write us at 1295 Charleston Road, P.O. Box 7295, Mountain View, CA 94039-7295.



Thanks to our open architecture, a Pyramid can play host to a variety of microprocessor environments. Including Macintoshes, IBM PCs, and just about any processor you can name for an embedded system. And our adherence to industry standards like UNIX and Ethernet, means you can add new resources without scrapping your existing equipment.

Or, better yet, call us at 1-415-965-7200, Ext. 3450.

We'll do everything we can to help your project go to pieces.

**PYRAMID
TECHNOLOGY**

The Shape of Performance.

CIRCLE NO. 20 ON INQUIRY CARD

HEARD ON THE HILL

NSA's waffling on DES worries encryption industry

Stephen J. Shaw
Washington Editor

Shooting oneself in the foot is a grand old Washington tradition. Jim Watt did it when he banned the Beach Boys from playing a concert on the Washington Mall. George Bush did it when he said that the price of gasoline was too low. Now, the National Security Agency (NSA) has joined the august list of those with itchy trigger fingers.

NSA, the not-so-secret government organization charged with maintaining the integrity of U.S. codes and ciphers, while ensuring that everybody else's can be read like an open book, may be waffling in its support of the data encryption standard (DES), an encoding method that the agency helped design in the mid-1970s.

DES is used to encrypt transmissions of government data deemed sensitive, but unclassified. It is composed of two components. One is a publicly available algorithm—a mathematical process on which the data encryption is based. The other is a key: a formula for unlocking the data, known by only the sender and the recipient in any particular DES application.

DES is also widely used to protect commercial data transmissions, including banking and other financial information, and information deemed proprietary by the sender. For classified government information, NSA maintains its own proprietary set of encryption algorithms, or processes.

In the decade since DES was adopted by both governmental and commercial organizations as the standard encryption system, a small industry has grown up around it. DES-based encryption chips are now available from the majority of leading integrated-circuit manufacturers; software vendors tout packages that implement DES; and users have

jumped on the DES bandwagon believing that, as one observer puts it, if it's good enough for NSA, it's good enough for American business.

Or, at least, DES used to be good for business—maybe.

DES loses luster

Earlier this year, NSA began to send quiet signals at industry conferences and meetings that DES was no longer good enough to protect U.S. data communications. NSA's feelings surfaced publicly in March when Harold Daniels, the agency's deputy director of information security, responded to questions raised by analysts at Datapro Research Corp. of Delran, N.J., about NSA's current view of DES.

In a letter to Datapro, Daniels said: "The National Security Agency has supported, based on efforts that were initiated in the mid-1970s, the use of DES-based encryption equipment for unclassified U.S. application through a formal equipment-endorsement program and direct government user support. This unique initiative to engage U.S. industry in the business of cryptographic equipment has been very successful...The use of the DES algorithm, however, has made it an increasingly attractive target for our adversaries."

"We will continue to endorse DES products under the existing program until 1 January 1988," he continued, "but do not intend to certify the DES algorithm when it is reviewed in 1988."

In short, DES has become a victim of its own success. Since it has become widely accepted in both government and commercial circles, it has become more of a target for code breakers. Thus, NSA's thinking seems to run, it's time to change.

The reaction from industry sources to Daniel's statement was quick in coming. Most answer NSA's implicit criticism of DES with a challenge to point to any instance where the en-

ryption system has been successfully descrambled without the key, despite some well-publicized commercial attempts to do just that. Others predict that the encryption industry will be seriously injured by the confusion.

"The vendors of DES-based technology are going to lose big with this," comments Michael Schwartz, vice president of Prime Factors Inc., a manufacturer of computer-encryption equipment in Oakland, Calif. "The biggest losers, though, are going to be the end users who now face a two-year or longer period when DES is going to be available, but who now have questions about using it because of what Daniels has said."

"Lots of non-NSA types say that DES is still a secure approach and won't stop being secure despite what NSA says," says Fred Diamond, Datapro's editor of its "Information Security" reports. "But companies will have to start new product and marketing approaches."

Even other government agencies are in a dither over NSA's comments. One official at the National Bureau of Standards (NBS), the official standards-setting arm of the U.S. government, said that NSA's authority in setting encryption standards by decree is not clear-cut. "NSA is not the one that issues government standards," the NBS representative sniffed. "We do." The official asked not to be identified.

There's also evidence that the flap over Daniels' letter is having some effect on NSA itself. Telephone calls to Daniels were referred to NSA public relations officials. There, an NSA official said that Daniels' letter contained some "inaccuracies" and that an official statement explaining NSA's "real" position on DES would be forthcoming.

Until NSA further reveals its plans for DES, the agency may do well to remember that the Beach Boys still play Washington, and the price of a gallon of gas is still around a buck.

One-Two Punch!



Charles River Data Systems' UN/System V is the most potent two-fisted combination of industry-standard functionality and powerful extensions in the UNIX ring today.

Industry-Standard UNIX

On the one hand, UN/System V is derived from AT&T-licensed UNIX System V. So it gives you all you expect from the industry standard, including a full set of UNIX development tools, Bell license, Berkeley extensions, access to UNIX applications, and support for Fortran, RM/COBOL*, Pascal, BASIC, and our own highly optimizing C compiler.

Plus Extensions

At the same time, UN/System V offers a knockout bonus you can't get anywhere else: its UNOS kernel.

UNOS makes possible comprehensive real-time extensions, ISO/OSI

MAP-TOP local area networking, and unique distributed UNIX functions, including remote file access with record locking, remote execution, multi-system pipes, and virtual terminal support.

Plus Heavyweight Hardware

UN/System V runs on the Universe family of computers, the undisputed supermicro price/performance champions.

Universe systems offer 68020 performance (2.5 to 3 MIPS), VME and VERSAbus configurations, up to 64-plus concurrent users, and a suite of languages and application tools including high-performance spread sheet, relational database, and an office automation package with word processor, list manager, and calendar.

For more information, return coupon to Charles River Data Systems, 983 Concord St., Framingham, MA 01701, or call (617) 626-1000, Telex 681-7373 CRDS (W).


<input type="checkbox"/>	Send me technical information.	MM 7
<input type="checkbox"/>	Have a sales representative call.	
Name _____		
Company _____		
Address _____		
City _____ State _____ ZIP _____		
Telephone _____		



CHARLES RIVER DATA SYSTEMS

* UNOS is a trademark of Charles River Data Systems. UNIX is a trademark of AT&T Bell Laboratories. RM/COBOL is a trademark of Ryan McFarland.

CIRCLE NO. 21 ON INQUIRY CARD



2400 bps modems: Do you Really need another speed?

- Is the shift from 300 to 1200 bps going to repeat itself at 2400 bps? The answer is both yes and no. There certainly are applications for 2400 bps asynch dial-up modems, but we shouldn't expect 1200 bps to die overnight.
- 2400 bps modems can improve throughput, thereby getting tasks done quicker and more economically. However, 1200 bps has become the virtual standard for professional dial-up communications, and most users are satisfied with it. So why consider a 2400 bps modem at all?
- One reason is flexibility. If the modem you select operates at all three speeds (300, 1200 & 2400) in accordance with accepted industry standards, it will serve virtually all dial-up applications now and in the foreseeable future.
- The modem you select should be the MultiModem224. It is Bell 212A and 103 compatible at 1200 and 300 bps, and CCITT V.22bis compatible at 2400. It is also 100% compatible with the Hayes command set, meaning that it will work with virtually all communications software packages, at all three speeds. Other features include both synchronous and asynchronous operation, full intelligence and a phone number memory.
- The MultiModem224 is available in both desktop and IBM PC™ internal card versions. (There is also a rack-mounted version for central sites.) And as a bonus, we provide free offers from ten of the most popular on-line information services, including CompuServe™, Dow Jones™ and The Source™.
- A 2400/1200/300 bps modem is just a plain good investment. Why not let the MultiModem224 provide your communications for both today and tomorrow?

For more information, call us toll-free at
1-800-328-9717 (in Minnesota, call 1-612-631-3550).

CIRCLE NO. 22 ON INQUIRY CARD

MultiTech 
Systems

The right answer every time.

82 Second Ave. S.E., New Brighton, MN 55112 (612) 631-3550, TWX: 910-563-3610

MultiTech 
Systems

MultiModem 224
2400/1200/300 BPS Intelligent Modem

1200
300 Ans

London link heralds global sales of U.S. computer stocks

Keith Jones, European Editor

U.S. computer stocks are finding new investors on foreign exchanges through satellite links.

The National Association of Securities Dealers (NASD), Washington, whose trading system handles scores of computer industry shares, has taken a step toward a worldwide stock-trading network by connecting its Automated Quotation system (NASDAQ) by satellite to the Stock Exchange in London. That link, completed in April, enables NASD stock-price information to be continuously displayed and updated on the Stock Exchange's computer network.

Among the benefits that public U.S. computer companies anticipate from such trans-Atlantic trading are higher visibility in European financial markets and financial press; a better balance of investors; and, most important, more investors and more capital. Observers believe that the link will help healthy U.S. start-up companies secure European venture capital and that European stockholders will find it easier to track a U.S. company's progress, once it goes public on NASDAQ.

Key to the new trading network is the integration of the Stock Exchange's TOPIC system—Teletext Output of Price Information by Computer—with a new system called SEAQ, Stock Exchange Automated Quotations. TOPIC provides share information to securities dealers and stock brokers throughout Britain on a network of approximately 3,000 terminals controlled by 14 Classic mini-computers from Modcomp Inc., Fort Lauderdale, Fla.

The SEAQ, which comes into full operation in October, is modelled on NASDAQ. It shows the prices and bids of competing securities dealers who are geographically dispersed.

"Within the next five years, most major exchanges around the world will be linked like NASDAQ and the



Stock Exchange in London," predicts NASDAQ president Gordon Macklin. "London is the first to be connected to NASDAQ because it's a prime location and because SEAQ is similar to NASDAQ. But we believe that other exchanges will follow SEAQ and NASDAQ." NASDAQ chairman David Hunter adds, "This is the beginning of the global network for 24-hour equity trading. This is the start of a true world-equity market."

Start with 300 stocks

Macklin estimates that computer companies account for only about a fifth of the total value of NASDAQ-quoted stocks. Still, the NASDAQ-Stock Exchange link will initially transmit information on approximately 300 NASDAQ stocks to London and about 300 London-traded stocks to NASDAQ. The NASDAQ stocks will include the leading 100 industrials, among them Apple Computer Inc., Cipher Data Products Inc.,

Convergent Technologies Inc. and Lotus Development Corp.

"The link with the London Stock Exchange will be very beneficial for companies quoted on NASDAQ," contends Robert Saltmarsh, Apple's treasurer. "One of the benefits for Apple will be the public-relations support it will provide for our subsidiaries in Europe. For example, the European financial press is more likely to write about Apple than previously."

That view is shared by Mick Prokopolis, Lotus senior vice president of financial operations, who believes that the publicity value of increased European visibility will assist Lotus' rapidly expanding European operations.

Don Muller, chairman of Cipher Data Products, adds that the link should help increase his company's already large number of European investors. "Our big OEM customers in Europe are reassured by Cipher having European investors," he explains.

Prices of U.S. computer company stocks are among the NASDAQ quotations displayed in real time on the London Stock Exchange's TOPIC system. About 3,000 terminals, controlled by Modcomp mini-computers, are installed at brokerages throughout Britain, including this London office of Edinburgh broker Wood Mackenzie and Co. Ltd.

A Convergent Technologies spokesman says the increased visibility of its stock will make it easier for the company to establish a listing on London's Stock Exchange.

Apple's Saltmarsh believes, however, that the trans-Atlantic link will mean companies won't have to list separately in London. Nonetheless, he believes a better balance of investors will result from NASDAQ listings being displayed on the Stock Exchange. "Having European, as well as American, investors provides a healthier mixture of stockholders," he asserts. "American investors tend to be focused on quarterly earnings. In Europe there is less speculation in stocks. They hold their stocks longer and trade less often."

A boon for start-ups

Saltmarsh is among those who believe the trans-Atlantic link could be beneficial not only for established

companies but also for start-ups and young companies, not yet listed on NASDAQ, who are seeking European venture capital. These would be companies that plan to go public on NASDAQ at some point. Observers say that European capitalists would be more willing to underwrite such ventures if they knew that, once a company was launched on NASDAQ, they could easily trace its fortunes.

"The existence of NASDAQ is of key importance for venture capitalists," stresses Peter Dicks, a director of Abingworth Plc, a London venture-capital company with 75 percent of its portfolio invested in U.S. concerns.

"The link is good news because it will provide a better service for British investors when a company goes public on NASDAQ," says Kevin Landry, managing partner in venture capitalists TA Associates, Boston. TA hopes to raise \$30 million in Britain

for investment in U.S. companies, including in fledgling computer-equipment manufacturers.

A flotation on NASDAQ is not the only way a young U.S. company can go public in Britain. Ronald Cohen, chairman of the British Venture Capital Association (BVCA), London, which represents many British venture-capital funds, notes that six U.S. companies have been first floated on the London Stock Exchange rather than on a U.S. exchange. These include Infrared Associates Inc., New Brunswick, N.J., and a chemicals industry concern, CVD Inc., Boston. No computer company has yet launched in London.

These American companies chose an approach used by many young British companies: they went public on the Unlisted Securities Market (USM). The USM is operated by the Stock Exchange, but differs from it by permitting a company to be floated

We're
filling
the niche.

SuperDOS®

- ✓ A true multi-user business operating system for the IBM PC, XT and AT that supports up to 26 inexpensive terminals without any add-in processor expansion boards.
- ✓ Supports a library of high-level minicomputer business languages, and vertical applications software packages.
- ✓ Delivers the processing speed and performance of a minicomputer . . . for a fraction of the cost.
- ✓ Over 150 Bluebird value-added resellers worldwide are proving why SuperDOS and IBM® are the best price/performance system available.

6352 Corte Del Abeto
Suite A
Carlsbad, California 92008
(619) 438-2220

BLUEBIRD®

We make software fly.

earlier in its life and to sell a smaller proportion of its stock. It thus enables a new company's founders to retain a high degree of control.

A USM flotation can be easier than going public on NASDAQ, too, says Alistair Alcock, director of finance at London stockbrokers, Phillips and Drew, which has helped two U.S. companies go public on the USM. Alcock explains that the London investment community is more interested in floating small companies than are U.S. investors because British companies in general tend to be smaller. Additionally, the fees charged in London for a USM flotation are much lower than those charged for going public in the United States.

Nonetheless, Alcock expects NASDAQ to remain a much more important market than USM for trading U.S. stocks in London, owing to NASDAQ's reputation and the great-

er number of shares traded on its market. The growth of USM will be steady, he says, but it will not become a major avenue for capital for U.S. computer companies.

NASDAQ president Macklin says plans are now under way to extend NASDAQ's satellite link with the Stock Exchange to all 2,200 companies traded on NASDAQ. NASDAQ stocks can already be purchased in London from the London offices of the major New York securities dealers such as Merrill Lynch, Pierce, Fenner and Smith Inc. and Morgan Stanley

and Co. Inc., which trade on the NASDAQ system. He adds that the automatic deal execution and settlement facilities provided by NASDAQ in the United States will be extended to London as further developments.


Reluctance remains

In spite of the benefits to U.S. computer companies that the satellite link will provide, it does not necessarily presage a road to riches. Such companies are not always viewed by the British financial community as good investments. □

LOOKING AHEAD IN MMS

Be sure to watch for these editorial highlights in coming issues of Mini-Micro Systems.

- The August issue will cover single-board computers and microprocessors.
- Add-in/add-on subsystems will be studied in the October issue.



Yes! I am interested in more information about SuperDOS and your Bluebird authorized reseller program.

Name _____

Company _____

Street _____

City _____

State _____

Zip _____

Phone # _____

CIRCLE NO. 23 ON INQUIRY CARD

Trade in your old terminal for a new Hewlett-Packard graphics terminal and save up to \$900.

There's no better time than now to trade in any terminal — HP or non-HP, graphics or alphanumeric — for a new Hewlett-Packard 2393A monochrome graphics terminal or a 2397A color graphics terminal.

Why should you trade in something that's probably still in good working order?

Because until August 31 we'll give you up to \$500 credit on your old terminal plus give you FREE our \$400 HP Touchscreen accessory for your new terminal. This means you get a total savings of up to \$900!

Whether your job involves presentation graphics, design, data analysis or alphanumerics, you can adapt our new terminals to the task. Their versatile design allows you to connect a keyboard, touchscreen, mouse, graphics tablet and bar code reader without using an additional input port. That port is then available for you to connect your printer, plotter or film recorder.

PG15604

Our new graphics terminals offer Tektronix 4010/4014 compatibility mode. They also work with ANSI-speaking computers like Dec's VAX. You'll also be able to use popular third-party software such as PLOT10®, DISSPLA®, TELL-A-GRAF®, SAS/GRAPH™ and DI-3000™.

All this HP quality regularly costs \$2,095 for the monochrome terminal or \$3,095 for the color terminal. But with the \$500 trade-in offer and the \$400 HP Touchscreen accessory, you're getting a real bargain. And it lets you find out why HP Touch is an easy way to communicate with your computer.

For more details, call your local HP sales office listed in the telephone directory white pages. But don't delay. Remember this special offer ends August 31, 1986.



CIRCLE NO. 24 ON INQUIRY CARD

 **HEWLETT
PACKARD**

From Down Under: Software to end program incompatibility


Mike Seither

Associate Western Editor

An Australian systems software company has taken networking to new limits by making it possible to run a single version of a program, and to exchange data files, on dissimilar networked machines without having to rewrite the code to match individual computers.


Claiming that it has achieved network-software portability for applications written in COBOL, Austec Inc., San Jose, Calif., has mounted the second half of a "push-pull" marketing campaign to lure system integrators, value-added resellers and end users into its fold of believers.

The company, a subsidiary of



Distributed Data Access from Austec allows an application program to be loaded downline on a network and executed on dissimilar computer systems where Austec's ACEBRIDGE software resides.

THE PERFECT UNION FOR REAL-TIME DEVELOPMENT



Heurikon's LINK/X™ Real-Time Development System makes your real-time headaches a thing of the past. LINK/X provides bi-directional communication between UNIX™ and multiple processors running under the Hunter and Ready VRTX® real-time executive. LINK/X lets you develop code under UNIX, download to VRTX, test and debug—all over the system bus or serial link!

With LINK/X you will never need to compromise on performance again. Using Heurikon's powerful MC68010 or MC68020, Multibus™ or VME microcomputer board families, systems can be configured to meet the most demanding application requirements. Customized versions can include up to 16 VRTX processors with a host of peripherals.

Cure your real-time development headaches now! Call Heurikon at **1-800-356-9602 (ext. 397)** and ask for LINK/X. Heurikon Corporation, 3201 Latham Drive, Madison WI 53713.

LINK/X is a trademark of Heurikon Corporation.
UNIX is a trademark of Bell Laboratories, Inc.
VRTX is a registered trademark of Hunter and Ready.
Multibus is a trademark of Intel Corp.

CIRCLE NO. 25 ON INQUIRY CARD

HEURIKON
CORP.

**Down-
time?**

**Up-
time.**

**In
Time.**

**Every
Time.**

Six words that tell the story of quality service. Confirmed by the vast majority of TRW customers.*

Tough customers with high expectations for their third party maintenance and repair company.

Like the knowledge to reduce downtime for everything from mainframes to micros — and a commitment to keep the cost of maintenance and repair down.

Plus the capability to service diverse products. IBM, DEC, and dozens of other sys-

tems from single office installations through nationwide networks. Over 1,400 products in all.

If you have high expectations for your service company, call 1-800-257-7464 today. (In New Jersey, 201-575-7110, Ext. 100.)

Whatever your requirements, regardless of your expectations, we want to hear from you.

Service solutions for tomorrow: They're taking shape at a company called TRW.

TRW Customer Service
15 Law Drive
P.O. Box 2078
Fairfield, NJ 07007-2078

*Based on a national survey in which 91.7 per cent of all respondents indicated TRW was "meeting or exceeding" their service expectations.

TRW

**Nationwide Service From
A Company Called TRW**

CIRCLE NO. 26 ON INQUIRY CARD

©TRW Inc., 1986 TRW is the name and mark of TRW Inc.

Austec International Ltd., Melbourne, Australia, began its "push" campaign by first convincing more than a dozen computer giants to support its ACE (Austec Conformable Environment) software products. Present licensees include AT&T Information Systems, Digital Equipment Corp., Hewlett-Packard Co., Honeywell Information Systems Inc., IBM Corp. and NCR Corp. Austec expects to sign up a dozen more vendors before long. The manufacturers sign agreements to resell the ACE networking software, which Austec tailors for vendors' specific machines. Most of the computers involved run on versions of either the DOS or UNIX operating systems.

Austec's method is to re-engineer parts of each computer's operating system, file structure and I/O control through a program called ACEBRIDGE. Using about 200K bytes of memory, ACEBRIDGE resides on the networked computers and allows the CPU to read and execute a common machine code generated by Austec's ACECOBOL compiler.


Austec claims that any computer running ACEBRIDGE software, regardless of the operating system, can operate in unison with similarly equipped computers from other vendors. The upshot is what Austec describes as a "virtual computer"—a network of disparate machines that can share processing power, data and, most important, application software.

The conformable pitch

Austec anticipates that its system will help users get more mileage out of their personal computers. "The industry has been selling people hardware that they use only 10 or 20 percent of the time," says Leslie McNeill, Austec's chief executive officer. "There is really a need to make these machines begin to earn their way."

With the backing of manufacturers assured, Austec is now trying to "pull" other customers to its door through a \$2.5 million publicity campaign that includes full-page adver-

"I need a LAN
that works
with our
existing
hardware."



"I need 10-NET."

Requiring no dedicated server, 10-NET allows systems sharing disk drives and printers to continue functioning as work stations. Think of the flexibility this 10-NET capability offers. Consider what this can mean in savings.

Once you add up 10-NET advantages, you'll see why over 50,000 installations are already in place worldwide.

A phone call gets you the facts. Call:

1-800-358-1010.

In Ohio call 1-800-782-1010 • 513-433-2238 • Telex 650-2079125



Fox Research, Inc. • 7016 Corporate Way • Dayton, Ohio 45459
10-NET is designed for use with IBM PCs, ATs and compatibles.



More than just talk.

CIRCLE NO. 27 ON INQUIRY CARD

tisements in the *Wall Street Journal*. Part of the strategy is to get end users, in-house system integrators and resellers clamoring for Austec's conformable software from their computer suppliers.

For system integrators, the message is that there is an opportunity to sell a wider selection of products. If a com-

puter uses ACE software, a system integrator presumably can concentrate on price and performance characteristics of various manufacturers' computers without having to worry about the availability of application programs. For governments and businesses whose several agencies and departments buy equipment indepen-

dently, "conformable" systems will allow the separate units to exchange data and programs.

Austec's system allows COBOL software developers to write one version of an application source code and have it work on all ACE-compatible computers. Finally, Austec is telling manufacturers themselves that their diverse product lines need not remain incompatible. Incompatibility is a key concern for vendors whose customers insist on protecting their investment in software when moving to larger systems.

The test for portability

To prove its claims, Austec contracted with International Data Corp.'s (IDC) Technology Laboratories, Palo Alto, Calif., to evaluate Austec's Distributed Data Access (DDA). DDA is Austec's latest enhancement to the ACE line, the portion that provides the actual networking capability. It is an add-on module to ACEBRIDGE and implements the top six layers of the Open Systems Interconnection (OSI) reference model. Austec does not deal with the OSI's first layer, which handles physical connection. The company says that any physical connection, from RS232 to Ethernet and X.25, will provide a link among computers.

Austec has offered COBOL program compatibility through ACEBRIDGE since 1984. But, without DDA, users have had to physically load a program compiled under ACECOBOL onto the target computer disk or tape drive. DDA, on the other hand, makes it possible for a user to load object code on another computer downline, access remote data and lock out others when using a file.

In recent demonstrations in New York and California, IDC used Austec software to demonstrate the company's claims of interconnectivity of a single COBOL application. In the IDC lab, the program resided on an ATTIS 3B2/400 running UNIX, and was loaded downline on an NCR Tower XP. The program also was able to access files on an ATTIS PC 6300 Plus running MS-DOS. Several users were put on the job simultaneously to

COBOL WITHOUT COMPROMISE.

This is the one that has it all. Our RM/COBOL™-8X.

It'll produce the fastest micro-based COBOL applications you've ever seen. And the most portable.

8X is based on the 85 ANSI standard, but it'll let you write code using either 74 or 85 standard features. It's also source-compatible with our other RM/COBOLs.

What's more, since program size can be virtually unlimited, your micros can run mainframe-size applications. Plus, 8X supports most popular networks and even includes an interactive debugger for faster development.

So why compromise? We didn't.

To find out more, call us at 213-541-4828. Or write 609 Deep Valley Dr., Rolling Hills Estates, CA 90274.

And get the best. From the company that doesn't make anything but.



**RYAN-
McFARLAND**
Masters of the Language.

RM/COBOL is a trademark of Ryan-McFarland Corporation. © 1986 Ryan-McFarland Corporation

CIRCLE NO. 29 ON INQUIRY CARD

show that only one person at a time could access the file in use.

The ACE software is available only from those manufacturers who license it from Austec. The manufacturers are responsible for sales, support and marketing, and prices may vary according to the type of system. For example, an ACEBRIDGE license for the IBM PC costs about \$500, while a version for ATTIS' 3B2 costs \$1,000. The ACECOBOL compiler is priced at \$1,000 for the PC and \$2,200 for the 3B2, according to Austec.


Austec estimates that there are more than 20,000 COBOL applications available worldwide and that most of them can work with its software. The chief reason is that Austec's ACECOBOL works with most of the popular COBOL dialects written for compilers from companies such as Data General Corp., Ryan MacFarland Corp., Olivetti S.p.A. and Micro Focus Inc.

Although Austec will market only a compiler for COBOL, McNeill says that ACEBRIDGE can be used to share applications and distribute data from programs written in other languages, such as C, FORTRAN and Pascal. The only proviso, according to Austec, is that the computers where ACEBRIDGE resides must support a modern C compiler.

Although COBOL is one of today's most popular programming languages, some analysts wonder how long that situation will last, especially as personal computers continue to proliferate. Those personal computers aren't running that many COBOL programs, says Robert Lefkowitz, an analyst with InfoCorp, a market-research concern in Cupertino, Calif. "There are about a thousand times as many [Ashton-Tate] dBASE programs running on PCs as on COBOL," says Lefkowitz. "COBOL is disappearing as an application language for micros."

But Austec's McNeill says it is not Austec's intention to drive COBOL into the personal computer. "All we're saying is that you can now attach all that computing power, of which PCs are only a part, and make it work within your business." □

"I need a LAN that can share sophisticated software."



"I need 10-NET."

10-NET handles the most powerful software programs with ease. For example, AutoCad™ can share drawings and plotters, with servers used as work stations. Best of all, 10-NET is future compatible. Today's 10-NET will work with tomorrow's software.

Once you add up 10-NET advantages, you'll see why over 50,000 installations are already in place worldwide.

A phone call gets you the facts. Call:

1-800-358-1010.

In Ohio call 1-800-782-1010 • 513-433-2238 • Telex 650-2079125



Fox Research, Inc. • 7016 Corporate Way • Dayton, Ohio 45459
10-NET is designed for use with IBM PCs, ATs and compatibles.



More than just talk.


ALL OF THE TOP COMPUTER MAKERS ALREADY KNOW—

THE DIFFERENCE BETWEEN HAVING AN EXIDE ELECTRONICS UPS AND NOT HAVING IT IS LIKE DAY AND NIGHT.

Each of the top 10 computer manufacturers uses Exide Electronics Uninterruptible Power Supplies for their power protection. Because they know that not having Exide Electronics' quality of protection can leave their computers in the dark.

Reliability is the biggest reason for choosing Exide Electronics—because you want to know that your UPS will work before you need it to work. But that's not the only reason.

Just look at our Series 1000... from 3 kVA to 10 kVA, no other manufacturer can pack this much power protection into such a small package. In fact, there are thousands of Series 1000 UPS's already installed. You can choose from six different capacities, with multiple voltage options and receptacles. And



Series 1000
Uninterruptible
Power Systems

each model is about the size of a two-drawer filing cabinet. So it fits nicely into your office or computer room, quietly protecting your power.

These distinguishing features are the result of more than

twenty years of power protection leadership. And a commitment to making sure that our products are exactly what we say they are.

Uninterruptible Power Supplies.

If you want a UPS you can really depend on, buy it from the company you can really depend on. Exide Electronics. Call us today at 1/800/554-3448. In North Carolina, call 1/800/554-3449.



EXIDE ELECTRONICS


P.O. Box 58189, Raleigh, NC 27658, 919/872-3020, TLX 289968
In Canada, 5200 Dixie Rd., Suite 20, Mississauga, Ontario L4W 1E4

Complies with applicable FCC requirements.



CIRCLE NO. 30 ON INQUIRY CARD


FEATURE HIGHLIGHTS



p. 69 *Improving graphics*

UPPER LEVEL OSI PROTOCOLS NEAR COMPLETION53

The second article of a three-part series on the International Standards Organization's Open Systems Interconnection (OSI) networking model takes a close look at the technical issues surrounding the upper-level protocols that implement layers 5 through 7 of the seven-layer model. Those are the layers that are visible to the user. They deal with application-oriented tasks such as how to establish a connection, transfer a file, access a database management system, send a message and get a printout.



p. 85 *Software-development tools*

PC BOARD VENDORS RUSH TO FILL EGA DEMAND69

One of the key ways to improve the graphics of IBM Corp. PCs and lookalikes is via enhanced graphics adapter (EGA) cards, most of which are compatible with IBM's own EGA standard. However, most of the color graphics boards go beyond IBM's, offering a greater variety of resolutions, more memory, added functions and lower prices. Our survey takes a look at over 20 companies with products that enhance PC-based graphics.

GRAPHICS TOOLS BROADEN PC HORIZONS85

High-resolution displays and graphics cards are useless without the proper software to take advantage of them. Although there are many off-the-shelf packages available, system integrators and software developers are increasingly turning to graphics software-development tools to customize packages that stand apart from the crowd. Software tools range from programming languages to subroutine libraries and operating environments.



p. 101 *A new application area*

SOFTWARE DEVELOPMENT FIRES UP WORKSTATIONS.101

Most people associate workstations with applications such as computer-aided design and engineering. Recently, however, software-development joined those oldtimers as applications suitable for the powerful 32-bit machines. In fact, a leading market-research company reports that 17 percent of all workstations sold last year were destined for software engineering; that percentage is expected to increase this year. The new application area is called computer-aided software engineering (CASE) and encompasses a range of tasks relating to the development, management and maintenance of code.

The Convergent Principle Applied:

Our software integrates

Most integrated software packages force users to give up their existing software, convert old files and learn new ways to operate—creating more problems than they solve.

We eliminated those problems with Document Designer™, the integrated software package for NGEN® workstations. Document Designer is built on a sophisticated but simple to use word processor. With Document Designer, you can merge spreadsheets, business graphics, data bases, drawings and voice annotations into the documents you create.

Document Designer uses an open architecture; that means you can integrate your own great ideas into the


package to create OEM and VAR solutions that meet your customers' precise needs.

SUPERIOR APPLICATIONS

Of course, the programs you integrate are as important as how well you integrate them. For Document Designer, we made sure that each application in the package was exceptional in its own right.

Our word processor, for example, delivers such advanced features as table of contents generation, serpentine and synchronized columns and spelling checkers in multiple languages.

We use our Extended Multiplan* because it's faster and



Document Designer and Art Designer are trademarks and NGEN is a registered trademark of Convergent Technologies. Multiplan is a trademark of Microsoft.

CIRCLE NO. 31 ON INQUIRY CARD

your great ideas with ours.

offers larger spreadsheets. Our data base, graphics and Art Designer™ packages are equally outstanding. You can choose any or all of these applications for your version of the Document Designer.

EXCEPTIONAL INTEGRATION

As good as the individual programs are, the way they work together is simply remarkable. You can move instantly from text to spreadsheets to graphics without having to stop and start separate operations. Voice comments can be added where appropriate. You can also make changes inside your integrated document, adding or deleting information at any time.

Software this advanced is made possible by Convergent's innovation in design and commitment to protecting our customers' investments.

We'd like to show you how this convergence of thinking can work for you. Call us for more information at 800-538-8157, ext. 951 (in California call 800-672-3470, ext. 951; in Europe call 44-2404-4433). Or write us: Convergent Technologies, 2700 North First Street, P.O. Box 6685, San Jose, CA 95150-6685, Attention: Mail Stop 10-015.

That is, if true software integration and an open architecture sound like good ideas to you.

The screenshot displays a software interface for 'Modern Carpentry'. At the top, there are ruler-like scales and a yellow header bar with the text 'carpentry.4 P 1'. The main title 'Modern Carpentry' is in a large, stylized font, with 'Chapter 7' below it. The content is divided into sections:


- Text:** 'Concrete is made by mixing cement, fine aggregate like sand, and water in proper proportions. When a...' (partially visible on the left).
- Table:** A table with columns 'Materials' and 'Coefficients'. It lists 'Brick', 'Brick, painted', 'Concrete', and 'Wood' with their respective coefficients for three different quantities (125 cps, 250 cps, 500 cps).
- Diagram:** A cross-sectional diagram of a concrete structure with labels for 'Cement', 'Aggregate', 'Water', and 'Sand'. It shows the internal structure of a concrete block.
- Figure:** A bar chart titled 'Sales Region' with a vertical axis labeled 'SALES' and a horizontal axis with categories 'EAST', 'MIDWEST', 'SOUTH', and 'WEST'. The bars show varying sales levels across these regions.

At the bottom of the screenshot, a blue banner reads: 'THIS DOCUMENT CONTAINS 3 VOICE MESSAGES'.

Convergent

When great ideas converge, great products emerge.

New From Irwin!



40 Megabyte Capacity

Now . . . the new 40 megabyte, Model 145 Tape BACKUP™ System, plus five other new Irwin models, provide PC designers and system integrators unparalleled flexibility with the widest selection of tape backup peripherals available today.

Irwin offers these unique advantages.

- RELIABILITY — More than 150,000 sold.
- INTERCHANGEABILITY — The new Irwin Model 145 can read data cartridges

created on any of Irwin's seven other Models.

- FLEXIBILITY — Both 5¼" and 3½" form factors, at 500 and 250 Kbps with capacities from 10 to 40 megabytes.
- MARKET ACCEPTANCE — The most frequently integrated tape backup peripheral available today.

When you choose a tape system manufacturer as your partner, consider Irwin Magnetics and the features that have made Irwin BACKUP™ Tape Systems the best sellers of the microcomputer industry.

Call us! We want to work with you.
1-800-BACKUP 1

Irwin BACKUP™ Systems

5¼" FORM FACTOR	3½" FORM FACTOR	CAPACITY	DATA TRANSFER RATE	DATA CARTRIDGE
Model 145 NEW	Model 245 NEW	40 mB	500 Kbps	DC2000
Model 125 ALREADY BEST SELLER	Model 225 NEW	20 mB	500 Kbps	DC1000
Model 120 NEW	Model 220 NEW	20 mB	250 Kbps	DC2000
Model 110 ALREADY BEST SELLER	Model 210 NEW	10 mB	250 Kbps	DC1000

All Irwin models are available NOW!

CIRCLE NO. 32 ON INQUIRY CARD

IRWIN
MAGNETICS

Irwin Magnetics
Box 7639
Mt. Prospect, IL 60068
1-800-BACKUP 1

©1986 Irwin Magnetic Systems, Inc.

UPPER LEVEL OSI PROTOCOLS NEAR COMPLETION

As lower level OSI protocols gain acceptance, the protocols of the upper levels—where they are visible to users—are approaching standardization

Wendy Rauch-Hindin
Special Features Editor

When commercial networks first came on the scene, the emphasis was largely on such design considerations as the type of transmission medium, the network topology and the accessing method. But end users are concerned with application-oriented tasks: how to establish a connection, transfer a file, access a database management system, send a message and get a printout.

Such application undertakings are within the province of the upper level protocols that implement layers 5 through 7 of the International Standards Organization's Open Systems Interconnection (OSI) seven-layer network model. With the lower level protocols becoming established, vendors now are betting heavily on these higher layers—the protocols directly visible to the user. As shown in Part 1 of this series (MMS, June, Page 67), many of the lower layer OSI protocols have already reached International Standard status, and within the last year major computer manufacturers have intro-

duced a wealth of products embodying these protocols.

The final standardization stages are now close for several upper level protocols, such as the Presentation Layer protocol; File Transfer, Access and Management (FTAM); Common Application Service Elements (CASE); Basic Class Virtual Terminal; and the X.400 electronic-mail facility. Also nearing standardization are two database languages, a remote-job-entry protocol, several office-automation protocols, a computer graphics communications protocol and two formal description languages for protocols. Many vendors plan to launch upper level OSI protocol products soon.

Lest it be thought that the standards efforts are finite and soon over, one need only look to users' continuously evolving requirements. With the Department of Defense—the last major holdout—adopting OSI, security becomes paramount. Accordingly, a recently defined security addendum, which addresses what security services need to be resolved at different layers, went out from ISO to its members for approval as a draft proposal. At the same time, the ubiquitous use of spreadsheets led to new OSI work to develop a standard spreadsheet format for communications.

The Session Layer, level 5, is the lowest layer that recognizes the existence of users on a network. The Session Layer protocol has been an approved international standard since 1984.

The Session Layer's functions include the establishment and termination of a communi-




Illustration by Jon McIntosh

This is the second of a three-part series scheduled to appear in Mini-Micro Systems on OSI standards. The first part ran in the June issue. The third article, which will appear in the September issue, will cover vendors' OSI implementations and strategic directions. It will also discuss user applications and the major interoperability issues and solutions.

Which subset to implement turns out to be the major Session consideration because different subsets are required for different applications.

cating session, data synchronization and the mapping of addresses to names. It also structures the communicating session that occurs on a Transport Layer (level 4) connection by allowing full-duplex, half-duplex or simplex communications and by determining who speaks when and for how long. In addition, Session manages the breakup of dialogues into different activities that are handled on one connection.

The Session protocol has four subsets: Session Kernel, Basic Combined Subset (BCS), Basic Synchronized Subset (BSS) and Basic Activity Subset (BAS). Which subset to implement turns out to be the major Session consideration because different subsets are required for different applications that users may want to run in one network.

The Session Kernel provides the fundamental Session capability, which is to connect, transfer data and disconnect. BCS adds to the kernel full- or half-duplex operation, optionally expedited data, exception reporting and negotiated release. It does not provide synchronization facilities.

The BSS provides the same services as the BCS in addition to major and minor synchronization, resynchronization, negotiated release and typed data (data sent out of turn). It supports both major and minor synchronization points with different rules about what happens when the communicating partners roll back to one or another of these points.

The most highly structured Session protocol subset is the BAS. BAS provides the BCS capabilities, supports exception reporting and minor synchronization and manages multiple activity subsets. Activity subsets are independent "activities," each of which can be alternately operated, suspended and resumed over the same Session connection.

Manufacturing Automation Protocol (MAP) connectivity requires, at a minimum, the Session Kernel and the "Duplex Functional Unit." The latter, however, is part of the BCS version of Session, which supports other services for factory applications as well. Therefore, a number of MAP products support the BCS.

The BSS subset is intended for applications such as synchronized file transfer and bulk data transfer. But the CCITT X.400 electronic messaging protocol requires the BAS version of the Session protocol.

"I think you will see a merging of these subsets," predicts Ann Jenkins, product marketing manager for communication systems at Prime Computer Inc., Natick, Mass. "That [merge] will be particularly important in environments where users are implementing proto-

cols like Session, FTAM and X.400 on their host because they will want to run Session with multiple [application] protocols. The Session is a large layer, and users will not want to support multiple sessions running concurrently. Therefore, it will be necessary that the Session support FTAM as well as X.400."

FTAM and X.400 are important functions in business and engineering offices. It follows then that a merge of the Session subsets will be a factor in the specification of the Technical and Office Protocols (TOP). But the MAP arena is different. "If industrial users are running MAP only, they are likely to streamline it to the more minimal BCS version, because they will want as little overhead as possible on the CPU," Jenkins says.

How an application works

Residing above the Session level are the Presentation and Application layers, in that order. The Presentation and Application protocols work together to represent and transfer structured information between application processes. They then pass the information to the Session layer for actual transmission. For example, a point-of-sale application process in a store computer might request a credit-card verification from a credit-authorization process in a bank computer. The Presentation and Application protocols encode the store computer's request as an application-protocol data unit containing the credit-card identification number, the sales price and an action code requesting authorization to accept the charge. They then pass this structured data in an agreed-upon bit encoding to the Session service. The Session service transfers the data to the peer protocol in the bank computer (example from R. desJardins and J.S. Foley, "Open Systems Interconnection: A Review and Status Report," *Journal of Telecommunications Networks*, Fall 1984).

For this transaction, the Application Layer structures the information to be transferred into an abstract syntax notation language (not a bit encoding). The Presentation Layer encodes this abstract syntax in a concrete syntax (bit encoding), mutually agreed upon by the communicating Presentation processes.

Because these Presentation and Application protocols work together so closely, the ISO decided to ballot on the Presentation, FTAM and CASE protocols as a package. They were voted upon in April as Draft International Standards.

Different computers, and even different applications, have dissimilar data representations

Digital has it now.



The first open-ended multi-user software system that integrates your custom application with a full range of standard business programs.

The A-to-Z™ Integrated System for MicroVAX II™ and MicroPDP-11™. Now you can integrate any number of your custom multi-user applications with word processing, graphics, spreadsheet, data management, accounting, and thousands of VAX™ and PDP-11 programs. Same menus, commands and files with no need for a system manager.

Tell me about A-to-Z on MicroVAX™ and MicroPDP-II™ Reseller Developer
Name _____ Title _____

Company _____ Phone _____

Address _____

City _____ State _____ Zip _____


Send to: Digital Equipment Corporation, Inquiry Dept.,
NR02-1/H3, 444 Whitney Street, Northboro, MA 01532.

digital™


ALL THINGS ARE NOT CREATED VMEqual.



V/SMD 3200
SMD Disk Controller



V/ESDI 3201
ESDI Disk Controller



V/Tape 3209
1/2 Inch Tape Controller

All VMEbus products are not created equal. In fact, we don't know of ANY that are equal to the Interphase® line of high-performance VMEbus controllers.

Interphase takes a family approach to VMEbus product development. Our system architecture and software features are compatible across the product line. This allows quicker development cycles and offers logical growth paths.

V/SMD 3200 SMD Disk Controller—is the industry's preeminent 32-bit SMD controller with more V/SMD 3200's installed today in VMEbus systems than any other similar product. It interfaces to any SMD or SMD-E drive with data rates up to 24 Mb/s, and adapts to your system environment through programmable system parameters.

Interphase's multitasking Virtual Buffer ArchitectureSM permits the V/SMD 3200 to move data with extraordinary speed and is the key to zero-latency operation. The on-board 68000 processor manages a pool of buffers and state machines, which allow it to immediately start moving data no matter where the head lands on the

track. It can transfer an entire track of data in one disk rotation and by pre-fetch caching, will continue to read and cache data even after it has finished transferring those requested. These cached sectors can then be transferred without an additional disk access.

V/ESDI 3201 ESDI Disk Controller—using the powerful Interphase Virtual Buffer Architecture, handles the latest high-speed 5 1/4" ESDI disk drives with hundreds of Megabyte capacities. A sister product to the V/SMD 3200 SMD disk controller, the V/ESDI 3201 is the logical migration path from SMD storage devices to a 5 1/4" form factor. Totally software compatible with the V/SMD 3200, the V/ESDI 3201 will "PLUG AND PLAY" with existing drivers to protect software investments for the future.

A 24 Mb/s disk drive front-end ensures complete compatibility with future higher speed drives.

V/Tape 3209 1/2 Inch Tape Controller—represents the Interphase commitment to design compatibility and ease of integration through its close-coupling with both V/SMD 3200

and V/ESDI 3201 disk controllers. It supports 8, PERTEC interface, 1/2" 9-track tape drives at speeds of 200 ips and above and is the perfect controller for start/stop or streaming applications.

An Interphase exclusive CacheFlowSM feature allows expensive drive performance with an inexpensive drive by eliminating the need for costly intelligence and large buffers. An on-board processor and 8K or optional 128K buffer create intelligent FIFOs that start moving data even before the tape is up to speed and keeps tape streaming. The V/Tape 3209 can run at up to 320 ips, at 6250 bpi, meaning that it will handle future tape drive advances.

FIND OUT MORE

Our family approach to these and other VMEbus products makes your task much easier. From peripheral controllers to system foundations, from our Design Assistance Group to our First Time User Program, no one is VMEqual to Interphase. To learn more about our products, our support or anything else, just call:

(214) 350-9000



INTERPHASE[®]
corporation

2925 Merrell Road • Dallas, Texas 75229 • Telex: 9109976245 NASDAQ-NMS:INPH

Interphase International

93a New Street, Aylesbury, Bucks. HP20 2NY, England (0296)35661 Telex: 826715 AERO G

Interphase is a registered trademark of Interphase Corporation
Virtual Buffer Architecture and CacheFlow are Service Marks of Interphase Corporation

CIRCLE NO. 34 ON INQUIRY CARD

for information such as character codes, alpha- numerics, data types and file formats. The Presentation protocol negotiates a syntax to represent the information that two communicating applications will exchange.

The Presentation Layer needs two types of syntax to represent and transfer the structured data. One is the abstract syntax, known as ASN.1, that the ISO is developing for use by the Application Layer. Abstract syntax describes data in a way that people can understand, but it does not describe how the data will be encoded for transfer or storage. The "integer 17" and the data structure representing the information in the credit-card verification request example illustrate the concept of an abstract syntax.

ASN.1 is based on the CCITT X.409 standard encoding syntax, developed for the CCITT Message Handling Facility and is upwardly compatible with it. Currently a Draft International Standard, ASN.1 differs from X.409 in its general structure, which allows the addition of more data types.

One important data type, the "object identifier," is not supported by X.409 but is proposed for ASN.1 and is needed for Presentation Layer functions. The object identifier is simply a hierarchical notation that is used to identify and select a concrete syntax for transmission. It might be used, for example, in a videotex application to first identify a videotex syntax and then select the syntaxes for a graphic and for text from the document, and so on. The object identifier is an important data type because there are so many concrete syntaxes to identify. Many are complex because they involve compression, encryption, alternative coding or subsets, and, therefore, a sophisticated mechanism is needed to describe them.

The second Presentation Layer syntax, the concrete-transfer syntax, is the bit-level encoding of ASN.1 data. An ASCII or EBCDIC character string or an IEEE floating-point standard 64-bit string are examples of concrete syntax. The standard, "ISO Basic Encoding Rules for ASN.1" (Draft International Standard 8825), is compatible with the standard X.409 representation. Draft International Standard 8825 specifies the rules for encoding ASN.1/X.409 data in an ISO-standard concrete syntax.

The Presentation Layer can use either the ISO encoding rules or any other negotiated bit encoding to encode information. The only requirement is that the Presentation layers in both communicating applications agree on the encoding so they can both interpret the data transferred.




Fig. 1. Peer Application Layers agree on the semantics, or meaning, of the information to be exchanged, which they represent in an abstract transfer syntax (ASN.1). This information is encoded in concrete syntax for actual transfer.

To negotiate the syntax to be used in the data transfer, Presentation protocol software selects a presentation context—a category of syntax or data to be transferred, such as ASCII or NAPLPS. Applications using the selected contexts pass information to the Presentation protocol in ASN.1 form. The software then uses Presentation protocol negotiation procedures for proposing, sending, accepting and rejecting concrete transfer syntaxes. When negotiations are completed, the protocol software translates the abstract syntax into the agreed-on concrete syntax and passes it to the Session Layer for transfer (Fig. 1).

The CASE of the Application Layer

Users are most aware of the Application Layer protocols during a communication. There are two basic types of Application protocols. One is CASE, which contains a kit of service elements for common use by specific application protocols. A number of more specific protocols deal with application-oriented tasks such as file transfer, electronic mail, graphics, database and virtual-terminal functions.

The most common elements in CASE perform "association control." Intended principally for use in distributed enterprises, where computers and applications can communicate autonomously, association-control protocols specify the procedures that ensure that applications communicate with appropriate applications in a relevant context. Using these procedures, one application sets up an association with a named peer application and negotiates the semantics, or meaning—without concern for syntax—of the information to be exchanged.

A group of elements in CASE, constituting a Commitment, Concurrency and Recovery protocol, has quietly plodded ahead to the standards finish line.

For example, a point-of-sale credit-checking application and its communicating partner must agree that they are talking about information relevant to credit checking, rather than to mortgages or inventory, and must interpret information in that context. In addition, association-control protocols must be able to switch between different contexts—for example, from credit checking to loans—and transfer information in either context.

CCR moves ahead

While protocols for handling tasks such as file transfer and internetworking have been receiving much OSI publicity, a group of elements in CASE, constituting a Commitment, Concurrency and Recovery (CCR) protocol, has quietly plodded ahead to the International Standards finish line. The CCR protocol provides for the reliable completion of distributed activity in the event of system failure. Toward this end, CCR specifies distributed synchronization; coordination of logging and backup; and recovery and restart of work when a crash is detected. It is intended for use with distributed databases; Job Transfer and Manipulation (JTM), a generalized remote-job-entry Application level protocol; and transaction-processing protocols.

JTM specifies job distribution

The JTM protocol is used primarily in job shops and universities, where jobs are likely to be distributed on different systems. Currently a Draft International Standard, it defines how users should specify the way a job should be distributed as well as how the distributed-processing pieces and results should be processed and controlled in execution processors and reassembled in a single destination processor. The JTM service and protocol are geared to unattended operation and remote management by exception.

A number of MAP products introduced this year are touted as implementing OSI FTAM, but they don't. In fact, they can't because until recently only the File Transfer subset of the OSI FTAM protocol was defined. Because MAP developers needed to provide file-transfer capabilities, they adopted the "FT" part of FTAM for MAP 2.1. But the MAP Task Force formed by General Motors Corp. to develop protocols admits that MAP 2.1 is only an interim standard because it provides only bulk file transfer.

The full FTAM, now up for Draft International Standard balloting, also provides file-access and -management capabilities as well as

heterogeneous transfer using the presentation services. The current FTAM products can't provide heterogeneous transfer because the Presentation protocol was only recently defined.

FTAM's file-access capabilities support the selective access and arbitrary picking apart of a file. Remote users can retrieve one or more records from the middle of a file, add or insert a record into the file and delete files.

The file-management part of FTAM contains service elements that allow users to create new files and file attributes, to inspect and change the properties of a file and to handle the naming of files. In addition, the protocol manages file-ownership functions such as who has access rights to read, write or modify a file.

The heterogeneous transfer capabilities that FTAM supports use the Presentation Layer services. With the Presentation services, users can change codings during a transfer. They can, for example, transfer an EBCDIC file so that ASCII pops up at the other end.

Messaging protocols gain popularity

Besides FTAM, the most widely implemented application protocol this year is the CCITT's X.400 recommendation for store-and-forward electronic messaging. Once approved, it achieved instant popularity and is being implemented by common carriers, value-added networks, computer manufacturers and local network vendors. Among others, AT&T Co., Burroughs Corp., Data General Corp., Digital Equipment Corp., Excelan Inc., Hewlett-Packard Co., GTE Corp., ITT Inc., MCI Communications Corp., NCR Corp., Northern Telecom Inc., Sperry Corp., 3Com Corp., Wang Laboratories Inc., Western Union Corp. and Xerox Corp. have or will shortly have X.400 implementations.

A series of protocols, the X.400 specifies message-transfer syntax, fields and format and the services and protocols for handling, transferring and forwarding messages. In addition, the approved electronic-mail protocols span the functionality of the Xerox Network System Courier protocol. Like Courier, X.409 defines standard data types, such as integers and strings. Only the details of the data-type encoding scheme have been changed.

X.410 is derived from the Courier protocol's remote-procedure-call capability. The remote-procedure-call mechanism allows an application to make a procedure call on one machine and have it transparently answered or executed by another. This capability is particularly important for directory services and network-

INTRODUCING THE ITT XTRA™ XL. THE POWERFUL NEW BUSINESS SYSTEM.

ITT has taken a giant step in the evolution of system technology.

The new Multi-User ITT XTRA™ XL provides performance, storage and memory unlike any of its competitors.

Ultimate performance.

The ITT XTRA XL is a high performance super micro-computer that runs both DOS and Xenix and expands to meet virtually every business need.

ITT has combined superior components that break the boundaries for processing speed. The ITT XTRA XL line of multi-user systems not only offer users of standalone workstations a powerful server engine for local area networking, but also provides a cost effective solution to a sophisticated shared logic environment.

CPU speeds unsurpassed by industry standards.

The ITT XTRA XL's unsurpassed capabilities are assured by a design that includes the 80286 microprocessor operating at 8Mhz, with zero-wait state memory, dynamic I/O disk caching, and hard disk with an average access time of 28 milliseconds.

ITT's MS DOS 3.1 includes support for disk drives larger than 32 MB without the requirement to partition, unlike other implementations.

Ideal LAN servers.

The ITT XTRA XL Model I (Formatted 40 MB) and Model II (Formatted 72 MB) feature:

- Mass storage capacity up to 144 MB to dramatically extend the typical 80286 LAN server platform.
- Nine industry compatible expansion slots (six 16-bit and three 8-bit).
- 225-watt international power supply with variable speed fan.
- Two serial ports and one parallel port built-in.

Better multi-user performance

ITT's new XTRA XL Models III (40 MB) and IV (72 MB) systems feature:

- XENIX Operating System V.2.



- Unique 8Mhz 80186-based communications coprocessor for dramatic throughput speed.
- Support for up to 32 communication ports.
- License for up to 16 users.
- 60 MB tape backup.

LAN Engines Models I* and II**

640 KB RAM
1.2 MB FD
Keyboard
40 MB HD* or
72 MB HD**

Multi-User Systems Models III* and IV**

1.6 MB RAM
1.2 MB FD
Keyboard
60 MB Tape
Communications
Co-Processor
(8 ports)
XENIX System V.2
40 MB HD* or
72 MB HD**

Entire product line solution.

In addition, ITT addresses entry-level as well as single power-user requirements with the ITT XTRA™ and XTRA™ XP.

The entry-level ITT XTRA is an aggressively-priced standalone system, engineered for ongoing reliability.

While the ITT XTRA XP uses the IBM PC AT as a foundation to provide an even better solution. The result is a system as fast as the IBM PC AT at prices comparable to the IBM PC XT.

Combined with the new ITT XTRA XL it's an entire family of tireless business performers ready for any application, big or small.

Superior support and proven strength.

Over 65 years of telecommunications and technologies credentials back up every ITT product. Which is why we're able to offer computers that deliver unparalleled performance for such competitive prices.

Call ITT today. (800) 321-7661.
In California, (800) 368-7300.

ITT
BUSINESS COMPUTERS

BECAUSE TIME IS THE ULTIMATE BOTTOM LINE.

© 1986, ITT Information Systems
IBM, PC and PC XT are registered trademarks of International Business Machines, Inc. Intel 80286 and 80186 are registered trademarks of Intel Corporation. XENIX and MS DOS are registered trademarks of Microsoft Corp.

CIRCLE NO. 35 ON INQUIRY CARD



**NO ONE
OUTRUNS
CONTROL
DATA.**





Introducing the highest MTBF and longest warranty in the industry.

We're talking reliability. And no other OEM storage peripheral supplier in the industry matches the 30,000-hour MTBF and 3-year HDA warranty we're offering with our high performance EMD, FSD & XMD drives.

The EMD is a fast, high performance 8" disk drive that mounts in any plane and is perfect for tower-

mounted office systems and rack configurations. It has a seek time to 18 ms and a capacity of 368 MB.

The FSD family was the first ½ rack drive in the world and has capacities of 300, 340 and 516 MB. The fact that we have more FSD units installed than all our competitors combined is a sure sign of customer satisfaction.

And the XMD is the world's highest capacity, highest performance 14" rack mount, with transfer rates as fast as 24 MHz and capacities to 858 MB.

The EMD, FSD II and the XMD offer a wide variety of industry

standard interfaces including SMD, SMD-E and IPI-2. In addition, the EMD has a SCSI interface making it suitable for either low or high end applications.

We believe these are the most reliable drives in the world. And as the world's leading supplier of OEM storage peripherals, we're backing them with a warranty and MTBF unmatched in the industry. Proof that no one can outrun Control Data.

For more information, call 1-800-828-8001 ext. 82. (In Minnesota, call 612-921-4400 ext. 82.) Or call your local Arrow or Kierulff distributor.

CONTROL DATA

CIRCLE NO. 36 ON INQUIRY CARD

You can't build tomorrow's systems with yesterday's drives.

You've seen one small disk drive, you've seen them all, right? Not exactly. One disk drive stands above all the rest.

It comes from Maxtor.

The company that refuses to produce disk drives merely as good as everybody else. Instead, we set new standards by producing the only 5¼" disk drives worthy of the next generation of supermicros. Winchester with 85 to 380 megabytes of storage. And average access times of less than 30 msec.

And we don't mean prototypes. We mean full production. So, you can build the systems of tomorrow, today. And that can be a big advantage.

For you. Or your competition.

Maxtor Corporation, 150 River Oaks Parkway,
San Jose, California 95134,
(408) 942-1700, TELEX: 171074.

Sales Offices:

Austin: (512) 345-2742

Boston: (617) 872-8556

Orange County: (714) 859-3100

San Jose: (408) 435-7884.

Maxtor

CIRCLE NO. 37 ON INQUIRY CARD



management protocols. Unfortunately, X.410 still lacks several features that prevent its general-purpose use in distributed processing.

Although the CCITT X.400 series is not an OSI standard, the messaging facility is being widely implemented with OSI networks. Furthermore, the X.409 encoding scheme forms the basis for a good deal of OSI and related protocols. For example, X.409 underlies the Presentation Layer's abstract and concrete syntax, the office-document protocols and the newly emerging MAP/RS-511 real-time messaging protocol.

Protocol defines generic terminals

Anyone who has tried to transfer files and documents between dissimilar terminals knows the frustration that can occur when what is sent from one end bears little resemblance to what is produced at the other. Different terminals can have not only dissimilar character sets, but also different screen characteristics, such as number of characters per line; different control functions, such as end-of-line, tab, underline, form feeds and up arrows; and different control characters to handle these functions.

The Basic Class Virtual Terminal protocol resolves differences between terminals by defining a generic, or virtual, type of terminal that the communicating end terminals implement (Fig. 2). The standard specifies the characteristics of a character-oriented display terminal and the operations it can perform. It specifies these in a way that allows end terminals to understand the same displays and allows each terminal's control functions to cause the same operations to occur in the remote terminal. Characteristics and operations include characters per line, lines per screen, colors and possible methods of emphasis such as underlining and boldface. Not restricted to specific ASCII-encoded terminal operations, the standard also specifies manipulations such as line- and page-oriented operations, protect fields, blinking capabilities and accommodation of input devices such as light pens and mice.

The characteristics that communicating terminals will use are negotiated at the start of a Virtual Terminal session. To ensure the same interpretation of control functions, the Virtual Terminal protocol uses "object-oriented techniques." This means that the terminal's characteristics and data structures are defined as abstract objects and the actions a terminal can perform are defined as operations to manipulate the abstract objects. This setup simplifies the mapping of operations to different terminals because protocol implementers need know




Fig. 2. Communicating terminals map operations and control functions to a generic terminal (defined by the Basic Class Virtual Terminal protocol), to ensure that they both interpret the operations and functions in the same way.

only what the objects and operations are. No code is associated with either of these.

To perform a control operation remotely, the originating terminal sends the name of a control operation, such as blinking, to its own control object. The control object is the data structure that contains the list of operations that define the current screen. The control object sends the operation name, "blinking," to the corresponding control object in the remote terminal. The remote terminal's control object then uses its own methods to execute blinking. Its method may be different from that used by the originating terminal, but it produces the same results.

The Basic Class Virtual Terminal was scheduled for approval as a Draft International Standard in July. As approval dates neared, the MAP Task Force was working on incorporating the Virtual Terminal protocol into MAP, and similar support was expected for TOP. OSI members are now looking toward the development of more sophisticated versions of the protocol. These include a forms-oriented Virtual Terminal protocol, which supports fields, displays forms and transmits only filled-in information; graphics Virtual Terminal protocols; and mixed-mode Virtual Terminal protocols, including speech.

The increasing decentralization of control in the industrial, financial and a variety of other business communities requires the ability to

Unfortunately, X.410 still lacks several features that prevent its general-purpose use in distributed processing.

communicate with remote databases. Responding to this need, database-access protocols are emerging as a dramatic element on the OSI standards scene.

Four database protocols are being standardized: a relational data language, a network data language (NDL), the information resource dictionary systems (IRDS) and a remote data-access (RDA) protocol. Structured query language (SQL) is the OSI candidate for query specification in relational databases, and it's already a Draft International Standard. NDL is a significant modification of the CODASYL. Like SQL, NDL is also a Draft International Standard. These standards include both the data-definition language and the data-manipulation language. They do not include a specific binding to programming languages. Specific programming or user-interface languages will likely be the subject of additional standardization.

The third protocol, IRDS, is still a working document. It is intended to provide a dictionary standard.

The fourth database protocol, RDA, is a relatively new work item, still in the working document stage. Its aim is to allow remote access and updating, via OSI, of relational databases or of database systems that support relational interfaces. RDA uses the standardized SQL as the relational data-manipulation language for remote database interactions. The SQL statements are transferred across the network in an encoded form, using the ASN.1 encoding rules. The query is then analyzed at the remote site and translated into an appropriate query understood by the remote database, and the data is then shipped to the user.

The National Bureau of Standards does not believe that a similar remote-access standard will be defined for network or hierarchical databases using NDL. "The advantage of SQL is that it allows you to express a large volume of data very concisely," says David Jefferson, manager of the database architecture group, Information Systems Engineering, at NBS. You can't easily do that for a network or hierarchical database, Jefferson explains. Both network and hierarchical databases tend to require a lengthier procedural and navigational query, as for example, where you get a record, process it, get the next record or series of records and so on.

Jefferson recommends using SQL wherever possible to specify a query for a relational, network or hierarchical database and then using a translation facility to map the SQL to a form understood by the queried database. This

technique, however, is subject to a few limitations. One limitation is SQL's inability to specify records in a certain order unless the data sets are tagged.

Database access takes time, so performance can be a problem. Relational databases have sometimes been accused of being slower than network or hierarchical databases. Network and hierarchical databases allow programmers to increase performance by setting up an efficient path to the data.

The situation is different for remote databases. There, communications is often the more important issue. "A concise way of specifying a remote database query leads to more efficient communications and cuts down on the communications cost," says Jefferson. "In terms of trade-offs, for remote database interaction, this may weigh more than efficiently getting to the data at the remote site."


OA protocols handle documents

Office computer users need to be able to create and transmit formatted documents across a network so that they can be exactly reproduced, worked on and revised at their destination. Today's communications techniques don't allow this. The integrity of the control functions, which control the formatting of a document, is lost during transmission. Consequently, if a document is transmitted in final form, then centered headings, tabbed characters, margin settings, font selections, partial lines up and down, superscripts and subscripts either do not show up at the receiving end or cannot be worked with and still maintain the same format. For example, if a few characters are added to a centered heading, the heading will no longer be centered.

The OSI Text and Office Systems protocols support the transmission of revisable-form documents by standardizing control codes so that their meaning can be reproduced at the communicating end system. Wherever possible, these standards draw upon existing protocols such as FTAM and X.400 messaging, rather than requiring the design of new data-exchange methods for office-document protocols.

The Text and Office Systems standards have six parts, all of which went out in April for approval as Draft International Standards. Based on perceived voters' attitudes, Shirley Watkins, manager of the office systems engineering group at the NBS, expects the standard to meet final approval as a Draft International Standard by the end of this year, even should changes be required.

**THE
SECRET
BEHIND
THE PLOT.**



The first part of the Text and Office Systems protocols, "User Requirements," addresses management-support functions. For Part 2, a task group is developing the protocols for Office Document Architecture/Office Document Interchange Format (ODA/ODIF). The Text Interchange Group is working on Part 3, message handling. Part 4 specifies content architectures so that complicated documents containing mixtures of text, graphics and spreadsheet information, for example, can be transmitted. Part 5 is concerned with text description and processing languages and is aimed at the publishing industry. And Part 6, "User System Interfaces/Symbols," deals with user-interface matters such as those concerning keyboards and displays.

Of all the office-document protocols, ODA/ODIF and the content-architecture protocols are garnering the greatest attention from the largest number of users, vendors and other standards organizations such as the TOP user group. The ODA protocol specifies an architecture, which describes a document in terms of a logical description and a physical-layout description. These descriptions, which determine, for example, how text, figures and tables fit together, are abstract; they cannot be implemented directly.

The document architectures are closely tied to the content architectures, which more specifically provide the means of merging different information types. The ODIF, which specifies the format of the data stream used for transfer, is the most specific.

Content architectures currently under development include character, color, graphics, image, voice and spreadsheet. The entire set of content architectures will use ASN.1 for encoding.

The character-content architecture is the first content architecture going to Draft International Standard. The image-content architecture, which refers to facsimile, has already reached the advanced stages, because facsimile is a relatively mature technology. The specification of a graphics-content architecture is also fairly far along. Watkins predicts that spreadsheet will be the next content architecture to be completed.

Spreadsheet-content standardization has drawn a good deal of support, not the least of which comes from federal agencies. The spreadsheet-content architecture standardizes the format for the exchange of spreadsheet data; it is not concerned with the application.

The office-automation protocols are now speeding along after a slow start. The ODA/

ODIF and document-content architecture protocols are functionally similar to, but not compatible with, IBM Corp.'s Document Interchange Architecture/Document Content Architecture (DIA/DCA). IBM's DCA was originally intended only for character content, although the company is also adding other information types, thus increasing the similarities.

Graphics standards mature

Another area in which standards have recently matured is graphics. It's a good thing, too, because the office-document protocols, advanced Virtual Terminal protocols, MAP and TOP standards want to include the graphics specifications developed.

The Graphical Kernel System (GKS) reached International Standard status in 1985. GKS is a 2-D graphics standard for simple images in document drawings and simple graphics on terminals.

Once they create an image, users often want to transmit it to a device and display it on a screen or send it to a remote terminal. Two standards are concerned with these tasks: Computer Graphics Metafile (CGM) and Computer Graphics Interface (CGI). CGM is a Draft International Standard. CGI is still a working document.

Metafile is a standard needed when sending a drawing, or graphical image. It specifies the format for storing a graphics file in terms of the information content of the image rather than in bits and bytes. With the image in file form, the FTAM protocol is used to actually transfer it to a remote location.


When the image arrives at its destination, the receiving user may want to display it on a terminal or other device. The CGI protocol specifies how to present graphics information to a device at the logical level (not the coding level). This is equivalent to presenting the information at a virtual-device level; hence, the protocol is also called Virtual Device Interface and Virtual Graphics Interface.

Unless the drive toward communications compatibility takes an unpredictable turn, ISO's OSI efforts seem secure. And, considering the large number of OSI products introduced in the past year by major vendors and the even larger number of OSI products announced for shipping over the next two years, OSI networks no longer seem futuristic. □

Database-access protocols are emerging as a dramatic element on the OSI standards scene.

Interest Quotient (Circle One)
High 478 Medium 479 Low 480

HOUSTON INSTRUMENT.



Discover the secret behind the plot with Houston Instrument's line of low cost, high performance plotters.

Within HI's impressive line of plotters and digitizers, you'll find a full range of models suited for virtually any graphics or CAD application.

Secrets in flexibility and quality.

Define your requirements. You'll find a plotter that's uniquely suited to your CAD system in Houston Instrument's lineup.

Choose from models with one, four, eight, even 14 pens. Select the types of pens and plotting media you need. Decide on format sizes—from A (8½ × 11 inches) through E (36 ×

48 inches). Whichever model you choose, your HI plotter will create accurate, crisp, colorful drawings.

Secrets in performance and price.

With high MTBF ratings, your HI plotter excels in reliability. And, depending on the model you select, you'll experience plotting speeds up to 22 inches per second and resolutions ranging from .005 to .001 inch.

As you examine features, performance, and especially price, you'll quickly realize that Houston Instrument offers outstanding performance at an affordable price.

Regardless of the model you pick, you'll find hundreds of compatible software packages. And, by using

HI's popular DM/PL™ language, you can create your own custom software and be assured of upward compatibility with HI's entire line of plotters.

Discover more about the secret behind the plot. Call 800-531-5205 (512-835-0900 if in Texas) or write Houston Instrument, 8500 Cameron Road, Austin, TX 78753. In Europe, contact Houston Instrument, Belgium NV., Rochesterlaan 6, 8240 Gistel, Belgium. Tel.: 32-(0)59-277445, Tlx.: 846-81339.

**houston
instrument™**

A Division of **AMETEK**

OEM discounts available. Houston Instrument and DM/PL are trademarks of AMETEK, Inc.

CIRCLE NO. 38 ON INQUIRY CARD



Graphic excelleration. Turbograph™ processors.

Accelerated performance. Excellent graphics. At an exceptionally low price. That's Turbograph—the innovative line of high performance graphics processors from AMF Logic Sciences.

Turbograph responds to the soaring demand for improving and streamlining computer-generated graphics in all sectors of the market. From IBM PCs creating business graphics to VAX-type systems in CAD/CAM environments.

Turbograph accelerates the time it normally takes to process and convert graphics from vector to raster form. It relieves the host computer from the costly overhead of vector-to-raster conversion. And by eliminating the VRC bottleneck, Turbograph also unleashes the full graphics capabilities and performance potential of today's sophisticated printers and plotters.

Available in a compact desktop unit or as a board which fits inside the chassis of your plotter, printer, or host computer, Turbograph processors are priced as low as \$1995*.

Discover graphic "excelleration" with Turbograph. Contact the company that has specialized in raster graphics since 1972—AMF Logic Sciences.

AMF
LOGIC SCIENCES, INC.

10808 Fallstone Road
Houston, TX 77099
713/879-0536; telex 706691

*US. list price for one Turbograph 300, IBM PC version; OEM discounts available.

CIRCLE NO. 40 ON INQUIRY CARD

PC BOARD VENDORS RUSH TO FILL EGA DEMANDS

Eager to share in the personal computer-based enhanced graphics adapter market, vendors are packing boards with greater display functions while maintaining IBM compatibility

Edward Teja
Contributing Editor

Personal computer manufacturers are rushing to handle increasingly demanding system applications, such as computer aided design/computer aided engineering and scientific analysis. In particular, this demand has generated a need to improve the typical desktop computer's graphics performance. That is, microcomputer-based systems graphics capabilities must be upgraded in order to compete with dedicated workstations.


The most direct means of working toward that end is through the use of enhanced graphics adapter (EGA) boards—plug-in cards that offer a range of graphics improvements. Most are based on, and are compatible with, IBM

Corp.'s own Enhanced Graphics Adapter.


Better at displaying both text and graphics than is IBM's Color-Graphic Adapter (CGA) board—the original color graphics standard—the new EGA boards suit system integrators and end users who need higher performance and an IBM-compatible format that is inexpensive to implement. The EGA de facto standard offers that combination.

Among other enhancements, EGA boards provide a choice of display resolutions. Typical EGA-board pixel resolutions are 320 by 200, 640 by 200 or 640 by 350, in color, and 720 by 348 in monochrome. Users can choose not only color or monochrome but also display orientation and aspect ratio.

Of course, monochrome mode provides high resolution and produces sharp, clear images



Shaded spheres and complex shapes like these are only two examples of what can be generated with an enhanced graphics adapter



(EGA) board and sophisticated graphics software, such as the Enhanced Graphics Toolkit from Connell Scientific Graphics.

An IBM EGA-compatible monitor—the Quadchrome Enhanced Display—and the QUADEGA+ card, both from Quadram and running on an IBM PC, combine to create this Microsoft Windows screen.



using varying degrees of gray scale. But, more importantly for desktop systems, EGA boards are relatively inexpensive vehicles for rediscovering how color adds value to sales.

However, adding color can be viewed either as an enhancement or a limitation, depending on the application. For example, in 640-by-200-dot resolution mode, up to 16 colors can be displayed simultaneously from a palette of 64. Although this is lower resolution than that offered by monochrome, the additional perceived information can be enhanced. For example, an edge delineated by a color change can be much sharper than the equivalent in monochrome.

EGA boards eliminate severe user-acceptance problems introduced by IBM's CGA board, which drove users and system integrators toward monochrome display. "CGA was worse than useless for text," says Gary Gonnella, president of Wayne Technology, a systems house in Crestline, Calif. "If you were scrolling through text, the monitor would actually blink off, and then on again, as it scrolled past each line."

More memory enhances display

To enhance display quality, without trading off system performance and throughput, EGAs need on-board memory. This memory, ranging from 64K bytes to 256K bytes, allows the graphics adapter to offload graphics-processing tasks from the CPU.

IBM's EGA board has 64K bytes, yet much of the graphics software being written for IBM PCs, and especially for PC/ATs, requires 256K bytes. Most other EGA boards are available with 256K bytes, whereas adding memory to IBM's EGA requires a piggyback card. And

some boards can take advantage of as much as 4M bytes of directly accessible memory.

According to Nandu Marketkar, president of NSI Logic Inc., the question isn't strictly how much memory you have. Although he agrees that 256K bytes of display RAM are necessary to effectively handle most graphics software, he points out that it needn't be expensive video RAM. NSI Logic uses true dual-ported memory on its \$595 (retail) Epic board. "Other boards only give the host processor access to the display RAM about 20 percent of the time," which isn't enough update time for applications such as solids modeling and CAD, where images must be frequently modified. In contrast, using dual-ported memory gives the host access to display RAM 100 percent of the time.

Thus, it isn't simply having a lot of memory but, rather, how the memory is used. Generally, on-board graphics memory is effective because it is private to the controller chip and is dedicated to graphics tasks. The other solution to the need for graphics memory is the addition of so-called enhanced memory.

Enhanced memory is system memory that goes beyond the PC's 640K-byte boundary and theoretically allows the addition of up to 16M bytes into a PC/AT-type computer. But, according to Jim Anderson, president of Digitalk Inc., a Los Angeles vendor of software-development packages, "About all you gain is faster memory-access times by using the extended memory as a RAM disk," which doesn't speed graphics processing.

EGA boards not only provide compatibility with IBM's EGA, and backward compatibility to IBM's CGA, but most also work with software written for non-IBM boards, such as the popular Hercules Computer Technology's Graphics Card. It isn't the hardware, but the firmware in the graphics system's basic input/output system, that determines compatibility. The boards can thus take advantage of the capabilities of controller chips that exceed the boundaries of standard EGA performance.

What's available?

Video-7 Inc.'s Vega uses proprietary logic to incorporate CGA, EGA and Hercules Graphic Card compatibility on a short-slot board. Priced at \$599 (retail), the board comes with 256K bytes of display memory. Quadram Corp.'s QUADEGA+ is another multicompatible offering, priced at \$595. In addition to the standard range of display resolutions, QUADEGA+ features flicker-free scrolling and panning, can display up to 512



Princeton Graphic Systems The only name in monitors you need to know

When you specify Princeton Graphic Systems Monitors, you can be confident you've made the right choice. The industry recognizes Princeton as a name that stands for outstanding product performance, value, and support.

Product Performance—Princeton high resolution monitors earn their reputation for dependability. Strict quality manufacturing standards and superb engineering combine to produce a superior performance monitor. A Princeton monitor adds a quality image to your system.

Value—Proven market acceptance has made Princeton a leader in the monitor industry. You can expect Princeton Graphic Systems to deliver value in both price and per-

formance. For the second year in a row, our HX-12 high resolution RGB color monitor has been voted the best in the world.*

Customer Sensitivity—Our expert industrial sales team can provide you with a full line of quality, dependable monitors to meet all your system requirements. And stand behind you with strong customer support.

For more details and information, please call Princeton's Industrial Sales Department—800-221-1490 ext. 721 (609-683-1660 in NJ only). Telex: 821402PGSPRIN.

Princeton Graphic Systems, 601 Ewing Street, Bldg. A, Princeton, NJ 08540.

*PC World Magazine "World Class PC Contest" for 1984 and 1985.



HX-12



HX-12E



HX-9/9E



SR-12



MAX-12

PRINCETON™

GRAPHIC SYSTEMS
AN INTELLIGENT SYSTEMS COMPANY

CIRCLE NO. 41 ON INQUIRY CARD

IBM is a registered trademark of International Business Machines Corp.

We put our best





ideas in storage.

Our comprehensive line of data storage products outshines all the competition, thanks to two of Fujitsu's best ideas. Quality that is uncompromising. And reliability that is absolute.

Every Fujitsu disk and tape drive is built to the highest standard in the data storage industry. Ours.

That means you get high-performance drives without being in the dark about whether or not they'll keep performing.

Reliability is designed into every Fujitsu drive and built into every component. And we have the superior reliability ratings to prove it. In addition, Fujitsu's advanced, highly automated production and exhaustive quality control procedures assure that every product we deliver lives up to our reputation.

You won't find another manufacturer with a family of data storage products as strong as ours. Or as complete.

You can be sure Fujitsu America will have the storage devices you need. From our high-quality flexible disk drives to our famous large capacity "Eagles." Including a complete family of SCSI disk and tape drives. Superior 8-inch Winchesters that set new performance standards for the industry. Plus cost-effective streaming and cartridge tape drives.

And, at Fujitsu America, our customers are our first priority. Our fast-growing U.S. operation is proof of that. We've opened a major new manufacturing plant in Hillsboro, Oregon, dedicated to meeting your data storage requirements now, and in the future. We also provide you with full service and technical support — including training and a complete domestic repair center.

Call the company that's qualified and committed to meeting your long-term data storage requirements, at (408) 946-8777. Or write Fujitsu America, Inc., Storage Products Divisions, 3055 Orchard Drive, San Jose, CA 95134-2017.


Data storage products from Fujitsu America. They shed new light on the meaning of quality, reliability and performance.

WE'RE DEVELOPING TECHNOLOGY FOR YOU.

FUJITSU

FUJITSU AMERICA

CIRCLE NO. 42 ON INQUIRY CARD



Galaxy

The Leading Graphics Standard
For Personal CAD/CAM/CAE

GRAPHICS Display
Add-on Solutions

Monochrome, Colour,
up to 1024 x 1024
Non interlaced

SEXTANT


Galaxy Graphics Ltd.
P.O. Box 32127 Tel-Aviv 61321, Israel
Tel. 03-7514429.
Tlx. 33424 Fax (Group III) 5460646.
GRAPHICS GROUP, INC
1270 Lawrence Station Road Bldg. E
Sunnyvale, CA 94089
(408) 734-2202 Telex: 6502552141 MCI

Distributed & Supported all over Europe & USA **CIRCLE NO. 251 ON INQUIRY CARD**

character codes and supports as many as eight pages of graphics memory.

Genoa Systems Corp. offers the Super-EGA, a half-size board, as well as the full-size Super-EGA+. Both boards are based on a proprietary two-chip gate array and are compatible with IBM's EGA and CGA and the Hercules Graphics Card. Genoa's boards boast 640-by-400-pixel and 720-by-348-pixel resolutions. The Super-EGA+ adds a clock/calendar and serial and parallel ports to the basic functions of the Super-EGA.

American Mitac Corp. takes the extra-features game a step further by incorporating a light-pen interface and a printer interface into its M.E.G.A. board. This packaging approach eliminates the need for extra circuitry on a separate board, thus saving valuable expansion slots. The M.E.G.A. board costs \$245 in OEM volumes.


Price-conscious buyers will appreciate AST Research Inc.'s AST-3G, a basic EGA board offering a range of price/performance levels. Offering only EGA compatibility, it comes with 64K bytes of RAM and costs \$425, retail; \$450 with a parallel port. It costs \$450 with 256K bytes but without the parallel port and \$500 with 256K bytes and the port. Of course, most users will want the full 256K bytes of display RAM in order to take advantage of EGA features such as hardware pan and scroll. Selling underpopulated boards allows dealers to upgrade the RAM themselves.

Attempt to educate users

Another vendor that offers only IBM EGA compatibility is Tecmar Inc. The company recently introduced the EGA Master, which supports those CGA functions that IBM's EGA board supports but is still intended only as an EGA-emulator board. The full-slot card costs \$395, retail. An optional serial port is \$50.

For those who need compatibility with IBM CGA and Hercules cards, AST offers a choice. Its AST-3G Plus is basically the same board as its AST-3G, but with firmware that provides additional compatibility. Users can upgrade a 3G to a 3G Plus for \$75; buying the Plus outright costs \$75 to \$125 more, retail, than an equivalently equipped 3G.

The important aspect of AST's strategy is that users don't have to buy anything that they don't need. For some applications, especially those dedicated to a specific task, such as CAD, there is often no reason for the customer to buy the extra compatibility. "It's a matter of educating users about what they really need," says Brent Berg, AST's graphics specialist.



Coupled with an enhanced graphics adapter (EGA) board, Media Cybernetics' Dr. Halo graphics enhancement kit allows users to produce this kind of creative business graphics.

A variety of approaches exist to minimize the awkwardness involved in allowing a customer to upgrade while maintaining compatibility with older products. Consider, for example, Everex's Enhanced Evergraphics board. This is a high-resolution, monochrome-only graphics board, priced at \$249. Everex subsequently introduced a piggyback board that provides EGA monitor output and 256K bytes of display RAM for \$350. The Enhanced Evergraphics board with the piggyback board—a package called the EV-650—costs \$599.

Most manufacturers are adding features while maintaining competitive prices. For example, American Micronics Inc.'s AMI-EGA retails for \$495—a price that is competitive with most standard boards—but comes with a light-pen interface, parallel port and 256K bytes of RAM, features that often cost more on other manufacturers' boards.

PC's Limited established a new low-price level with its \$269 EGAs, which includes a light-pen interface and 256K bytes of memory. The company also introduced a \$479, 64-color monitor with 720-by-350-pixel resolution.

For configuration flexibility, consider STB Systems Inc.'s EGA Plus, which comes with a light-pen interface, parallel printer port, disk emulator, a print spooler utility program and accelerator software for PCs and compatibles. Plugging in the optional, battery-operated clock/calendar provides a system clock. Packaging all these functions on one board saves two PC slots.

Not all vendors are comfortable with providing a light-pen interface—at least not to end users. "The light pen is not a standalone de-

IBM ASCII terminals:

The case in black and white.

Introducing a somewhat more colorful member of the family.

Meet the IBM 3164 ASCII Color Display Station.

It gives you eight foreground and eight background colors. On a 14" screen.

And because of its 8 x 16 character matrix, the 3164 gives you clear, crisp characters in color.

But is color any reason to buy IBM's 3164? It is, according to studies that indicate the use of color increases productivity, decreases errors and promotes user satisfaction.

Color, of course, is far from the sole reason for choosing the 3164. To appreciate the others, you should get to know the rest of our ASCII family.

Emulation.

Another side of the family.

Our ASCII terminals are designed to fit into existing systems. Even if the systems aren't ours.

Emulation Capability	
3161	IBM 3101 Model 881 ADDS Viewpoint* Hazeltine 1500* Lear Siegler ADM-3A* Lear Siegler ADM-5* TeleVideo 910*
3163	IBM 3101 Model 881 DEC VT 52* DEC VT 100* TeleVideo 950*
3164	IBM 3101 Model 881

For example, our basic ASCII Display Station, the IBM 3161, emulates up to six

Features	3161	3163	3164
Screen size	12"	12"	14"
Lines x characters	25x80	25x80	25x80
Character matrix	8x16	8x16	8x16
Double-sized characters	No	Yes	Yes
Line drawing characters	24	24	24
Vertical scroll	Jump	Jump/ Smooth	Jump/ Smooth
Definable function keys	24	24	24
Windowing	No	Yes	Yes
Partitioning	Horiz.	Vert./ Horiz.	Vert./ Horiz.
Characters in buffer	1920	7680	7680

terminals. And the advanced-function 3163 emulates a number of higher level ASCII data streams.

What's more, every one of our ASCII terminals can operate in its own function-rich native mode.

Our family is flexible.

Our unique plug-in cartridges allow for considerable flexibility in your operation. For example, simply by switching cartridges you can shift a terminal from one data stream to another.

And, in many countries cartridges are also available that go beyond emulation to let you operate your ASCII terminals in several foreign languages. Appropriate foreign language keyboards are also offered.

Enhanced ergonomics. Another family trait.

All our ASCII terminal keyboards have 102 keys. But that's not all they have in common. Every keyboard also has a low profile, gentle contour and typewriter touch.

And our keyboards have

programmable function and editing keys so they can be custom-tailored to fit your application needs. The 3163 and 3164 models also have redefinable and recappable keys.

Superior ergonomic design isn't confined to the key-

board, however. All three displays tilt and swivel for maximum user satisfaction. And, of course, by making the display easy to read, we made it easier on the eyes. In addition to the 8 x 16 character matrix, we gave it an advanced non-glare etched screen, cursors, and character and field attributes like blink, reverse video, under-scoring and dual intensity.

High standards.

Competitive prices.

Quantity discounts are offered, too. And financing is available through the IBM Credit Corporation. Best of all, each terminal comes with the quality, service and support you'd expect from IBM.

Contact your IBM marketing representative, or call 1 800 IBM-2468, Ext. KC/96, for the IBM Authorized Distributor nearest you. And we'll present more evidence in the case for IBM's ASCII terminals.

It may be all you need to color your view.

*ADDS Viewpoint is a trademark of Applied Digital Data Systems, Inc.; Hazeltine 1500 is a trademark of Hazeltine Corp.; Lear Siegler ADM-3A/ADM-5 are trademarks of Lear Siegler, Inc.; TeleVideo 910/950 are trademarks of TeleVideo Systems, Inc.; DEC VT 52/VT 100 are trademarks of Digital Equipment Corporation.

The case in color.



3164 TERMINAL

- Smooth Scrolling
- Double Width & Height Characters
- Definable Function Keys
- Paging
- Most Loadable Characters (up to 94)
- Character and Field Attributes
- 1920 (80 X 24) Character Display
- Attachment to IBM/non-IBM Systems
- CRT Sever
- Emulation
- Line Drawing Characters
- Wide Range of Communication Speeds (50 BPS through 19200 BPS)
- Selectable Interface (EIA RS-232C or RS-422A)
- Longitudinal Redundancy Checking
- Displays up to Eight Colors

3164 DISPLAY

- Tilt/Swivel
- Direct Etched/Anti-Glare
- Adjustable Brightness
- 1920 (80 X 24) Characters
- Reverse Video, Blinking, Underline, Non-Display

3164 KEYBOARD

- Low Profile
- Tactile Feedback
- 12 PF Keys
- Re-Definable Keyboard
- Numeric Keypad
- 3 PA Keys

CIRCLE NO. 44 ON INQUIRY CARD

IBM[®]

The difficulty in increasing display performance via a plug-in CRT controller card is that the maximum performance is limited by the display itself.

vice," points out Mike Zachan, director of marketing at Persyst. "The pen has to work with a specific monitor. Without knowing what monitor the end user will select, you can't guarantee that the light-pen interface will work."

Persyst's solution is to provide a light-pen interface as an OEM function and not mention it to end users at all. Thus the new EGA board from Persyst claims only a serial port (not a light-pen port), a parallel port and a clock at a list price of \$595.

Overcomes display limitations

The difficulty in increasing display performance via a plug-in CRT controller card is that the maximum performance is limited by the display itself. For example, users can't get 4 million pixels on a 1 million-pixel display. The solution arrived at by Monoterm Corp. is to package a controller along with one of its 19-inch, high-resolution monochrome monitors. Termed Viking, this controller/display package gives a PC a 1,280-by-960-pixel resolution and compatibility with software written for EGA boards.

A 66-kHz refresh rate on the Viking monitor

cuts down on flicker and, therefore, on eye fatigue. A 2K-byte-by-2K-byte display memory on the controller ensures that the system can take advantage of the full display quality. The complete Viking package costs \$2,195 in OEM quantities.

Similarly, Wyse Technology offers the SY-700, a 1,280-by-800-pixel resolution monitor and graphics board subsystem that runs all PC-compatible software. Priced at \$1,595, the SY-700's bit-mapped graphics board plugs into a PC or PC-compatible slot and runs CGA applications by mapping colors into four shades of gray.

The model 460 video interface from Vidco Inc. provides a link between an EGA and a specialized data projector or large-screen monitor. It takes TTL (transistor to transistor logic) signals from the computer and converts them into analog RS170-like video signals capable of driving several hundred feet of standard RG59 cable into a 75-ohm load without picture degradation. The interface costs \$450 and adds a new level of versatility to PCs.

Possibly even more important than high resolution is faster imaging. Orchid Technology combines its Turbo286 board, which provides

Companies mentioned in this article

American Mitac Corp.
3385 Viso Court
Santa Clara, Calif. 95054
(408) 988-0258
Circle 399

American Micronics Inc.
17811 Skypark Circle, Suite H
Irvine, Calif. 92714
(714) 261-2428
Circle 400

AST Research Inc.
2121 Alton Ave.
Irvine, Calif. 92714
(714) 863-1333
Circle 412

Everex
48431 Milmont Drive
Fremont, Calif. 94538
(415) 498-1111
Circle 413

Genoa Systems Corp.
73 E. Trimble Road
San Jose, Calif. 95131
(408) 945-9720
Circle 414

Hercules Computer Technology
Suite 210
2550 Ninth St.
Berkeley, Calif. 94710
(415) 540-6000
Circle 415

Monoterm Corp.
5740 Green Circle Drive
Minnetonka, Minn. 55343-9074
(612) 935-4151
Circle 416

North Star Computers Inc.
14440 Catalina St.
San Leandro, Calif. 94577
(415) 357-8500
Circle 417

NSI Logic Inc.
257 B Cedar Hill Road
Marlboro, Mass. 01752
(617) 460-0717
Circle 418

Orchid Technology
47790 Westinghouse Drive
Fremont, Calif. 94539
(415) 490-8586
Circle 419

PC's Limited
1611 Headway Circle
Austin, Texas 787545
(512) 339-6800
Circle 420

Persyst
3545 Harbor Blvd.
P.O. Box 6725
Costa Mesa, Calif. 92626
(714) 662-5600
Circle 421

Princeton Graphic Systems
Building A
601 Ewing St.
Princeton, N.J. 08540
(609) 683-1660
Circle 422

Quadram Corp.
1 Quad Way
Norcross, Ga. 30093
(404) 923-6666
Circle 423

STB Systems Inc.
601 N. Glenville
Richardson, Texas 75081
(214) 234-8750
Circle 424

Tecmar Inc.
6225 Cochran Road
Solon, Ohio 44139
(216) 349-0600
Circle 425

Vermont Microsystems Inc.
11 Tigan St.
P.O. Box 236
Winooski, Vt. 05404
Circle 426

Vidco Inc.
2400 W. 10th Place
Tempe, Ariz. 85281
(602) 966-2221
Circle 427

Video-7 Inc.
550 Sycamore Drive
Milpitas, Calif. 95035
(408) 943-0101
Circle 428

Wyse Technology
3571 North First St.
San Jose, Calif. 95134
(408) 433-1026
Circle 429

ColorTrend™ 4100 Breaks the Tektronix™ 4105 Performance Barrier

Better Screen Performance

ColorTrend 4100, Model 100 delivers high powered screen performance the 4105 simply can't match. You get an additional graphics screen, crisper pixel presentation and double the color capability of the 4105. Plus, ColorTrend comes with advanced graphics commands like PAINT, CIRCLE, ZOOM, and ROAM to make all your work easier.

Faster Graphics

Faster graphics means more productivity and less waiting. That's why ColorTrend features double the throughput of the 4105, 100 more fill patterns, and ultra-fast vector and polygon fills.

Better Ergonomics

ColorTrend comes in a sleek, ergonomic design built for maximum user comfort. Features include a market-demanded mouse, detachable keyboard, programmable function keys, tilt screen and keyboard, English-language set-up menus, and a nonglare screen for easy-on-the-eyes viewing.

Better Value Guaranteed

Experience this powerful new graphics terminal yourself. Call Intecolor Telemarketing now at 404-449-5961 to reserve a trial unit for a special 30-day money-back guarantee, or write us for more information at 225 Technology Park/Atlanta, Norcross, Georgia 30092. Once you try ColorTrend you won't be satisfied with anything else.


ColorTrend 4100 Series.
Graphics at the speed of thought.™

ADVANCED FEATURES

	ColorTrend	4105
Graphics Screens	2	1
Alpha/Numeric Screens	2	1
Colors	16	8
Tube Dot Pitch	.31mm	.42mm
Vector Speed	3x	1x
Polygon Fill Speed	4x	1x
Fill Patterns	249	149
Throughput	38.4 KB	19.2 KB
ANSI 3.64 plus VT-100	80/132 col.	80 col.

SPECIAL INTRODUCTORY OFFER

\$1995*



*Quantity 1 thru January 1, 1987 Offer in USA only. Call 1-404-499-5961 for OEM/VAR discounts. Tektronix is a registered trademark of Tektronix Inc. ColorTrend is a registered trademark of Intecolor Corp.

Intecolor
AN INTELLIGENT SYSTEMS COMPANY

CIRCLE NO. 45 ON INQUIRY CARD

Victory is the bottom line.



All year long you've been striving for it.
Victory.

By outstriding the competition. Cultivating business relationships. Striking the money-making deals. Stretching toward the big reward.

COMDEX/Fall puts you in the midst of thousands of the computer industry's leaders—drawn to the main computer event of the year to see the latest and the best, to buy the fastest and most reliable, to learn from an array of conference sessions run by experts only COMDEX can provide.

COMDEX helps you seal your most profitable deals and lay the groundwork for new ones. And gives you a head start on the '87 race.

Because the finish line is the bottom line.

Call (617) 449-6600 now to reserve preferred exhibit space. Or write to:
The Interface Group, Inc., 300 First Avenue, Needham, MA 02194.

COMDEX®/Fall '86

Join The Winner's Circle.

November 10-14, 1986, Las Vegas, Nevada

©1986 The Interface Group, Inc.

CIRCLE NO. 48 ON INQUIRY CARD

an Intel Corp. 80286 processor—that runs in parallel with the PC's Intel 8088—with an EGA card to produce the Turbo EGA. The company claims that the Turbo EGA is the fastest EGA card on the market. The main advantage of faster imaging is to minimize the system's response time.


PGA outstrokes EGA

EGA isn't the only road to better graphics. Most of the newer graphics-controller chips also support the professional graphics adapter (PGA) standard. IBM's PGA board can display 256 colors from a palette of 4,096 and has a resolution of 640 by 480 pixels. And board vendors are reacting by providing products with the performance of PGA graphics at reasonable prices.

For example, Vermont Microsystems Inc. has introduced its 8820 board that supports CGA, EGA and PGA compatibility. It offers CGA compatibility with 640-by-480-pixel resolution and a fast draw speed of 1,500 vectors per inch. In PGA mode, it displays 256 colors from a palette of 262,000. Additional colors support shading that is unobtainable from EGA boards. Several vendors of mechanical CAD packages are introducing new products that require PGA boards so that the software can use shading. Shading makes a significant difference in image quality, but it costs. For example, the OEM price of Vermont Microsystems' 8820 board is \$2,400.

Whether with EGA or PGA boards, high quality carries a high price. However, Rene Vishney, president of Award Software, Los Gatos, Calif., points out that EGA monitors are competitively priced. "You can get virtually any manufacturer's EGA board and a good quality monitor, and the whole display system will cost under \$1,000," he says. PGA displays won't compete directly with EGA displays until the price of PGA controller cards and monitors come down. Currently, PGA controllers cost more than twice the price of an entire EGA display system. However, prices of some PGA-compatible monitors, such as those from Princeton Graphic Systems, are now available under \$1,000.

But with the availability of new, more powerful graphics chips, prices of chips, boards and monitors are decreasing. For example, Orchid Technology introduced at the Spring Comdex show a PGA board priced "well below the price [about \$3,000] that IBM gets for theirs," according to a company spokesman. Final pricing for the board, however, hadn't been established.





There is no doubt that the onslaught of cost-effective EGA and PGA boards has just begun. In fact, some microcomputer manufacturers are incorporating EGA functionality into their systems. For example, North Star Computers has begun building EGA compatibility into its multiuser Dimension computers. Mounted on the individual workstation's boards, the controller gives each user EGA output. And this integration reaped an important benefit. According to North Star's chairman, Chuck Grant, "We were able to improve performance by reducing the wait states required for the CPU to access display memory. It [the EGA] has about twice the performance of an EGA plugged into an IBM PC/AT." To gain that performance level, North Star developed its own BIOS, which it now sells to the OEM market.

The best news in the escalating evolution of graphics boards, at least from the system integrator's point of view, is that the boards are much better than IBM's CGA, that prices will continue to fall, that new products will offer more and better features, and that the next generation of hardware will work with software written for the current generation. □

The Professional Graphics Adapter (PGA) standard provides the shading and color selection needed to support sophisticated graphics software packages. (courtesy: Vermont Microsystems Inc.)

Edward Teja, a contributing editor at *Mini-Micro Systems*, is a vice president of Freehold Corp., Studio City, Calif., which specializes in marketing and writing services for high-technology companies.

Interest Quotient (Circle One)
High 481 Medium 482 Low 483



EQN(1) UNIX Programmer's

NAME
eqn, neqn, checkeq - typeset mathematical

SYNOPSIS
eqn [-dxy] [-pn] [-m] [-fn] [file] ...
checkeq [file] ...

DESCRIPTION
Egn is a troff(1) preprocessor for typeset-
ters phototypesetter, neqn on terminals.

eqn file ... | troff
neqn file ... | nroff

If no files are specified, these programs
beginning with '.EQ' marks the start of
marked by a line beginning
may be defined in macro pro
possible to set two character
iters is also treated as egn
with the command-line argum
between .EQ and .EN. The le
are turned off by 'delim off'
between .EQ and .EN is passed to
The program checkeq reports
pairs.

Tokens within egn are separat
quotes, tildes or circumflexes. B
ing, anywhere a single charact
tion enclosed in braces may be
the output, circumflex ~ half as m
Subscripts and superscripts are p
z sub i makes z_i , a sub i sup 2 pro
 e^{x+y}


Fractions are made with over: a over b
sqrt makes square roots: 1 over sqrt 2

The keywords from and to introduce
 $\lim_{n \rightarrow 0} x_i$ is made with lim from {n -> in}

Left and right brackets, braces, etc., o
right: left [x sup 2 + y sup 2 over alp

The right clause is optional. Legal char
brackets, bars, c and f for ceiling and floo
right-side-only bracket).

Vertical piles of things are made with pile.
a
b. There can be an arbu



VERSATEC SPECTRUM. THE WORLD'S MOST VERSATILE COLOR HARD COPY DEVICE.

VERSATEC
A XEROX COMPANY

2710 Walsh Avenue
Santa Clara, California 95051
Telephone: (408) 988-2800
TWX: 910-338-0243
Telex: 334421

Versatec and Spectrum are
trademarks of Versatec, Inc.
Xerox is a trademark of
Xerox Corporation.

*In California, call
toll-free 800/341-6060.

It's a Versatec.

handles any mix of A- and B-size,
color and monochrome, graphics and
text. No need for an operator to change
donor rolls, pens, or input paper sizes.
And you can run over 300 pages
without changing paper. Interfaces
and software are available for
popular computers, workstations,
and terminals.

Get support from the leader.
Versatec, the leader in electrostatic
plotting, assures customer satisfaction
with worldwide service and supplies.

Discover Versatec Spectrum, the
world's most versatile color hard copy
device. For more information, circle the
readers' service number, call toll-free
800/538-6477* or visit your nearby
Versatec sales office.

The Versatec Spectrum electrostatic
plotter/printer does it all. Plots A
(11" x 8½") and B (11" x 17") page draw-
ings. Plots in full color or black and
white. Prints software listings, parts
lists, reports, or other alphanumeric
printing with a built-in character gener-
ator at 1000 lines per minute. Produces
hard copies direct from monochrome
or color displays with an optional video
interface that includes a frame-buffer.
And all at a lower cost per copy than
other technologies.
Here is the trouble-free throughput
you need. Plot. Print. Make copies
from your local workstation. Use as
a network plot server and for un-
attended remote applications. Only
Versatec Spectrum automatically

See us at SIGGRAPH



HOW TO STAY ON TOP OF THE CHARTS.

One thing is certain. You have to present a quality image. And you have to maintain it with absolute consistency.

That's why you should look into the new Seiko Hardcopier. You can get a variety of output sizes. With strong vibrant colors and clear, sharp lines on both paper and transparency.

Plus you can get those copies in as little as 45 seconds each. For a lot less money than you thought possible.

The Seiko Hardcopier can make a hundred copies for you off-line. Because its frame buffer holds the image data

and frees your terminal. You just set the quantity you want and go on working.

You even get independent image control at the hardcopier. You can change colors without changing the image on the screen. And get hardcopy or overheads that look great even if the colors on the display aren't quite right for presentation purposes.



So make one phone call. We'll present you with the whole quality story. And make sure you have the hardcopier that will keep you on top of the charts.

Call Martin Nelson
at (408) 943-9100
today.

SEIKO
INSTRUMENTS

© 1986 Seiko Instruments U.S.A., Inc.

CIRCLE NO. 48 ON INQUIRY CARD



GRAPHICS TOOLS BROADEN PC HORIZONS

Taking advantage of improved PC display capabilities, graphics software-development tools enable developers to concentrate on more complex applications


Carl Warren, Western Editor

The IBM Corp. PC and compatibles have evolved from desktop units for entering databases and doing word processing to powerful graphics workstations fit for a variety of complex applications. Combined with specialized hardware, such as enhanced graphics adapter (EGA) boards that boost display resolution and add color capability, PCs are now tackling such demands as scientific and engineering tasks and desktop publishing.

Monochrome displays, which come in many varieties of black and white, green or amber, well serve the needs of word processing and database entry. However, computer aided engineering (CAE), process control and desktop publishing call for high-resolution color displays. And managing color displays requires taking full advantage of a system's hardware and software capabilities. Therefore, software developers demand versatility in software tools. Specifically, they want tools that help them exploit enhanced hardware functions, particularly functions made possible by the newest graphics hardware available for PCs, such as EGA boards and high-resolution monitors.

One of the most versatile software-development tools is the C language, which offers programmers several useful development functions. But its most important features are portability across a wide range of systems, and a rich set of subroutine libraries that often eliminate the need for writing code from scratch.


A pervasive version of C is that developed by Lattice Inc. Lattice C doesn't support graphics



Using Halo graphics tools from Media Cybernetics Inc. allows software developers to combine a variety of graphics images—including those captured via digital scanners or digitized video images—and enhance them with color, or depths of gray scale.

or IBM's EGA standard directly. "We are the application glue," explains Steve Hersee, co-founder and vice president of marketing, "What we sell is the mortar and bricks, and other tool makers sell the tilt-up walls."

Hersee cites the Dr. HALO II package from Media Cybernetics Inc. as being a good graphics link between C and the hardware. The \$139



The Methods program-development package, from Digtalk, permits software developers to define and control the presentation of windows on a display.

package provides a library of 125 device drivers and 15 language bindings. Multiple language bindings enable developers to generate machine-independent code and, thus, to create programs for a broad range of hardware. For applications that require combining digital scanners and extended memory boards, the company recently introduced HALOScan (\$495). Based on icons, the package supports scanners, color printers and plotters.

Interface stability seen key

Media Cybernetics' president Bill Strum insists that excessive richness in a tool set can be a trap. Having too many options can lure programmers into creating software that is incompatible with the rest of the hardware and software. Strum believes that system integrators and software developers are essentially interested in three things: compatibility, performance and product stability.

Digital Research Inc.'s director of product marketing for GEM software, William Higgs, agrees with Strum. He says that one of the keys to creating a strong graphics-development tool is the stability of the interface layer—the module that defines the interaction of hardware and software. "We can keep adding functionality and enhancements, but we have to maintain a standard interface."

Digital Research's GEM Programmer's Toolkit, priced at \$500, supplies a device-independent environment with a common graphics interface that is compatible with most operating systems. GEM intercepts graphics requests coming from the system and, using the appropriate device driver, takes advantage of the unique characteristics of the device. The application program working with GEM doesn't

have to know anything about the specific system hardware.

One company developing a desktop publishing product under the GEM environment is Ventura Software Inc., Morgan Hill, Calif. The company is betting on the stability of the interface layer to permit long-term enhancements to their product as hardware capability increases. "We don't want to rewrite the underpinning software every time new hardware arrives on the scene," says president John Meyer.

Virtually all system-development tool vendors and application developers agree that by using the undocumented instructions of the Intel Corp. 8086 and MS-DOS you can create a tool kit or application program that will run as much as five times faster than those not using these instructions.

Standards ease software development

Software tool vendors use agreed-upon standards—or, at least, generally accepted methodologies. A strong contender for a standard among language bindings and device drivers is what is termed the Graphics Development Toolkit (GDT) by IBM and called the Computer Graphics Interface (CGI) by Graphic Software Systems Inc. (GSS). GDT and CGI don't force software developers to use a predetermined user interface. Rather, they allow them to define how the application should interact with the user. "The desktop metaphor doesn't always make sense," says GSS chairman Tom Clarkson. "If the developer feels that the desktop metaphor is appropriate, then Microsoft Corp.'s Windows is something to consider. If the application demands something other than a desktop metaphor, then CGI is the best bet."

Another software development tool developed by GSS is the direct graphics interface specification (DGIS), which defines firmware commands that provide an extended command set for an EGA board. Although DGIS is a tool that hardware vendors use to create display boards, software developers benefit by the synergy of CGI and DGIS. "An application written for one doesn't have to be rewritten for the other," says Clarkson.

Visible support tools create metaphors

Besides the array of tools that users never see are those that they consciously interact with every time they use the software. For example, the Desktop GEM module provides a recognizable user metaphor. It paints a desktop on the screen and then allows the user to move around it via a mouse pointer. For software developers, this eliminates the task of creating a user inter-

HOW TO BE IN 6 PLACES AT ONCE.

Only a Falco 500 Multi-Host Terminal can open windows onto all these worlds-today.

No other product in its class delivers productivity like the Falco 500 Multi-Host Terminal.

1. THE ANSI WORLD OF DEC MINICOMPUTERS.

Because no one can match its high-performance specs. Which are—in a word—spectacular.

For openers, take the Falco 500's multi-host capabilities. They let you communicate with separate computers through two bidirectional ports—concurrently. Ports that can be configured automatically



2. THE UNIX WORLD.

as RS232C or RS422. So you can enter or retrieve data from any of the computer worlds shown here—plus hundreds of others. And switch between any of them with a single keystroke. No other terminal today offers this kind of multi-host capability. Period.



Then too, nobody does win.

dows like the Falco 500. Nobody. It lets you create six windows on one screen—each one configured as a separate terminal. That means each one has its own operating

3. THE REMOTE TELECOM WORLD.

mode, compatible with virtually all ANSI and ASCII terminal protocols. Plus its own set of 64 programmable function key levels. And its own segment of dedicated display memory. Meanwhile, the competition's only got split screens. No contest there, either.



4. THE ELECTRONIC-MAIL WORLD.

Maybe you don't need to talk to this many applications from a single terminal—today.



But if you're getting ready to install multiple computers or replace single-function terminals—don't. Until you look at the Falco 500.

It's the only terminal that lets your operators be in six places at once—getting lots more work done. And the only one that doesn't mind if those places are ANSI- or ASCII-oriented; mainframe, mini or micro; or located in an office, factory or engineering lab. Plus the

5. THE LOCAL AREA NETWORK WORLD.

adaptability of the Falco 500 means you no longer need several terminals doing just one thing at a time. Because it does six things on one terminal—half a dozen on another.

To start opening windows today on a more productive,



6. THE ASCII WORLD OF SUPERMINIS AND MICROS.

multi-host world, contact your Falco distributor.


For the one nearest you, contact Falco Data Products, 1294 Hammerwood Avenue, Sunnyvale, CA 94089; (408) 745-7123. Toll-free (800) 835-8765.



FALCO 500

THE SPECTACULAR PRODUCTIVITY MACHINE.

Without the right connections, you could pay a lot to deliver a little raster data.



There's no question that a raster processor is a wise investment. Without it, your computer is loaded down processing raster data for your hard copy devices. But unless you're careful, you could pay a fortune for a processor with more capacity than your plots demand.

That's why we designed our VP-10. For all but the densest plots, it's got all the processing power your hard copy devices need — at less than half the price of most high-volume processors.

The VP-10 will dramatically speed your plotting. Its pipelined architecture allows it to simultaneously receive input from your computer while it outputs data to the plotter. So communications between computer, terminal and plotter are lightning fast.

It's also versatile. Most popular hard copy devices are supported, including Benson, Calcomp and Versatec plotters, as well as the Seiko D-Scan thermal plotter, Matrix QCR camera and Minolta SP 50-B laser page printer. A variety of input options (such as HPGL, Calcomp 906/907 and KMWPLT) provide for easy connection to the host.

Best of all, the VP-10 has KMW's unmatched reputation behind it. We built the very *first* graphic element processor 10 years ago. And we've been innovating graphic processing solutions ever since.

So why pay for more raster processor than you need? Call KMW today at 1-800/531-5167 (in Texas, 512/836-8080) or write KMW Systems Corporation, 8307 Highway 71 West, Austin, Texas 78735.





**KMW
SYSTEMS
CORPORATION**

For the right connections

Auscom is now a division of KMW Systems Corporation.

CIRCLE NO. 50 ON INQUIRY CARD

Registered trademarks: Benson — Benson, Inc.; Calcomp — California Computer Products, Inc.; Versatec — Versatec, Inc.; Matrix QCR — Matrix Corp.; Minolta SP 50-B — Minolta Corp.; Seiko D-Scan — Seiko Instruments U.S.A.



face and provides a familiar environment to work in.

Microsoft's Windows and IBM's TopView both take a similar tack, establishing window-management environments with a familiar metaphor. Like GEM, Windows and TopView also furnish a common software interface between the application and the hardware.

Programming languages also can be considered visible software-development tools. Virtually all vendors include graphics primitives—such as circle, line, draw and fill—with their versions of BASIC. Microsoft has added graphics and color verbs not only to all versions of BASIC, but also to other languages—such as C, FORTRAN and Pascal—that they supply for the PC. These verbs reduce the complex code previously required to issue graphics commands. For example, the simple statement:

```
SET POINT (20,20); BOX
(20,40,40,40); FILL (14)
```

defines a point on the screen, draws a box and fills it with a color. But this approach has its drawbacks: these verbs aren't particularly well-suited for object-oriented graphics. To eliminate this drawback, vendors are moving beyond simply customizing languages to handle the graphics tasks.

One of the steps beyond involves enhancing the operating system. Wendin Inc., for example, has developed an approach for creating powerful customized operating systems and environments for high-performance applications that use graphics. The Operating System ToolBox which, when used in conjunction with the programmer's editor, lets software developers create their own version of any operating system and make decisions such as whether to maintain compatibility with MS-DOS. In addition to the basic ToolBox, the company provides other software development tools, including PCUNIX and PCVMS. PCUNIX, an

operating system/environment, uses the Bourne shell and provides all the multitasking and user functionality of UNIX; PCVMS is a look-alike of Digital Equipment Corp.'s VMS operating system but is tailored for the PC. PCUNIX and PCVMS were built using Wendin's ToolBox. Each package costs \$99.

The ToolBox, unlike most other tools, lets software developers decide what physical or logical devices in a system they want to exploit and the best way to do so. Moreover, Stephen Jones, director of Wendin's computer service division, points out that you can decide to embed the operating system inside of an application. "We handle all the service routines, and let you do the rest," says Jones.

AI makes graphics smarter


Artificial intelligence is starting to enter the software-development-tool world. Supporting the CGA, EGA and AT&T Co.'s 640-by-400-pixel display is Digitalk Inc.'s Methods program. Priced at \$695 for the graphics version and \$250 for the text version, Methods is a development tool based on AI concepts and the Palo Alto (Calif.) Research Laboratory Smalltalk language.

"We bring the power of an AI workstation to the developer using a PC," claims Jim Anderson, president of Digitalk. The rule-based inference engine takes its cue from expert-system designs to create an environment in which users can run simulations graphically. This provides the power, via software, to do the kind of things normally restricted to an expensive LISP machine.

Using Methods' window technology, users and software developers can define and control the presentation of windows on the display. The service routines operating behind the visible windows are called classes. The application class synchronizes the pane classes, which ap-

Enhancing a brain scan, or creating a textured display of molecular structures, the Enhanced Graphics Toolkit, developed by Connell Scientific Graphics, serves as a powerful tool for software developers who need to add depth to graphics generated on a PC using an enhanced graphics adapter board.

TELECAT 286



TeleVideo

TeleVideo



AT performance at an XT price. Introducing the TeleCAT-286. \$2995. Complete.

With TeleVideo, you always settle for more.

Up till now, with a mid-range budget, you had to settle for mid-range performance. And a mid-range set of features.


But not anymore. Because now, there's the new TeleCAT-286™, from TeleVideo. An IBM AT-compatible machine that lets you settle for an entirely new concept in medium-priced PCs: more.

More Performance.

The TeleCAT-286 retails for \$2995, roughly the same as a comparably-equipped IBM XT. But the similarity ends there. Instead of starting you off with a stripped-down box, we've loaded up the TeleCAT-286 with 512K RAM. A 20MB hard disk. A 1.2MB floppy. And everything else you need. Like an Intel 80286 CPU that runs at either

28% Smaller Footprint:

What you do with the extra desk space is up to you, but as you can see here, the TeleCAT-286 gives you a lot more of it than the IBM AT.



6 or 8 MHz clock speed. There's even a high-resolution monitor for text and graphics.

To make even better use of internal space, we socketed the TeleCAT-286 for one MB of RAM, and also included serial and parallel ports on the motherboard. As a result, we can still

give you three extra expansion slots.

More Productivity.

Using our experience in building terminals and systems for 750,000 users worldwide, we've designed a machine that's the last word in ergonomics. With

LEDs On Locking Keys:

For maximum visibility, we put our LEDs right on top of the three critical locking keys, so they won't get covered up by overlays.



sculptured keycaps on a high-quality keyboard. LEDs on the three critical locking keys. And a footprint that's 28% smaller than the IBM AT's. So you get more of your desk back, too.

Find Out Even More: 1 (800) TELECAT.

There's a whole lot more we can show you about the TeleCAT-286. So get in touch with your TeleVideo distributor. Or call us at 1 (800) TELECAT, Dept. 195, and we'll give you the name of the one nearest you.

The TeleCAT-286. Our 20MB version is \$2995; 30MB, \$3495. For high performance at a low price, don't settle for less.

 **TeleVideo®**
Settle for more.

TeleVideo Systems, Inc. 1170 Morse Avenue
Sunnyvale, California 94088-3568 • (408) 745-7760

©1986 TeleVideo Systems, Inc. IBM is a registered trademark of International Business Machines, Inc.
Screen graphics by Chartmaster ©Decision Resources, Inc.

CIRCLE NO. 51 ON INQUIRY CARD



A paint package and picture editor, Media Cybernetics' Dr. HALO II lets users create high-resolution graphics on PCs equipped with enhanced graphics adapter boards.

appear on the screen. Dispatcher classes process keyboard and mouse input.

Another company that uses AI techniques in its graphics tool kit—called Object-Oriented Graphical Modeling System (OOGMS)—is Sherrill-Lubinski. This package, which runs on a host of systems ranging from DEC's VAX to IBM's PC/AT, specifically gives users the ability to handle graphics objects. Company partner, Tom Lubinski, explains that, in this context, graphics primitives are objects in themselves, or are sub-objects when they are part of complex composites. "Although an object can be made up of many sub-objects, it's a

single entity and can be manipulated, rotated, sized, or have its color changed." Unlike pixel-oriented paint programs, which manipulate each dot on the screen individually, object-oriented programs have an underlying structure that defines the displayed objects. The \$3,400 package for the IBM PC/AT includes a drawing module, graphics language and C function library.

The drawing module, says Lubinski, lets you define the objects displayed on the screen by drawing them. "Process control lends itself to graphic representation of the actual process taking place," he says. Lubinski explains that you can use the drawing module to create a mimic diagram, such as liquid flowing through a pipe and a valve, or a symbolic diagram, such as a representation of a button or meter. Once the drawing module is defined, the graphics language describes the objects to the system for testing and simulation. Finally, the C library provides precreated routines that you link to the final application program.

For low-cost, object-oriented graphics, consider Connell Scientific Graphics' Enhanced Graphics Toolkit. This \$195 package includes the source code for Microsoft C, FORTRAN and Pascal. Essentially, the Connell tool kit is a collection of software tools that access the features of an EGA, says Ed Connell, company president. The package is relatively small, taking up only 10K bytes of memory, and is therefore relatively limited. "We don't do windows," quips Connell.

However, the Enhanced Graphics Toolkit does enable object manipulation. For example,

Companies mentioned in this article

Connell Scientific Graphics
Suite 204A, 51 W. Dayton Ave.
Edmonds, Wash. 98020
(206) 778-9847
Circle 401

Digital Research Inc.
Box DRI, 60 Garden Court
Monterey, Calif. 93942
(408) 649-3896
Circle 402

Digitalk Inc.
Suite 25, 5200 W. Century Blvd.
Los Angeles, Calif. 90045
(213) 645-1082
Circle 403

Graphic Software Systems Inc.
9590 S.W. Gemini Drive
P.O. Box 4900
Beaverton, Ore. 97005
(503) 641-2200
Circle 404

Lattice Inc.
22 W. 600 Butterfield Road
P.O. Box 3072
Glen Ellyn, Ill. 60137
(312) 858-7950
Circle 405

Media Cybernetics Inc.
Suite 200, 8484 Georgia Ave.
Silver Springs, Md. 20910
(301) 495-3305
Circle 406

Metagraphics Software Corp.
Suite 104
4575 Scotts Valley Drive
P.O. Box 66779
Scotts Valley, Calif. 95066
(408) 438-5352
Circle 407

Microsoft Corp.
16011 N.E. 36th Way
P.O. Box 97017
Redmond, Wash. 98052-6399
(206) 882-8080
Circle 408

Sherrill-Lubinski
Suite 110
240 Tamal Vista Blvd.
Corte Madera, Calif. 94925
(415) 927-1724
Circle 409

Teknowledge Inc.
1850 Embarcadero Road
P.O. Box 10119
Palo Alto, Calif. 94303
(415) 327-6600
Circle 410

Wendin Inc.
624 W. Fifth
P.O. Box 266
Cheney, Wash. 99004
(509) 235-8088
Circle 411



UNIX™ SYSTEM POWER FOR PEOPLE WITH BIGGER THINGS IN MIND.

You know what UNIX™ System V can do.

But now you don't need a mini to do it. The AT&T UNIX PC puts room-size computing power right on a desktop.

Its Motorola 68010 chip, 10 MHz clock speed and up to 4MB RAM—with virtual memory support and internal hard disk options from 10 to 67MB—give you 75% of the power of a VAX* 11/780.

For only 7% of the cost.

Development tools? The AT&T UNIX PC puts you in a UNIX System V environment complete with system utilities, the shell, C compiler and 68010 assembler. As for languages, you get the full range: C, Cobol, Fortran, Pascal, BASIC and the LPI** high-performance suite. Not to mention C-ISAM†, INFORMIX† and sort/merge for database development.

All, with the convenience of built-in text editors, debuggers and graphics tools, including the GSS Virtual Device Interface.

Up- and downloading your work from minis or mainframes is easy. Thanks to the standard internal 300/1200 bps modem, RS-232 port, VT 100* terminal emulation software and optional 3270 terminal emulation. You also get two jacks for phone lines and built-in communications software.

All of which make the AT&T UNIX PC ideal for ongoing voice/data communications and remote access to shared corporate databases.

ONE OF THE COMPUTERS WITH THE FUTURE BUILT IN.

Even with all its available power and storage options, the AT&T UNIX PC still has room to grow. With three

expansion slots and the ability to connect up to seven serial devices.

Because when you have big ideas, accommodating them shouldn't be a big deal.

To find out about the AT&T UNIX PC and our **SPECIAL LIMITED TIME OFFER** call your AT&T Account Executive, authorized AT&T supplier or 1 800 247-1212.




AT&T

The right choice.

*VAX and VT 100 are trademarks of Digital Equipment Corporation. **LPI is a trademark of Language Processors, Inc. †C-ISAM and INFORMIX are trademarks of Relational Database Systems, Inc. © 1986 AT&T Information Systems.

CIRCLE NO. 52 ON INQUIRY CARD

The people who make Seagate



the first name in disc drives:

Gunter

"My teenage sons think we moved to California from Germany so they could go surfing. But I came here to Seagate to build the best disc drive motors in the world," said Gunter Heine, General Manager of Seagate's Motor Division.

Gunter and his motor engineering team designed our stepper motor assembly line and most of our tools and automation equipment.


"We design the motors and develop the manufacturing process," Gunter said. "This allows us to work closely with the drive designers day by day so the drive and the motor are perfectly matched."

Because we control the entire process, the drives are built with the consistent quality that, to Gunter, is a matter of professional pride.

OEMs have come to expect this kind of relentless emphasis on quality from Seagate. That's one reason they've bought more than 3 million of our 5¼" hard disc drives.


Seagate's reputation is built by its people. If you think your drives should be made by dedicated experts like Gunter, call us.

800-468-DISC. In California, 800-468-DISK.



The first name in disc drives.

The largest selling 1200 bps modem just got smaller.



©1986 Hayes Microcomputer Products, Inc.

The new Hayes Smartmodem 1200B™

Now you can get a lot more out of your PC, by putting a little more in. Our new Hayes Smartmodem 1200B includes the same quality and advanced features that have made it the leading 1200 bps modem. Now, advances in Hayes technology allow us to make it available in a size that fits either full slots or a "single" half slot.

That's important news if you have an IBM,® AT&T,® Compaq,® Tandy® or other compatible computer with half slots. It means with a Smartmodem 1200B, you can free up one of your full slots for an additional function, such as color graphics,

more memory or networking. Or, if you prefer, you can continue to use the new Smartmodem 1200B in one of the full slots. Hayes makes it easy and versatile to fit your needs.

There are many good reasons for choosing Hayes. Our new space-saving Smartmodem 1200B is one of them. Hayes Smartcom II,® the industry's best selling communications software, is another.

Smartcom II for the IBM and compatibles makes short work of

Hayes®


Say yes to the future

CIRCLE NO. 54 ON INQUIRY CARD

communicating, while allowing you to take full advantage of the sophisticated capabilities of your Smartmodem 1200B. Together, they create a powerful, yet easy-to-use, communications system for your PC. They're made for each other, and customized for IBM PC s.

The best reasons of all for choosing Hayes are the "built-in" benefits. Advanced technology. Unsurpassed reliability. And a customer service organization that's second to none.

So, when you see your authorized Hayes dealer ask for the largest selling 1200 bps modem. Smartmodem 1200B. And remember. Now it's smaller, too. Hayes Microcomputer Products, Inc. P.O. Box 105203, Atlanta, GA30348. (404) 441-1617.



Built around Teknowledge's M.1 tool kit and inference engine, the Ventilation Manager expert system uses graphics and artificial intelligence to assist doctors in monitoring post-operation patients.

users can tell the application where objects should be, whether or not they are animated, and how they should be shaded or textured. Additionally, users can use the tool kit to enhance complex images such as brain-scan data sets. The package also lets users set clipping regions and add labels, using prestored fonts in ROM or their own fonts from RAM.

Uses the right medicine

The purpose of combining powerful graphics software and hardware, of course, is to provide a solution. An example is Stanford University medical researcher Dr. Larry Fagan's Ventilation Manager program, an expert system created with Teknowledge Inc.'s M.1 tool kit. The M.1 tool kit isn't cheap, priced at \$5,000, plus \$2,500 for a week-long course. But it serves as a base to create expert systems. Company spokeswoman Judy Harris says Teknowledge provides the inference engine: "It's up to the system integrator to provide the user interface."

Ventilation Manager uses the metaphor of a medical oscilloscope to give doctors, who might not be computer literate, access to an expert system that monitors a post-operation patient. The system monitors the patient's breathing, heart rate and blood pressure, and develops a diagnosis based on inferences from this data.

Getting the most from EGAs

Some software-development packages are designed specifically to take advantage of EGAs. For example, Metagraphics Software Corp.'s MetaWindows features bit-mapped graphics and window environments that exploit EGA

capabilities. Using MetaWindows, software developers can write procedures that define the user's environment, the metaphor, the viewport and other characteristics, such as icons and pop-down windows.

For example, to define the viewport, the C-language code for the procedure would be:
`VIEWPORT(XMIN,YMIN,XMAX,YMAX);`
`int XMIN,YMIN,XMAX,YMAX;`

This procedure establishes the X and Y coordinates of the viewing area.

MetaWindows-Plus, the OEM version of the product, adds user-invisible tools—language bindings, system calls and graphics-primitive libraries—needed to develop a finished product. And, for software developers who plan to enter the desktop publishing market, the company offers MetaFonts-Plus (\$185), which provides a full font editor and icon editor for bit-mapped and filled characters. The package also lets programmers edit the Postscript document-control language from Adobe Systems Inc. of Palo Alto (MMS, *Spring Peripherals Handbook*, April 15, Page 9).

Jack Davis, president of Metagraphics, explains: "We translate the logical functions into hardware-specific commands so that the developer doesn't have to." The proper role of this kind of development tool, after all, is to maximize the flexibility available to software developers, without complicating their lives. □

Interest Quotient (Circle One)
 High 484 Medium 485 Low 486

**OUR 310 AP HAS RATHER
ORDINARY PERFORMANCE
COMPARED TO
MOST MINICOMPUTERS.**



Its CPU performance is only marginally faster than the VAX*-11/780 shown on the right, for example.

And even with a couple additional high-performance application boards slugged in, it can't quite keep up with a Wang VS 300.

But this parity changes to a powerful competitive edge when another

number is considered.

Cost.

Our new 310 AP gives you over 1 MIP of CPU performance for under \$20,000. (A fifth the price of a mini.) And you can add up to three additional CPU boards to provide up to 5 MIPS of performance, for under \$50,000.

Which makes this either one of the most ordinary minis around, or the most extraordinary supermicro.

But what's in a name? Performance is performance, whatever name it goes by. And with this expandable system you can cost-effectively deliver the performance your customers need.

An expandable open system like this allows you to avoid obsolescence by making future upgrades of performance and/or functionality without having to buy a new system.

But there are open systems and there are open systems.

The starting point for any open system that really is an open system is, of course, standards.


We support more standards than anybody. So we can offer a *complete*

open system, and a complete open product line — from operating systems to applications software to networking — all based on standards.

And because the 310 is a truly open system, you can have more than 50 independent software packages. More memory if you want it. Or additional Winchester drives.

And all our systems are supported fully by our

Composite MIPS Rating



worldwide customer service organization.

When new technology comes along our systems don't get obsolete and replaced, they get upgraded.


Just ask the people who bought our first ones four years ago.

For further information call toll-free (800) 548-4725. Or write Intel Corporation, Lit. Dept. W286, 3065 Bowers Ave., Santa Clara, CA 95051.

intel®

*VAX is a registered trademark of Digital Equipment Corp. ©1986 Intel Corporation

CIRCLE NO. 55 ON INQUIRY CARD



Take a good long look at your performance and system integration needs. Now take a look at two Microbar Multibus™-based boards for the 68020—Multibus I and Multibus II.

Needless to say, we look very, very good.

Witness, for example, 32-bit performance on a single board. And you can have it *now*. Not next year or down the road, but right now (after all, we do understand the window of opportunity you're up against).

Nice enough, but there's more.

68020 Multibus Boards.

Ready and waiting for design teams taking quantum leaps.

Like the 68020 with MMU, DMA and Floating Point capabilities. RAM, from 1MB to more than 4MB—all high-speed with dual-ported access. Two serial ports and a parallel port. We also provide UNIX™ System V and real-time operating systems ported to the CPU.

However, while the above is all great and wonderful, it is by no means the whole story.

Our boards deliver ideal performance of the microprocessor as well as thorough integration with the standard system bus architecture.

You'll also grow quite fond of the software portability, allowing existing 68000 software to be executed by the 68020—while more than doubling performance.

And lest we forget, the on-board architecture of our GPC68020 for Multibus I is compatible with your next-generation system's evolutionary path using our Multibus II MT68020 board.

So, when your team wants to go to town, call us in California at (800) 421-1752 or (800) 821-1011 within the Continental U.S.

We'll give you the Microbar muscle to move in quantum leaps.

 **MICROBAR SYSTEMS, INC.**
785 Lucerne Drive, Sunnyvale, CA 94086
Your future system is our current project.

CIRCLE NO. 56 ON INQUIRY CARD



™ UNIX is a trademark of AT&T.
™ Multibus is a trademark of Intel Corp.

SOFTWARE DEVELOPMENT FIRES UP WORKSTATIONS

System integrators turn workstations into their platforms of choice for computer aided software engineering


Michael Tucker, Associate Editor

Workstations traditionally have been used for computer aided design, manufacturing and engineering. In fact, the powerful 32-bit systems have been so successful in becoming the engineer's personal computer that some observers saw CAD/CAM/CAE as the machines' only important mission. However, almost unnoticed, an increasingly large segment of workstation sales is destined for software development applications.

According to market research company Dataquest Inc., San Jose, Calif., 12 percent of all workstations sold in 1984 went for general software engineering, and 5 percent were used in developing artificial-intelligence software. During 1985, Dataquest reports, fully 17 percent of all workstations sold were meant for software engineering, accounting for 23 percent of total workstation revenues.

In effect, workstations are becoming the platform of choice for computer aided software engineering (CASE)—a whole series of applications having to do with the development, management and maintenance of code. For example, they are being used increasingly for remote software development, where code is developed for larger or highly specialized target systems by smaller, less expensive machines.

As a result of this new and, in some ways, unexpected CASE market, workstation vendors are reconsidering their concepts of what workstations are and do. Several vendors are modifying their sales strategy, while some are actually modifying their machines. Some companies



The Domain Software Engineering Environment (DSEE) supports software development on Apollo workstations. It isolates code problems, suggests modifications and permits "what-if" modeling of enhancements.

have begun marketing workstation hardware configured not only for software development, but also for development in specific applications and even in specific languages.

Workstations claim a new market

Workstations as a technology and as a commodity are so new that even the definition of "workstation" is subject to some debate. In general, though, the term is used to describe any single-user microcomputer based on one of the new 32-bit microprocessors—such as the Intel Corp. 80386, any of the National Semiconductor Corp. NS32000 series and the Zilog Inc. Z8000—and dedicated to technical applications.

The workstation business is one of the most hotly contested in the computer industry. Indeed, the really important thing to find out



A diskless workstation, the Sun Microsystems 3/50M is well-suited for software engineering. At \$7,900, it provides extremely low cost-per-programmer.

about the workstation market is not who's in it, but who'll survive in it (MMS, April, Page 21). The battle lines seem to be drawn between vendors who got into the field early—such as Apollo Computer Inc., Sun Microsystems Inc. and Hewlett-Packard Co.—and large companies, such as Digital Equipment Corp. and IBM Corp., that came into the field late but with very heavy muscle. As potential spoilers, a host of start-ups is also in the game, and one or more of those could end up with major chunks of the workstation niche.

What could determine the victor in the workstation contest is new applications beyond CAD/CAM where workstations are finding new and lucrative roles. Among these is software engineering, which includes both the management of code and its actual production. Software management—the business of coordinating the work of programmers and keeping track of changes in code—is already an established workstation market. For many developers, software production has become so complex—involving teams of programmers and thousands of modules of code—that powerful 32-bit systems provide the only method of making sense of it all.

Meanwhile, software production is becoming a workstation market. “There are two kinds of development done on workstations,” says Ken Pomper, market segment manager for CASE at Apollo. “The first is the development of software for workstations themselves. The second is the development of software for embedded systems. That is, software for computers that are incorporated into non-computer products

—like missiles and toasters. That second market will be just immense.”

Sun's CASE Marketing Manager, John DeVries, sees a third major market as well: “The newest thing is remote development. That is, suppose you have a Cray [Research Inc.] supercomputer. It just isn't cost-effective to have a bunch of programmers tying up that machine while they develop its software. So, instead, you do your development on a relatively inexpensive, user-friendly workstation.”

Attracted to engineering

As one of the premier names in the workstation business, Apollo was successfully marketing its first-generation workstations—DN300, DN330, DN460, DN560 and DN660A—in 1981, while much of the rest of the industry didn't know there was a workstation market to get into. According to market research company International Data Corp., Framingham, Mass., Apollo currently claims 40 percent of the installed base of such machines.

Apollo is also the company most responsible for giving workstations their CAD/CAM/CAE image. The company happily admits that over half of its sales are for engineering applications. Some observers have characterized the early Apollo workstations as virtually dedicated engineering machines, wholly inappropriate for software development. Yet, as early as 1983, one Apollo value-added reseller, Cadre Technologies Inc., was selling Apollo workstations for software management.

Software management is itself an emerging technology—at least for microcomputers. Essentially, it is the art of keeping an exact record of the exact purpose of every part of code, and keeping track of every change made to that code, often over periods of years.

Most large-scale software projects require at least three levels of management. In the first, or “design-specification,” phase, system analysts decide exactly what tasks are to be performed by the software and then design a general outline of how the program code will be written. In the second phase, the project manager keeps a detailed record of how the coding is being written, and what sections of code do what, to facilitate later debugging. In the third, “maintenance,” phase, which can take place over the entire life of the software, code management consists of keeping track of enhancements, debuggings and any other modifications.

One method of doing this sort of mammoth bookkeeping is based on the “Yourdon Rules,”


WITH THE RIGHT TOOLS YOU CAN NAIL THE COMPETITION.

If you guessed that those tools are the capabilities of a QMS Lasergrafix printer, then you hit the nail on the head. And if you're an OEM, you can feel sorry for the competition. A QMS Lasergrafix



printer system fulfills every requirement you can imagine. Flexibility—the software intelligence to handle page composition, plus many other applications with our powerful QUIC™ language. Performance—at speeds up to 8, 12 and 24 pages a minute. Reliability—with support for the widest range of applications in the industry. And serviceability—print engines from the world's best

manufacturers and optional third party service. What's more, a QMS Lasergrafix printer will replicate and download standard quality fonts, interfacing with just about any system. All of which makes it the perfect replacement for multiple printers and plotters—and at OEM discounts, too. Imagine where that leaves the competition. Now, how can you resist a demonstration?



QMS
QUALITY MICRO SYSTEMS
WHERE IMAGINATION LEADS™

- I'd like to see what I can do with the right tools. Call me immediately to arrange a demonstration of a QMS Lasergrafix™ printer.
- Please send me the QMS Lasergrafix™ Family of Non-Impact Printers information packet today. Be sure to include samples of graphics applications.

Name _____ Title _____
 Company _____
 Address _____
 City _____ State/Zip _____ Phone () _____
 Are you a VAR, VAD, OEM or systems integrator? _____
 If VAR or VAD, what manufacturer's equipment? _____
 Prime application for your product. _____
 Number of printers/plotters you are considering. _____
 P.O. Box 81250 Mobile, AL 36689 Telephone (205) 633-4300 Telex RCA 26 60 13
 MM76

CIRCLE NO. 83

©1985 QMS®, Inc.



If you want to raise your sales, raise your hand. Create new markets with TI-Speech.™

TI-Speech offers you speech capabilities designed to give you a hand in opening the doors to untapped markets. With it, your system designs will be more innovative. You'll provide customers with better solutions, and have an opportunity to make more money.

Simply put, TI-Speech provides voice I/O for computer applications in a wide variety of fields. Applications include voice mail and telephone access to computers for businesses of any kind, robot-calling for telemarketing, hands-free data entry for

manufacturing, medicine and research and development. It can even act as a learning aid in computer-based training.

TI-Speech was designed with you in mind, too. Its handy, modular design means that you use only the hardware and software you need for your applications. And it's affordable. For under \$1,000, a plug-in option board delivers voice I/O capabilities on most IBM®-compatible PCs.

Chances are, you've been looking for new ways to expand your customer base. TI-Speech is an effective, cost-

efficient answer. Put it to work, and watch your business opportunities increase.

For an example of TI-Speech at work, call 1-512-250-4114. For more information on TI-Speech, call us toll-free at 1-800-527-3500.



TEXAS INSTRUMENTS

TI-Speech is a trademark of Texas Instruments Incorporated.
IBM is a registered trademark of International Business Machines Corporation.
TI reserves the right to change its prices and product offerings at any time without notice.

31596
© 1986 TI

named after software development expert Edward Yourdon. In the early 1970s, Yourdon's consulting company, Yourdon Inc., New Haven, Conn., pioneered a management technique in which individual coding tasks are represented on hand-drawn charts by special symbols—rather like the symbols electrical engineers use to represent hardware components in schematic diagrams. The Yourdon rules proved popular, if complex, and were widely adopted for large projects.

Cadre took the next logical step and automated the Yourdon rules. With Cadre's Teamwork/SA, running on Apollo workstations linked via Apollo's Domain network, developers can coordinate groups of programmers at all three stages of software management. Teamwork/SA allows project managers to do the initial blueprinting of their projects, keep account of the activity of large groups of programmers during development and record changes or enhancements of the software during its life.

However, programmers soon decided that if software management could be done on a workstation, then so could software production. Apollo discovered it had a new market. "There are several reasons why workstations are good for software engineers," explains Apollo's Pomper, "and most of those coincide with the reasons they're good for CAD/CAE: having a dedicated CPU, networking and graphics." The dedicated CPU means that programmers don't have to compete for time on a shared system; the networking allows users to share resources; and the graphics can give the developer an intuitive feel for what's happening in the code.

Consequently, Apollo introduced this year the Domain Software Engineering Environment, software to support large development projects. DSEE provides a number of functions to make large-group programming easier. Like Cadre's Teamwork/SA, it keeps extensive records on the development and modifications of each piece of code. Moreover, once a module is modified, DSEE will automatically notify other programming team members of the change, and point out where that change will affect their own code. It can also help isolate problems in the code, suggest modifications, permit "what-if" modeling of proposed enhancements and so forth.

At about the same time it announced DSEE, Apollo introduced Dialog—software to produce software for user interfaces. "In the last few years, developers have discovered a host of increasingly sophisticated user interfaces they attach to their products—everything from touch screens to mouse-driven interfaces," says Pomper. "The trouble is, the software for those interfaces can be very difficult to write. With Dialog, however, developers simply specify what kind of interface they'd like, and Dialog writes the necessary code."

New generation comes on

But the real sign of Apollo's commitment to CASE—and a hint of workstations' long-term future—is in hardware rather than in software. Apollo's initial workstations have begun to show their age. However, this year Apollo introduced a new generation of workstations—among them the Series 3000. It boasts a 19-

'What you're looking at is cost-per-seat. That's the issue.'

IBM puts workstations at RISC

There is one vendor that could completely remake the workstation business.

This year, IBM Corp. suddenly entered the technical market with the RT PC. An extremely innovative machine, the RT is based on a proprietary micro-processor that mixes conventional architecture with reduced instruction set computer (RISC) features. It also offers a paged UNIX-variant, AIX, as its operating system. Representing a first foray into the technical field—not a traditional IBM arena—it was a very impressive machine, and some analysts wondered if it wouldn't dominate the workstation marketplace.

Gradually, however, those fears have been calmed. Industry observers decided that the RT, at least in its present form, isn't aimed at the existing workstation market. "At the moment, it's not a workstation. It's a

superpersonal computer," says Brad Smith, director of research in Technical Computer System Services at the market research company, Dataquest, San Jose, Calif. "It's missing floating point, communications and so forth. Right now, IBM knows, if it went head to head with the workstation vendors, it would get its head kicked in."

But, notes Smith, that situation may not last forever. With quite minor changes—such as improved networking—Big Blue could loom large over the workstation market. John DeVries, CASE Marketing Manager for Sun Microsystems Inc., says simply, "IBM-watching is dangerous...you never want to discount them, because they'll turn around and bite you. On the other hand, you don't want to get paranoid about them either."

HOW CAN YOU TELL FROM THE

Building world-class drives takes world-class design and manufacturing capabilities.

Take our floppy disk drive manufacturing plant, for example. It's totally automated with the latest robotics (by Toshiba, of course). So that you can count on consistent, repeatable quality in every one of our 3½" and 5¼" floppy drives.


Our 5¼" Winchester line is also designed and built with an emphasis on QA few vendors can match. Starting with designed-in quality, progressing to zero defect manufacturing and finishing with rigorous testing that exceeds typical industry practice.

The result is that all our drives provide lower cost of ownership. Extremely low reject rates. Lower support costs. And high MTBFs.


But building world-class quality into our drives is only half the story. Which is why every drive we build comes with world-class support.

Starting with support during your evaluation of our drives. We've probably already qualified your controller to make sure that our drives are compatible with your system.

Our systems engineers will help you keep systems integration time to a minimum. So you can get your product to market on time.



The world's
slimmest
3½" floppies.
Lowest power
consumption.
Up to 1MB.



5¼" floppies.
Up to 1.6MB.
Proven,
repeatable
quality.

WORLD-CLASS DRIVES ALSO-RANS?

We can supply all your storage needs: 5¼" and 8" Winchesters; 3½" and 5¼" floppies; and a range of optical products. And we're investing right now in the technology of the future. So we can continue to work with you for years to come.

All of which goes to prove the wisdom of selecting Toshiba as your source for disk drives.

For complete information, call 408-727-3939. Or write Toshiba America, Inc., Disk Products Division, 3910 Freedom Circle, Suite 103, Santa Clara, CA 95054.

Because in today's market, you can't afford an also-ran.

WORLD-CLASS QUALITY.
WORLD-CLASS SUPPORT.

TOSHIBA
DISK PRODUCTS DIVISION



Field-proven.
Up to 86MB (MFM).
Up to 130MB (RLL).
25ms average
access time.
ST506/412 interface.
Available now.

CIRCLE NO. 57 ON INQUIRY CARD



Up to 173MB.
25ms average
access time.
ESDI/SCSI interface.
30,000-hour MTBF.

Remote development shows real signs of being the wave of the future.

inch, monochromatic display with superb resolution and 2M bytes of memory. Both AT&T Information Systems' UNIX System V and Berkeley UNIX Version 4.2 support the Domain networking. It is, in short, a workstation meant expressly for applications outside of CAD/CAM, such as software development.

Meanwhile, workstation vendor Sun Microsystems has become almost as closely linked to software development as Apollo has to software management. Sun was founded in the early 1980s by a group of entrepreneurs that included William Joy, the computer scientist whose work at the University of California at Berkeley gave him the nickname "the father of UNIX 4.2." The company has maintained a reputation for technical innovation, engineering excellence and a certain daring—qualities well suited to win a large share of the workstation market.

Sun's success came as a surprise to some industry observers. While they sometimes are used for CAD/CAM, the Sun machines are not designed to fit neatly into that traditional workstation market—many don't offer color graphics, for instance. The idea that workstations might be sold for anything else seemed to violate both marketing wisdom and common sense. (As late as 1984, the president of one multiuser computer company was heard to say, "I thought Sun would go belly up as soon as it got finished selling boxes to Bill Joy's classmates at Berkeley. Clearly, I was wrong.")

They were sold for things other than CAD/CAM, and quite briskly. Early this summer,

Sun estimated that over a third of its machines were going to the CASE market. The company's newest generation of workstations, the Sun-3 line, seems tailor-made for CASEwork. Says CASE marketing manager, John DeVries, "For CASE, color graphics isn't an issue, at least not yet, and ultra-high performance isn't an issue. What you're looking at is cost-per-seat. That's the issue." And consequently, the Sun-3/50M, a diskless workstation with a price tag of \$7,900, meets the requirement as a very inexpensive programmer's seat.

Sun is particularly interested in remote development. "The general model we have is the host-target situation," says DeVries, where software is written on one machine and then exported to another. In Sun's view of the world, its customers are developing software for large and expensive systems—so large and so expensive that the customer cannot afford to waste the machines' CPU time on software development. With remote development, the programmers may leisurely produce and perfect source code on their individual workstations, and then drop that code via Sun's networking to the target machine for compilation—and ultimately execution. "You avoid the bugaboo of cross-compilers," says DeVries.

Veterans and start-ups move in

Remote development shows real signs of being the wave of the future. Workstations are so much more supportive of programmers than are terminals on a multiuser system that software developers are finding it increasingly hard to get along without them. Notes DeVries, "We're very near the point where it will just not be cost effective to do development on native systems."

Sun offers a set of software developer's tools that reflect this model of coding. Last September, Sun announced SunPro—short for Sun Programming Environment—a collection of utilities meant for the control, debugging, editing and testing of source code. With SunPro, the programmer can rapidly prototype an application on the workstation before taking it to the larger machine.

At the same time, Sun also introduced SunView, a library of interface software similar to Apollo's Dialog. With it, developers can rapidly produce user interfaces based on windows, scrolling bars, pull-down windows, mice and so forth.


Meanwhile, the workstation market continues to resemble a war zone. Leaders like Sun and Apollo are virtually under siege from a

Workbenches take on workstations

One alternative to the programmer's workstation is a dedicated programmer's workbench, a multiuser system dedicated to remote software development.

One such workbench is available from Dialogic Systems Corp., San Jose, Calif. Their Dialogic Development Center is a hardware and software product for the production of code for IBM Corp. mainframes. It consists of the Workbench Machine, a 32-bit microcomputer based on the Motorola Corp. MC68000 processor, and a package of programming aids known collectively as the Workbench Toolkit.

Like a workstation, the Dialogic Development Center allows programmers to develop code remotely, and then to drop it to an IBM mainframe. Unlike a workstation, however, it can support up to 32 users at a cost of about \$3,000 apiece. It can be expanded to up to 96 users.



Newbury's solution to The Great American Printer Hang-up.

We've taken all the wrinkles out of paper handling.

Now you can have reliable paper handling for more high-speed, dot matrix printing time. Newbury Office Systems Printers (OSP) are designed to more than match the capabilities of your Personal Computer — whether your application is word processing or financial modeling, using shared resources or local area networks.

Set-ups and change-overs have never been easier with our 3-way paper handling.

In addition to speedy printing, Newbury gives you a new standard in 3-mode convenience and flexibility. We've integrated a unique, automatic paper-feed mechanism that is fast and reliable. It features self-registration auto-load for single sheets. Simply snap in an interlocking paper cassette for faster automatic sheet-feeder applications. Or, snap in the interlocking tractor option with single belt and gear for true alignment of continuous forms.

Newbury offers more things for more offices.

Even at speeds of 200 cps, noise levels are quieted to less than 50 dBA. For print quality that is truly outstanding Newbury offers 9, 12 or 18-wire OSP models. All feature high-speed printing thru-put with Newbury's exclusive 3-line look-ahead logic, low-mass, high-efficiency printheads, and fast-line advance. And when you're ready for color, you have it by just inserting a clip-in color ribbon cartridge.

CIRCLE NO. 58 ON INQUIRY CARD

Document after document, Newbury delivers faster thru-put rates and a total-feature-package that just makes more sense for more offices.

Get more details immediately.

Newbury Data

A member of the DRI Group

Europe's Leading Peripherals Manufacturer

Newbury Data, Inc. U.S. Headquarters

2200 Pacific Coast Hwy., Suite 208

Hermosa Beach, CA 90254

Phone: **So. West** 213/372-3775, **No. West** 415/254-8350,

No. East 617/273-2161, **So. East** 512/477-1221

mms 7 86

For OEMs and Distributors Only.

- Rush details on Newbury's OSP Printers.
- Send info on Newbury's 8850 300 lpm serial dot matrix printer.
- Send info on Newbury's model 8933 240 cps Text Processing Printer.
- Send data on Newbury's 3.5" / 60MB and 5.25" / 65 to 380MB high-performance Disk Drives.

Name _____ Title _____
 Company _____ Phone _____
 Address _____
 City _____ State _____ Zip _____

ALL IN ONE.



Introducing the Freedom[®] ONE from Liberty Electronics

The Freedom ONE is the one terminal for all of your ASCII needs. With the Freedom ONE you don't pay more for advanced features. With the Freedom ONE you don't sacrifice features just because you pay less. At \$449 the Freedom ONE gives you the best of all worlds—in one terminal.

The Freedom ONE is designed to be there with all the features you need whatever your application. A 14-inch flat screen gives you the ultimate in crisp, clear characters in either 80 or 132 column display formats. Popular emulations like Freedom 200, WY-50, Viewpoint A2, TeleVideo 950, and ADM 31 let you fully utilize all

your existing applications programs. An adjustable height keyboard with 44 easy to program keys (88 with shift) lets you tailor the key layout and functions to your liking. Compact and attractive styling gives your workspace a state-of-the-art look with room to spare. These are just a few of the no-compromise, unbeatable features you get standard with the Freedom ONE.

For more information call Liberty Electronics today (415) 543-4353, and ask for it all. Ask for the ONE.

 **Liberty**
We Make Terminals

CIRCLE NO. 59 ON INQUIRY CARD

host of aggressive competitors—ranging from long established powerhouses, such as Harris Corp., to innovative start-ups, such as Celerity Computing. It is, in fact, among these new players that the most dramatic response to software engineering seems to be happening.

For example, last October, Masscomp introduced five very powerful workstations known collectively as the "5000 series." Based on a triple bus that allows extremely fast data transfer, the machines can actually approach mainframe performance in some I/O intensive applications. Priced relatively inexpensively at \$15,000 to \$250,000, the 5000 workstations might be particularly useful in very demanding, scientific and engineering CASE efforts.

Meanwhile, DEC recently entered the workstation business with the VAXstation, a technical workstation based on the company's proprietary MicroVAX II 32-bit microprocessor. Since its introduction, the machine has been further specialized and upgraded to fit assorted vertical markets.

Less well known, however, is that the VAXstations are also finding a place in CASE. Last year, DEC announced a very unusual machine—the Ada Programmer's VAXstation.

Physically, the machine differs from the standard VAXstation only marginally. But there is a tremendous difference in its marketing and intended purpose. As the name would suggest, the Ada VAXstation is meant for development of applications within a single language, Ada.

The Ada programming language, developed to the specifications of the Department of

Defense in the late 1970s and early 1980s, is an extremely powerful, but extremely complex, language. It was meant for extremely demanding applications. It is so large and so difficult that, until recently, Ada compilers were simply unavailable on microcomputers.

So, Ada has traditionally been a language for minicomputers or mainframes and Ada programmers have usually worked on terminals attached to time-sharing systems. DEC, however, was one of the first companies to realize that workstations, with their greater horsepower, could provide individual programmers with desktop Ada. The result was the Ada VAXstation, with up to 9M bytes of memory, strong networking, high-resolution graphics, multiprocessing and windowing. It also has an extremely strong, DEC-proprietary ADA compiler.

DEC does not regard its Ada workstation as a dedicated, turnkey machine. "The Ada workstation could be used for any other application, of course. In fact, I could build an Ada station out of off-the-shelf DEC products," says Kendall. "But I might also make a mistake. I might not include enough memory. Or I might not know about some DEC component that would be particularly useful. This way, we basically take care of the configuration for you."

Strong defense applications

But the Ada VAXstations are pioneers all the same. Not only are they among the first workstations to be specialized in hardware for software engineering in a single language, but also

The Ada VAXstation is meant for a single language.

Companies mentioned in this article

Apollo Computer Inc.
330 Billerica Road
Chelmsford, Mass. 01824
(617) 256-6600
Circle 430

Cadre Technologies Inc.
222 Richmond St.
Providence, R.I. 02903
(401) 351-5950
Circle 431

Celerity Computing
9692 Via Excelencia
San Diego, Calif. 92126
(619) 271-9940
Circle 432

Digital Equipment Corp.
Continental Blvd.
Merrimack, N.H. 03054
(603) 884-5111
Circle 433

Harris Corp.
Computer Systems Division
2101 W. Cypress Road
Fort Lauderdale, Fla. 33309
(305) 973-5000
Circle 400


Hewlett-Packard Co.
10520 Ridgeview Court
Cupertino, Calif. 95014
(408) 973-1919
Circle 434

IBM Corp.
P.O.Box 1328
Boca Raton, Fla. 33432
(305) 982-336
Circle 435

Masscomp
1 Technology Park
Westford, Mass. 01886
(617) 692-6200
Circle 436

Sun Microsystems Inc.
2550 Garcia Ave.
Mountain View, Calif. 94043
(415) 960-1300
Circle 437

The VAXstation, from DEC, is already widely used in CAD/CAM applications. The VAXstation is also finding a role in computer aided software engineering.



they are among the first workstations meant to address the emerging embedded-systems market.

Embedded systems are computers or programmable controllers contained within non-computing equipment. At the moment, embedded systems are mostly used by the military in missiles, fighter aircraft, weapons systems and so on. This means that most Ada development projects tend to be for embedded systems.

Which means, in turn, that the Ada VAXstation has a strong orientation toward such systems. Developers can use the machine to drop code to embedded computers produced by Norden Systems, Norwalk, Conn., which are ruggedized VAXes produced under license from DEC for the military.

This makes the Ada VAXstation a sign of things to come because more and more manufacturers are discovering the advantages of intelligent products. Already, computers are showing up as part of industrial robots, in avionics applications, pacemakers, intelligent appliances and, even, credit cards. For instance, SmartCard International Inc., New York, has recently announced Ultracard. This is a credit card with a 64K combined micro-processor and memory chip, a tiny keyboard and a liquid-crystal display.

As the embedded-systems market grows in importance, workstations used to program those systems will become increasingly important. Developing software for machines that are not themselves computers could easily become the single largest CASE-application of workstations.

The future of workstations in CASE seems assured. They've proved so useful for programming that now the question isn't whether they'll be used for software engineering, but, rather, what percentage of their sales will go to CASE instead of to CAD/CAM. Brad Smith, a researcher at Dataquest, believes that, by 1999, fully 40 percent of all workstations will be employed for the production of code.

However, Sun's DeVries argues, "I expect both CAD/CAM and CASE will lose percentage points as people start finding other applications for workstations—desktop publishing, for instance."

Smith goes further, saying that workstations are appearing for CASE-applications not because of any unique natural affinity between the machines and the task but because of a kind of 32-bit imperialism. "Just as one would expect, the workstation is moving out of its traditional niche and into the rest of computing," he says.

Explains DEC's Kendall, "The workstations are showing up in software engineering at least partly because the software people looked across the hall, noticed the CAD/CAM machines, and said, 'Hey, those guys got good stuff, and we don't.'" □

The RPC50 does what your IBM PC AT® can, where your IBM PC AT can't

The Allen-Bradley RPC50 is a transportable, Ruggedized Personal Computer System. It does the same things your IBM personal computer AT can do, but it can do them in harsh environments (0-50° ambient, 2.5G operating shock, 30G non-operating.)

- 80286 Processor
- 1 MB Internal RAM Memory
- 10 MB Hardened Hard Disk
- 3-1/2", 720 KB Microfloppy
- 9" High-Resolution (640 x 200 pixel) amber CRT
- Integral 5-1/4" external floppy connection
- Integral Serial and Parallel Ports
- \$6600 OEM Net Price



TO ORDER, CALL OUR 24-HOUR RESPONSE CENTER, 1-800-346-6600, Ext. B540. For further details contact Allen-Bradley, Industrial Computer Group, Commercial Services, 747 Alpha Drive, Cleveland, Ohio 44143.

IBM PC AT is a registered trademark of International Business Machines Corporation.



ALLEN-BRADLEY
A Rockwell International Company

CIRCLE NO. 60 ON INQUIRY CARD

Interest Quotient (Circle One)
High 487 Medium 488 Low 489

A-to-Z Integrated System: The Single Computing Solution for Your Business and Office Needs

digital



We Can Help You With the Computing Needs of Your Entire Business.

Until now, it's been tough to choose a computer solution when you needed a variety of applications. Either you bought individual application solutions on different computers from various manufacturers, or you settled for a limited system that handled only a few tasks. Neither choice was satisfactory because it didn't really serve your needs.

But no more. We can help you solve your business problems with a single computing solution that integrates business applications tailored by industry experts with a growing list of business tools — word processing, business graphics, database management, communications and much more.

The A-to-Z Integrated System is available in a compact yet powerful system that's designed to be the easiest system you've ever used. And it's available at a surprisingly low price.

*Literature
Distribution*

*For additional copies of this
information sheet write:
PDP-11 ED-29079-68,
200 Baker Avenue, Concord,
Massachusetts 01742.*

*Current PDP-11 users: If you
would like to be added to
our PDP-11 mailing list
please indicate the CPUs
you are currently using
on the back of your business
card and send it to the
above address.*

Highlights

- *Benefit from additional applications tailored by industry experts and integrated with A-to-Z.*
- *Sophisticated computer system, manageable by anyone in your company.*
- *Streamline your operations.* Integration of your business and office applications simplifies use and saves time for everybody.
- *Provide for easy growth.* Buy only the applications you need now and expand your system when you need to.
- *Increase productivity.* Simple menus and consistent function keys across all applications make A-to-Z easy to learn and easy to use.
- *Protect your investment.* Because A-to-Z is part of the Digital family of proven products, you are assured of Digital's commitment to excellence.
- *Save time and money by installing, learning and maintaining A-to-Z yourself.*
- *Develop your own applications and add them to the A-to-Z system.*
- *Runs on proven operating systems, for which thousands of software applications are available today.*



Integration — The Added Benefit of the A-to-Z System.

Because it's integrated, the A-to-Z system lets you use the same information many different ways. For example, you can produce a sales flyer using word processing, and then interrupt to use the database management function to send the flyer to only select customers. Or take information from data files and use it in graphs or list processing documents. The possibilities are endless. And the effort is minimal. That's because A-to-Z lets you move easily from one application to another using the same data. There's no retyping required.

A simple keystroke interrupts your business application and allows you to enter any other A-to-Z application. For example, you can create a graph of your existing data and insert the graph into a word processing document, anywhere you want. With A-to-Z, it's easy to add clear, professional-looking graphics to any document. Or you can pass the data to the report writing functions for use in a report, then return to your previous application. A-to-Z makes it all happen with a few simple keystrokes.


A-to-Z Business Graphics: Dress Up Your Data.

With A-to-Z Business Graphics, you can easily create a variety of graphs that allow you to analyze your business data and simplify the presentation of information.

Because it's an interactive system, A-to-Z Business Graphics lets you make as many changes as you like while creating your graph. And you can take data directly from your database and build a graph with it.

Using pictorial menus, enter the data you want to graph, select the type of graph you want, and combine the data and description into a graph file to display on your terminal or to print out.

Because you store the data, the design, and the finished graph files independently, you can easily use a previously designed graph with new data. You don't have to redesign the graph each time. Best of all, it's drawn quickly and accurately by your A-to-Z system.



And There Are More Applications. These are only a few of the A-to-Z applications available from Digital. Investment in application development is on-going, as Digital continues to provide you with the kinds of productivity tools that every office needs.



A-to-Z Word Processing: As Simple As A-B-C.

Every business generates correspondence, bills, memos, reports, and other written material. The A-to-Z Word Processing module makes the job easier with complete editing, document preparation and list processing functions.

You can create new letters, memos, or other documents on your A-to-Z system. Or you can edit and modify existing documents. It's easy to learn and use, and allows you to prepare professional-looking documents in no time at all.



A-to-Z Word Processing uses Digital standard "GOLD KEY" word processing, which is available on all of Digital's PDP, VAX and personal computer families. That means true professional word processing at your fingertips. And, there's no need for retraining users already familiar with Digital computers.

List Processing features are also available with the A-to-Z Word Processing module. It allows you to create customized form letters and reports from lists of information, such as personnel or customer files.

A-to-Z Database Management: Report Writing Made Easy.


The A-to-Z database management function lets you use your data any way you want to create reports quickly and easily.

Instant reports from data files. This function automatically searches files for specified information and then produces a report using the requested information. Reports can be printed out, displayed on-screen, presented in graphic form, or used with A-to-Z's list processing capabilities.



The A-to-Z database management function provides a simplified data dictionary build and data entry facility for creating new databases, and adding, modifying, or deleting records within existing databases.

Sophisticated list processing. A-to-Z database management offers list processing capabilities that enable you to create and update customer rosters, reports and mailing lists from information in existing files. You can then switch over to A-to-Z Word Processing to create personalized direct mail letters to your customers. That's a real plus for businesses looking for inexpensive ways of generating additional revenue from a known customer base.



A-to-Z Works For You.

We make A-to-Z modular to give it the versatility you need for the jobs you do. A-to-Z can process several applications at once.

For example, an order entry clerk can enter purchase orders into the system, while a secretary is typing letters at another terminal, and a sales manager is preparing a monthly sales report at a third terminal. While all this is going on, A-to-Z can accept and respond to a request for inventory status from a shipping clerk in the warehouse.

While A-to-Z is modular, it also makes it easy to bring together information from various sources. Let's say you are preparing a report to a bank manager for a new loan. The A-to-Z system lets you pull together a spreadsheet on projected expenses, a graphic illustration of income growth, a report on your sales history for the two previous years — with a few simple keystrokes. And the result is a professional-looking report that lets your organization shine.

A-to-Z Runs the Show...

The system performs the basic, but critical, tasks that make A-to-Z work so well: providing clear, straightforward menus, controlling system security, displaying appropriate error messages for each user, and executing the tasks of the special function keys.

...But A-to-Z Doesn't Run You.

A-to-Z is designed so you can manage it easily. This system contains lots of features built in to help everyone in your organization work well together. Here are just a few:

- *User accounts for everyone in your company.* With A-to-Z, you don't have account limitations. If you have an eight-user system, but employ 20 people who perform various tasks (i.e., word processing, finance, order entry, and other tasks required in your business), each person can have an account with only eight using the system at one time. Not everyone may need terminals at their desks, but A-to-Z allows them to have an account when they need to use the system.
- *Function keys that do what they say.* No matter what A-to-Z application you're using, function keys make the job easier. Keys marked INTERRUPT, EXIT, CANCEL, RESUME, DO, and HELP do just what they say. These handy keys allow you to quickly and simply interrupt one task, select another application, exit from the second one and resume the first.
- *Individual security feature.* You can lock or unlock your A-to-Z files — just as you can lock or unlock your desk or file cabinet — so that other users can copy information. You can change the security status of your area at will to prevent others from unauthorized access to confidential data. In addition, the system manager can lock unauthorized users out of certain applications, such as restricting access to payroll records to the employees in your payroll department. With authorization, however, you can easily make a copy of another user's file to save retyping time and effort.
- *Special system management account.* A-to-Z makes system management easy. You don't need to be a technical expert; if you can type (even two-finger typing!), you can run A-to-Z. The system manager can call up a special menu of functions to keep the system running smoothly in three critical areas: data storage, system control, and routine functions like backup or making copies of data files.

digital

Digital Equipment Corporation is a worldwide manufacturer of computer systems, peripherals, networks and communications products, software and supplies. The company is the leader in single architecture, integrated computing solutions for business, industry, government, science and education. We operate more than 660 manufacturing, sales and service facilities worldwide, and employ over 85,000 people.

Digital Equipment Corporation believes the information in this publication is accurate as of this publication date. Such information is subject to change without notice. Digital Equipment Corporation is not responsible for any inadvertent errors.

The following are trademarks of Digital Equipment Corporation: A-to-Z, the Digital logo, GOLD KEY, PDP, VAX.

NEW PRODUCTS

SYSTEMS

Megan Nields, Assistant Editor

System supplies IBM compatibility

Running 33 percent faster than the IBM PC/AT, the MAI 1500 computer system utilizes an 80286 microprocessor. The IBM-compatible unit includes 640K bytes of internal memory, a 20M-byte rigid disk drive and an RS232C port. A 14-inch monitor displays 720 by 350 pixels. \$4,750. **MAI Basic Four Inc.**, 14101 Myford Road, Tustin, Calif. 92680, (714) 731-5100.

Circle 301

Computer supports up to 32 users

A 16-bit microcomputer, Ultraframe handles up to 32 users. The system supports rigid drives and tape backup systems of up to 1,160M bytes and 67M bytes, respectively. It incorporates standard S-100 bus architecture. The data-transfer rate is 2M bytes per second. \$34,020. **Independent Business Systems Inc.**, 5915 Graham Court, Livermore, Calif. 94550, (415) 443-3131.

Circle 302

Microcomputer uses 68020 processor

A 32-bit, 68020-based microcomputer, the HK68/V20 is geared toward real-time and UNIX applications. The unit provides up to 1M byte of on-board, dual-access DRAM with parity, and up to 128K bytes of EPROM and nonvolatile static RAM. An RS232C port is standard. \$3,595. **Heurikon Corp.**, 3201 Latham Drive, Madison, Wis. 53713, (608) 271-8700.

Circle 303

Computer aims at system integrators

The OSI 712 supermicrocomputer is

aimed at system integrators and VARs. Real-time processing is provided through RTIX, a UNIX- and XENIX-compatible operating system. The unit uses a 68010 processor to accommodate three to 12 users. Standard RAM is 2M bytes, expandable to 4M bytes. A 5¼-inch rigid disk drive with 20M to 200M bytes of internal storage is supplied. \$9,990. **Isotron Inc.**, 140 Sherman St., Fairfield, Conn. 06430, (203) 255-7443.

Circle 304

Hand-held computer suits IBM PC

A hand-held, IBM PC-compatible microcomputer, the Datacomputer offers an alphanumeric keyboard, a battery power supply and plug-in RAM boards for up to 256K bytes of memory. Data is transmitted via a Hayes-compatible modem or an RS232C port. The unit weighs 39 ounces. \$2,995. **National Datacomputer**, 34 Linnell Circle, Billerica, Mass. 01821, (617) 663-7677.

Circle 305

Workstation offers IBM compatibility

Providing IBM 5080 compatibility, the 2033 Model 2 is a 3-D color raster-graphics workstation. The unit executes CAD/CAM applications such as mechanical design and numerical control. Pixel write time is 45 nsec. Features include a programmable function keyboard and a 1,024-by-1,024 pixel display resolution. \$21,700. **CGX Corp.**, 42 Nagog Park, Acton, Mass. 01720, (617) 263-3222.

Circle 306

System handles 128 terminals

The Business System 1500 is a UNIX-based computer system that sup-

ports up to 128 terminals and four billion bytes of memory address space. It utilizes multiple 32-bit 68020 microprocessors running at 16.67 MHz. Cache memory is 16K bytes. The unit stores up to 2.5G bytes of data. \$70,000 and higher. **Texas Instruments Inc.**, Data Systems Group, P.O. Box 809063, H-850, Dallas, Texas, 75380-9063, (800) 527-3500.

Circle 307

Laptop computer features enhancements

An enhanced laptop computer, the Portable Plus has 256K-byte and 512K-byte RAM versions. Memory is expandable to 1.28M bytes. Available plug-in software includes MultiMate and a proprietary information management package. The LCD display has an improved contrast of 200 percent over the previous model. The unit exchanges information with HP and DEC computers. \$2,695, 256K RAM; \$3,395, 512K RAM. **Hewlett Packard Co.**, 3000 Hanover St., Palo Alto, Calif. 94303-0890. Phone locally.

Circle 308

PC supplies IBM compatibility

An IBM PC-compatible personal computer, ANSWER provides an 8088 microprocessor, 640K bytes of RAM and two 5¼-inch flexible disk drives. The unit operates under MS-DOS, PC-DOS and CP/M-86. A parallel printer port, a monochrome graphics card and eight expansion slots come standard. The computer includes a monitor and a keyboard with 10 programmable function keys. \$999. **Comark Inc.**, 135 N. Brandon Drive, P.O. Box 2608, Glendale Heights, Ill. 60138-2608, (312) 351-9700.

Circle 309

Disk card supports ANSI


The SCSI Hard Disk Card supports the ANSI X3T9.2 SCSI specification. Geared toward the IBM PC family, the unit supplies 21M bytes of rigid disk storage. It plugs into one-and-a-half add-on slots in the PC and connects as many as six SCSI peripherals to the PC. \$675. **Micro Design International**, 6566 University Blvd., Winter Park, Fla. 32792, (305) 677-8333.

Circle 310

Tape backs up IBM PC, /XT, /AT

A free-standing, 60M-byte, quarter-inch streaming tape system, Excel-Stream 60-8 backs up the IBM PC, PC/XT, PC/AT and compatibles. The device incorporates configurable DMA channels, port addresses and interrupt

UNSOLDERING QUAD-PACKS with the quadruple hot-air jet of the Leister-Labor



Infinitely adjustable electronic temperature control from 20 to 600 °C. Infinitely adjustable electronic control of air supply from 1 to 150 litres per minute.

Quad-packs can be unsoldered without damage in seconds with this tool.

Ask for Free brochure

Brian R. White Co. Inc.,
313 Henry Station Road,
Ukiah, CA 95482
Tel. (707) 462-9795 / Telex 510 743 2052
Brian R. White Co. Inc.,
1 Industrial Way West, Bldg. E,
Eatontown, NJ 07724
Tel. (201) 544-1212 / Telex 888 307

CIRCLE NO. 253 ON INQUIRY CARD

lines. Features include automatic tape formatting and automatic read-after-write error checking. The unit backs up 10M bytes in 2 minutes. \$995. **Everex Systems Inc.**, 47777 Warm Springs Blvd., Fremont, Calif. 94539, (415) 498-1111.

Circle 311

Tape system services IBM PCs

A 40M-byte, portable tape system, the MT40P is geared toward the IBM PC, PC/XT and PC/AT. The unit weighs less than 5 pounds and supports Image or File-by-File-Backup and Restore commands. It plugs into the PC's external flexible port. \$695. **Micro Design International Inc.**, 6566 University Blvd., Winter Park, Fla. 32792, (305) 677-8333.

Circle 312

Disk system offers IBM PC compatibility

Easi-Disk is a portable, IBM PC-compatible, flexible disk system. Data transfers between the PC and incompatibly formatted devices using RS232C, RS422 or parallel interfaces. Features include a 19.2K baud rate, a 4K-byte addressable RAM buffer and dual I/O ports. The unit is controlled by a Z80 microprocessor. \$1,095. **Analog and Digital Peripherals Inc.**, 815 Diana Drive, Troy, Ohio 45373, (513) 339-2241.

Circle 313

Tape system runs with IBM

A half-inch magnetic tape system for IBM Systems 34, 36, 5362 and 5364, the TDX-45/5360 transfers data at 28.8K to 56K bps. The system includes a 45-ips start-stop drive with dual density and automatic loading of magnetic tape reels. Features include a bisynchronous interface and a tape-utility software package. \$8,950. **Telebyte Technology Inc.**, 270 E. Pulaski Road, Greenlawn, N.Y. 11740, (516) 423-3232.

Circle 314

Tape drive offers IBM compatibility

Suiting OEMs, the I480 cartridge tape drive is the first plug-compatible alternative to the IBM 3480. The data transfer rate is 3M bytes per second. Cartridge capacity is 218M bytes, formatted, and 246M bytes, unformatted. The half-inch unit supplies an 18-track parallel format with 18 read/write channels. It contains 15 percent fewer parts than the 3480. \$26,000, OEM discount. **Aspen Peripherals Corp.**, 1860 Lefthand Circle, Aspen, Colo. 80501, (303) 678-0808.

Circle 315

Disk subsystem packs 60M bytes

A 60M-byte, 5¼-inch disk subsystem, the Perfect 60 is configured for either the IBM PC/AT or the Compaq 286, with disk controller. The 5¼-inch unit provides a 30-msec average access time and a 5M-byte-per-second transfer rate. Proprietary software is included. \$3,695, IBM version; \$3,995, Compaq version. **CMS**, 401-B West Dyer Road, Santa Ana, Calif. 92707, (714) 549-9111.

Circle 316

Quarter-inch drive stores 125M bytes

- 72-ips tape speed
- 90K-bps transfer rate
- QIC-120 data format

A quarter-inch streaming cartridge tape drive, the Super Scorpion 5125L-1 stores 125M bytes of formatted data. Information is transferred at 90K bps with a tape speed of 72 ips. A QIC-120 data format allows for a 15-track serpentine pattern. The device conforms to ANSI standards and reads any tape cartridge that conforms to the QIC-24 data format standard. \$733, OEM quantities. **Archive Corp.**, 1650 Sunflower Ave., Costa Mesa, Calif. 92626, (714) 641-0279.

Circle 317

**Last year, people like you got away with
nearly \$200 million from us.**



Hewlett-Packard's VAR discounts added up to some pretty good getaway money. Enough for a lot of trips to exotic, faraway places.

Take a look at Hewlett-Packard's commercial VAR Program and think how far you could go.

It offers discounts up to 35% on HP 3000 computers and peripherals. 40% discounts on demo/development systems. 10% credits on system upgrades if your customer decides to upgrade through us.

Of course, Hewlett-Packard's commercial VAR Program offers more than discounts. For instance, service and support that have given HP a worldwide reputation.

And now the program is even more profitable.

We've raised the entry discount on the HP3000 Series 37 mini-computer to 25%. We've also increased the memory to 1 MB and added HP installation, all for a lower system price of \$21,860 (before quantity discounts).

So first get it all from Hewlett-Packard. Then get away from it all.



The HP Program for Value-Added Resellers

- Send me information on your commercial VAR program and the HP 3000 Series 37.
- Have an HP representative call me right away.

Name/Title _____

Company _____


Address _____

City/State/Zip _____

Phone _____ Market _____

Mail to: Bob Hall, Hewlett-Packard, Dept. 694C,
10520 Ridgeview Court, Cupertino, CA 95014 ISO2603

Power has never



looked this good.

Introducing the WYSEpc 286 and a brilliant new range of display options.

Now you can get higher speed and higher resolution, together, in extremely high style.

The WYSEpc 286 goes from "normal" speed to full 10 MHz throttle — *up to 25% faster than an IBM Personal Computer AT* — with the touch of a switch. A new lineup of graphics monitors lets you choose exactly the display capability you need.

Combine the WYSEpc 286 with the WY-530 monochrome or WY-630 color monitor and get outstanding performance. For enhanced color graphics, move up to the WY-640 EGA monitor. Or, bring CAD and desktop publishing applications into better focus, price-Wyse and pixel-Wyse, with the WY-700 high resolution graphics display (as shown with the WYSEpc 286 at left).

With the new WYSEpc 286, you can also choose the keyboard that's the best fit: either the standard AT-style, or the IBM Enhanced PC keyboard. And you get the complete compatibility you should expect in every other way, including more than 350 tested off-the-shelf software packages.

Up to 80 Mb of disk storage and 8 expansion slots give you

everything you need for the most demanding single-user applications, or to anchor the most effective, economical multi-user systems.



And behind this incredible display of power and versatility is a company that ships more terminals than anybody but IBM.*

Call toll-free or write, today, for more information.

WYSE

YOU NEVER REGRET A WYSE DECISION.



Please send me detailed information on the WYSEpc 286 and the entire Wyse product line.

Name Title

Company Phone

Address

City State Zip

Mail to: Wyse Technology, Attention: Marcom Dept. 286
3571 N. First Street, San Jose, CA 95134

Call 1-800-GET-WYSE

MMS 7 86

Wyse is a registered trademark of Wyse Technology. WYSEpc 286, WY-640, WY-530, WY-630 and WY-700 are trademarks of Wyse Technology. IBM and Personal Computer AT are trademarks of International Business Machines Corporation. © 1986 Wyse Technology. *Dataquest 1985 terminal shipment update.

CIRCLE NO. 73 ON INQUIRY CARD

PRINTERS

Printers work at 30, 45 ppm

- Ion deposition
- 300 by 300 dpi
- 100,000 pages per month

The 3000 series ion deposition printers come in 30- and 45-ppm models with either 240 by 240 or 300 by 300 dpi, respectively. The units produce more than 100,000 pages monthly, and have a standard 500-sheet feeder with an optional 2,000-sheet elevator. The series is compatible with all industry-standard line-printer controllers and software. Features include automatic self-test and an optional job separator and sorter. \$11,995. **C. Itoh Electronics Inc.**, 5301 Beethoven St., Los Angeles, Calif. 90066, (213) 306-6700.

Circle 318

Laser printer produces 8 ppm

Producing 8 ppm, the LaserPrinter is compatible with most personal computers. The desktop unit offers 300-by-300-dpi resolution. Noise level is less than 55 dB(a). Seven fonts and a font cartridge are included. \$3,995. **Philips Information Systems**, Suite 300, 15301 Dallas Parkway, LB 35, Dallas, Texas. 75248, (214) 980-2000.

Circle 319

Dot-matrix printer suits IBM PC

Generating 120 cps, draft quality, and 30 cps, letter quality, the NL-10 is a dot-matrix, desktop printer. The unit is geared toward the IBM PC and compatibles, the Commodore 64 and 128 and Apple computers. Features include plug-in interface cartridges, an adjustable rear tractor feed and an automatic paper feed. Under \$400. **Star Micronics Inc.**, Suite 3510, 200 Park Ave., New York, N.Y. 10166, (212) 986-6770.

Circle 320

Multi-mode printer furnishes color

A multi-mode, dot-matrix printer, the Tempest 220 provides IBM and IDS color printer compatibility. Resolution is 144 by 144 dpi. Speeds range from

215 cps, draft quality, to 45 cps, letter quality. A 12.7K-byte RAM buffer downloads fonts from the host computer. Centronics and RS232C interfaces are standard. \$3,890. **North Atlantic Qantex**, 60 Plant Ave., Hauppauge, N.Y. 11788, (516) 582-6060.

Circle 321

Daisywheel printer runs at 60 cps

The 6500 daisywheel printer produces 60 cps. It offers 10-, 12-, and 15-pitch and proportional spacing. The noise level is 58 dB(a). A 3K-byte buffer memory frees the computer for other tasks while the printer is printing. Centronics and RS232C interfaces are standard. \$1,395. **Juki Office Machine Corp.**, Printer Division, 299 Market St., Saddle Brook, N.J. 07662, (800) 932-0590.

Circle 322

Dot-matrix printer achieves 1,200 lpm

The HP 2567B dot-matrix printer runs at 1,200 lpm. The unit supplies a resolution of 140 by 144 dpi. Up to 66 double-size and 132 normal-size characters can be generated per line. Supports IEEE-488, RS232C and Centronics interfaces. \$28,050. **Hewlett-Packard Co.**, P.O. Box 10301, Palo Alto, Calif. 94303-0890, (415) 857-1501.

Circle 323

Daisywheel printer features two colors

The HR-35 daisywheel printer provides two-color output. Generating 35 cps, the unit is supplied with a Centronics or an RS232C interface. A 7K-byte buffer allows device printing while entering information into the computer. A proprietary copy function holds up to five pages of text. \$1,049. **Brother International Corp.**, 8 Corporate Place, Piscataway, N.J. 08854, (201) 981-0300.

Circle 324

Thermal printer contains 42 columns

A panel-mount thermal printer, the

SP-400G provides dot-addressable graphics. The unit has switch selectable baud rates ranging from 50 to 9,600. Features include an internal 42-character buffer, and RS232C and current loop interfaces. Double-width print is standard. Printing speed is 0.6 lines per second. \$365. **Syntest**, 40 Locke Drive, Marlboro, Mass. 01752, (617) 481-7827.

Circle 325

Printer/plotter has high resolution

The Visigraph is a monochrome printer/plotter. Resolution is up to 1,280 by 1,024 pixels, non-interlaced. The device can be programed for 100-, 150-, 200- or 300-dpi input. Maximum print width is 11.7 inches. The unit operates in either print or plot mode. \$7,950; OEM discounts available. **Honeywell Inc.**, Test Instruments Division, P.O. Box 16688, Denver, Colo. 80216, (303) 773-4581.

Circle 326

Thermal printer targets OEMs

A 240-dpi thermal-transfer printer, the G-500 suits OEM applications. The unit uses a 2-by-2 or 1-by-1 display format. It prints a full-page color screen bit map in 1 minute on fanfolded paper or transparencies. A Centronics interface is included. \$4,000 and lower. **Mitsubishi Electronics America**, 991 Knox St., Torrance, Calif. 90502, (213) 515-3993.

Circle 327

Dot-matrix printer achieves 120 cps

- Desktop unit
- Plug-in interfaces
- 30 cps NLQ

A dot-matrix desktop printer, the NL-100 runs at 120 cps, draft, and 30 cps, near letter quality. The unit furnishes plug-in interface cartridges for the IBM PC and compatibles. Features include three pitch selections and a bi-directional tractor feed. \$319. **Star Micronics**, Suite 3510, 200 Park Ave., New York, N.Y. 10166, (212) 986-6770.

Circle 357

How your great UNIX™ application could make you a great IBM VAD.

If your company has written an outstanding multi-user application for UNIX-based systems, you could qualify to become an IBM Value Added Dealer.

Our recent introduction of the IBM RT Personal Computers has created a wealth of opportunities for potential VADs. The RT PC's innovative 32-bit RISC microprocessor has the power and speed to take full advantage of a rapidly expanding market—especially those customers with technical or professional needs.

The RT PC runs on AIX™, an IBM-enhanced UNIX that's easier to use, and lets you offer companies a powerful and compact system that can grow with their needs. By adding low-cost ASCII terminals such as the IBM 3161, you can tailor competitively priced systems for up to eight concurrent users. And, with the optional Intel 80286 coprocessor board, users can run many of their existing IBM PC programs.

In addition, you will gain all the advantages of being an IBM VAD. Our comprehensive dealer support

program, ProPlan, helps IBM dealers with marketing, training and promotions. IBM also has a wide range of professional management classes for VADs.

And, thanks to an online referencing system used by IBM's own sales force, we can refer prospects with special needs to VADs that have unique solutions.

The VAD program for the IBM RT PC is a great opportunity for companies with proven business records in innovative programming.

To find out how your company can share this opportunity, simply send in the coupon or call 1 800 IBM-8277, Ext. 96/R.



IBM Corporation	96-786
National Distribution Division	
Dept. K6E/R29C	
P.O. Box 76477	
Atlanta, GA 30358	
Please send me information about qualifying as an IBM RT PC VAD.	
Name _____	Title _____
Company _____	
Address _____	
City _____	State _____ Zip _____
Phone _____	

UNIX is a trademark of AT&T Bell Laboratories.

AIX is a trademark of the International Business Machines Corporation.

© 1986 IBM Corporation

NEW PRODUCTS TERMINALS

Monitor displays 960 by 1,280 pixels

The Viking 1 CRT and controller suits the IBM PC/XT, /AT and compatibles. It displays 960 by 1,280 pixels at a 66-Hz refresh rate on a 19-inch screen. Graphics-control functions include circle, ellipse and zoom and pan. The controller uses one slot in the personal computer and incorporates a 2 megabit memory for bit-mapped graphics. \$2,195. **Moniterm Corp.**, 5740 Green Circle Drive, Minnetonka, Minn. 55343, (612) 935-4151.

Circle 328

Video monitor employs color

A 100-MHz, color display monitor, the 7400 achieves a 1,280-by-1,024 non-interlaced format. The 19-inch unit includes a high-contrast panel and 0.31-mm pitch. Three BNC connectors are included for RGB inputs. Internal or external synchronization is provided. \$3,665.

Conrac Division, 600 N. Rimsdale Ave., Covina, Calif. 91722, (818) 966-3511.

Circle 329

Graphics terminal supports CAD/CAM

A color graphics terminal, the PGT 4111 supports CAD/CAM applications. The unit consists of a 19-inch screen with a 1,024-by-768 pixel resolution. Up to 16 colors can be displayed simultaneously. Refresh rate is 60 Hz, non-interlaced. \$12,950. **Prime Computer Inc.**, Prime Park, Natick, Mass. 01760, (617) 655-8000.

Circle 330

Terminal sports 44 programmable keys

An ASCII terminal, the Freedom One displays 24 lines by 80 or 132 columns on a 14-inch CRT. The unit offers 44 programmable keys, a programmable bidirectional printer port and a split

screen. It emulates the WY-50, Tele-Video 950, Viewpoint A2 and ADM 31. Features include nonvolatile setup modes, jump or smooth scrolling, eight foreign-character sets and a screen-saver function. \$499. **Liberty Electronics**, 332 Harbor Way, South San Francisco, Calif. 94080, (415) 742-9960.

Circle 331

Graphics terminal targets IBM 3270

The CX4111 color graphics terminal is geared toward IBM 3270 environments. It offers a 19-inch, 1,024-by-768 pixel display. Sixteen colors are displayed simultaneously from a palette of 4,096 colors. The unit provides coaxial attachment to IBM 3274 controllers. It supports local segments for zoom and pan capabilities. Up to 256K bytes of memory. Features include DEC VT100 compatibility. \$13,950. **Tektronix Inc.**, P.O. Box 500, Beaverton, Ore. 97077, (503) 644-0161.

Circle 332

CHEAP PLASTIC



You've seen it, you've thought about it, and now any OEM or VAR can try it on this limited time offer—for just \$199.*

It's the Caere EASY-SCANNER™ Bar Code Reader. This keyboard wedge with the sleekly molded plastic light pen fits easily between your keyboard and terminal and inputs data 20 times faster than the quickest human hands.

Call Diane today at 408-395-7000, and order your \$199 Caere EASY-SCANNER. Once you've tried it, you'll agree that the only thing cheap about our keyboard wedge is the price.

*Available for most IBM plug compatible and ASCII terminals. Limit one per customer through August 15, 1986.

Caere® Corporation
100 Cooper Court
Los Gatos, CA 95030
408-395-7000
TWX# 910-597-5391

CAERE
CORPORATION

CIRCLE NO. 75 ON INQUIRY CARD

9-TRACK MAG. TAPE SUBSYSTEM FOR THE IBM PC/XT/AT



For information interchange, backup and archival storage, IBEX offers a 9-track, IBM format-compatible 1/2" magnetic tape subsystem for the IBM PC, featuring:

- 42 M-Bytes on a single reel.
- IBM format 1600 cpi.
- Software for PC-DOS, MS-DOS.

Write, phone or TWX
for information

IBEX

IBEX COMPUTER CORP.

20741 Marilla St.
Chatsworth, CA 91311
(818) 709-8100
TWX: 910-493-2071

CIRCLE NO. 76 ON INQUIRY CARD

Multiplexer runs at 32K bps

A time-division multiplexer with built-in DSU/CSU, the ATDM multiplexes data from up to six synchronous devices onto a 56K-bps transmission link. Data rates, which range from 2.4K to 32K bps, are selected from eight settings. Features include full diagnostics, self-test, LED indicators and EIA signal propagation. \$1,890. **Astrocom**, 120 W. Plato Blvd., St. Paul, Minn. 55107-2092, (612) 227-8651.

Circle 333

Package contains hardware options

An X.25 protocol hardware/software package, the SBE/X.25 contains multiple hardware options for Multibus systems. The package supports CCITT procedures for duplex point-to-point links. It is offered on three 68000-based boards, each with X.25 in EPROM to implement layers 1, 2 and 3 of the ISO model. \$1,200. **SBE Inc.**, 2400 Bisso Lane, Concord, Calif. 94520, (800) 221-7722.

Circle 334

Multiplexers integrate voice, data, video

The ITM family of T-1 networking multiplexers integrates voice, data, facsimile and video conferencing channels. The series—ITM 1501, ITM 1502 and ITM 1508—supports 12 to 500 channels of voice and data. \$7,100 and higher. **Infinet Inc.**, 40 High St., North Andover, Mass. 01845, (617) 681-0600.

Circle 335

Modem accommodates speed variations

The Quattro International V.22 bis modem is compatible with Bell and CCITT standards. The full-duplex device runs at 75, 110, 300, 600, 1,200 and 2,400 bps. A speed-detection feature recognizes the rate of incoming data and accommodates it. Non-volatile memory stores eight telephone numbers. Features include a 2,000-character data buffer. \$495. **Dowty RFL Industries Inc.**, Powerville Road, Boonton, N.J. 07005, (201) 334-3100.

Circle 336

Gateway performs in IBM environment

The ACT SNA Gateway performs under the CICS/VS operating system in an IBM MVS environment. It allows IBM 3270 and higher SNA terminals to access applications and databases running on remote host computers and networks. The device supports multiple communications links and logical unit sessions. \$35,000. **Advanced Computer Techniques Corp.**, 16 E. 32nd St., New York, N.Y. 10016, (212) 696-3600.

Circle 337

Package integrates software, hardware

A hardware/software package, the NetWare/SNA Gateway facilitates communication between LAN systems and mainframe computers. The device allows one modem to serve up to 32 users. Features include multiple-host sessions, multiple gateways and emulation capabilities. \$5,530 to \$7,495. **Novell Inc.**, 748 N. 1340 W., Orem, Utah 84057, (801) 226-8202.

Circle 338

Communications device combines functions

A multifunction communications device, the Accelerator combines data compression with an integral V.22 bis modem to provide up to 9,600 bps of full-duplex error-free throughput. The device, compatible with most asynchronous protocols, includes callback security and a 100-number telephone directory. \$795 and higher. **Telebyte Corp.**, 215 Oak St., Natick, Mass. 01760, (617) 653-3995.

Circle 339

LAN connects 255 personal computers

- NETBIOS compatible
- PC-DOS 3.1
- 1M-bps transfer rate

AN IBM NETBIOS-compatible LAN, K-Net implements VLSI technology to transfer data at 1M bps. Up to 255 personal computers can be connected within the network running under PC-DOS 3.1. Peripherals such as rigid disks, printers and modems attached to one personal computer can be

shared by all other network users. \$395. **Kimtron Corp.**, Bldg. 160, 1705 Junction Court, San Jose, Calif. 95112, (408) 436-6550.

Circle 340

Modem suits IBM PC, compatibles

For use with the IBM PC and compatibles, the Signalman LIGHTNINGi is a half-card, add-in-board modem. The auto-dial/auto-answer unit operates asynchronously at 2,400 bps. Fallback speeds of 300 and 1,200 bps are supplied. The modem conforms to all industry standards and uses the Hayes-compatible command structure. The software requires 64K bytes of memory. \$499. **Anchor Automation Inc.**, 6913 Valjean Ave., Van Nuys, Calif. 91406, (818) 997-7758.

Circle 341

System links telephones, PCs

The Information Exchange is an office-communications system that links telephones and personal computers via existing telephone wiring to provide integrated voice/data networking. The unit includes the Central Server for file and message storage, a voice/data terminal for file display and shared printer, modem and personal computer ports. It accommodates up to 120 users. \$40,000 to \$70,000. **Zymacom Inc.**, 2 Lyberty Way, Westford, Mass. 01886, (617) 692-4500.

Circle 342

Board connects six IBM PCs

- Up to 56K baud
- RS232C ports
- Half-card unit

A communications board, the Com Board-6 connects up to six IBM PCs, PC/XTs and PC/ATs using the EasyLAN network. The unit comes as a half-card with an attached daughter board. It utilizes the PC's RS232C ports to transmit data at speeds up to 56K baud. The device supplies switch-selectable addresses and interrupts. \$490. **Server Technology Inc.**, Suite 107, 1095 E. Duane, Sunnyvale, Calif. 94086, (408) 738-8377.

Circle 343


Giltronix for multi-port expansion...



15 Port-RS232 Port Expander

The Giltronix RS232 Port Expander enables cost-effective automated local and remote testing, data acquisition, remote diagnostic execution and remote peripheral control.

- Local or Remote Port Expansion
- Optional Audible Warning Device for Remote Applications
- Comprehensive Password Security Options
- 8 Data Lines Controlled: 2(TD), 3(RD), 4(RTS), 5(CTS), 6(DCR), 8(DCD), 20(DTR) and 24(TC)
- RS232, RS422, or RS423 Interface Capabilities




Giltronix for multi-port contention...



Peripheral Sharing Device (PSD)

The Giltronix (PSD) is the low-cost solution for numerous port-contention/device sharing applications such as printer sharing, industrial plant monitoring and data logging for multiple systems under test.

- 3, 5, 7 and 14 port models available
- 8 Data Lines Controlled: 2(TD), 3(RD), 4(RTS), 5(CTS), 6(DCR), 8(DCD), 20(DTR) and 24(TC)
- Asynchronous communications
- No special cables or software required



Giltronix for cost-effective switching solutions...

Direct Sales/Distributors world wide, call or write today for complete information.



CIRCLE NO. 77 ON INQUIRY CARD

Headquarters
3780 Fabian Way
Palo Alto, CA 94303
(415) 493-1300
Telex 345542

Information Hot-Line: 1-800-531-1300 (Outside California)

NEW PRODUCTS SOFTWARE

Integrated program aims at IBM PC

- 16 fonts
- Page composition
- Word processing

Spellbinder Desktop Publisher incorporates word processing, typesetting and page composition into one 16-font package. For use with the IBM PC and compatibles, the software displays layouts on-screen as they will appear on the printed page. The program executes proportional spacing on a right-justified line and supplies the varying degrees of vertical and horizontal spacing. Features include hanging indents, runarounds, multiple columns and graphics. \$650. **Lexisoft Inc.**, P.O. Box 1950, Davis, Calif. 95617, (916) 758-3630.

Circle 344

Graphics software runs under MS-DOS

- Multitasking
- Screen-oriented editor
- Demonstrator

Operating under MS-DOS 2.0 or higher, pF8086/MSD software provides multiuser, multitasking capabilities. The package consists of an integrated graphics package that runs with IBM color monitors, a screen-oriented editor and a proprietary FORTH compiler and assembler. Applications are created as bootable COM files while programs issue standard DOS calls. Users can interactively execute DOS commands, exit from the software, run other DOS programs and return. The product supports the 8087 math coprocessor. \$3,200. **FORTH Inc.**, 111 N. Sepulveda Blvd., Manhattan Beach, Calif. 90266, (213) 372-8493.

Circle 345

Software backs up rigid disk drive

Backtrack software automatically backs up files from a rigid disk drive to a tape drive, to another rigid disk drive or to a flexible disk drive. The menu-driven program works with most software packages. It is compatible with the IBM PC, /XT and /AT. The software requires 256K bytes of RAM. \$179. **Tallgrass Technologies Corp.**, 11100 W.

82nd St., Overland Park, Kan. 66214,
(913) 492-6002.

Circle 346

Package accesses ten 640K-byte programs

A virtual memory manager, Software Carousel enables ten 640K-byte appli-

cation programs such as Lotus 1-2-3, Symphony and dBASE III to be loaded concurrently. The package uses 32K bytes of RAM and runs on the IBM PC and compatibles. Resident program compatibility is offered. \$49.95. **SoftLogic Solutions Inc.**, 530 Chestnut St., Manchester, N.H. 03101, (603) 627-9900.

Circle 347

The lean, clean protection machines.

At last—Total protection
from all power problems
at the best price.

The Line Tamer™ Power Conditioner's advanced ferroresonant design protects your sensitive equipment against brownouts, overvoltages, spikes, transients, and noise. And only the Z-Phase Line Tamer offers the same design to protect both line-to-line and line-to-neutral loads in three-phase applications.

You get the best of both worlds: The most reliable line isolation, voltage regulation and surge suppression in the business . . . and a surprisingly low cost. And with sizes up to 250 kVA single-phase and up to 75 kVA three-phase, there's a Line Tamer right for your computers, PBX systems, instruments and other power-sensitive equipment.

Line Tamers use little space and need no complicated wiring. Nor do you need expensive step up/step down transformers. Plus you save the high cost of a dedicated electrical line.

Contact us today for complete specifications and the Line Tamer distributor nearest you.

SHAPE
MAGNETRONICS, INC.


THE CLEAN
POWER
SOURCE

904 DuPage Avenue, Lombard, IL 60148
Phone 1 312 620-8394 • TWX 910-991-2352



Line Tamer is a trademark of Shape Magnetronics, Inc.

Half-Full.



When you've been in the right places as long as we have, you learn that the best solutions don't always take up a lot of room. And that when it's done right, there's some space left over.

Take our family of "half-full half-empty" floppy disk drives. Three industry-standard formats that keep the solutions short and simple.

There's our 8-inch model for the mature supermicro and mainframe market. And a mini-series of 5.25-inch drives. One that performs as a full-height double-sided double-density 8-inch drive, and a dual-speed model that combines the standard 5.25- and 8-inch formats into one small package.

And while we're talking about small packages, there's our 3.5-inch microfloppy drives that provide more than 1MB of storage on a single 3.5-inch diskette. Ideal for the growing market for small and portable systems.

C.I.TOH

CIRCLE NO. 80 ON INQUIRY CARD

REGIONAL SALES OFFICES

Robert K. Singer
National Sales Manager
275 Washington St.
Newton, MA 02158
(617) 964-3030

NEW ENGLAND

John J. Fahey
Regional Manager
Susan Rapaport
Regional Manager
275 Washington St.
Newton, MA 02158
(617) 964-3030

NEW YORK/MID-ATLANTIC

Stephen B. Donohue
Regional Manager
1873 Route 70, Suite 302
Cherry Hill, NJ 08003
(609) 751-0170
in N.Y.: (212) 972-0058

SOUTHEAST

Larry Pullman
Regional Manager
6540 Powers Ferry Rd.,
Suite 170
Atlanta, GA 30339
(404) 955-6500

MIDWEST

Robert D. Wentz
Regional Manager
Marianne Majerus
Sales Coordinator
Cahners Plaza
1350 E. Touhy Ave.
P.O. Box 5080
Des Plaines, IL 60018
(312) 635-8800

SOUTHWEST

Don Ward, Regional Manager
13740 Midway, Suite 515
Dallas, TX 75234
(214) 980-0318

MOUNTAIN STATES

John Huff
Regional Manager
270 St. Paul St.
Denver, CO 80206
(303) 388-4511

SOUTHERN CALIFORNIA/ NEVADA

Len Ganz
Regional Manager
18818 Teller Ave.
Irvine, CA 92715
(714) 851-9422

NORTHERN CALIFORNIA/ NORTHWEST

Frank Barbagallo
Northwestern Regional Sales
Manager
Rick Jamison
Regional Manager
Kathleen Maxwell
Sales Coordinator
Sherman Building, Suite 100
3031 Tisch Way
San Jose, CA 95128
(408) 243-8838

AUSTRIA/WEST GERMANY

Elan Marketing Group
Neutor g. 2
P.O. Box 84
1013 Vienna
Tel: 43-222-663012

BENELUX

Elan Marketing Group
BOSCHDIJK 199B
5612 HB Eindhoven
The Netherlands
Tel: 31-40-455724

ISRAEL

Elan Marketing Group
13 Haifa St., P.O. Box 33439
Tel Aviv
Tel: 972-3-252967
Telex: 341667

JAPAN

Kaoru Hara
General Manager
Dynaco International Inc.
7-2-8 Minamiaoyama
Minato-ku, Tokyo 107
Tel: 011-81-3-409-4569
Fax: 011-81-3-499-4554

TAIWAN

Donald H. Shapiro
Trade Winds, 2nd Floor
132 Hsin Yi Road, Sec. 2
Taipei
Tel: 3932718
Telex: 24177 FC Trade

UNITED KINGDOM

Elan Marketing Group
5th Floor, Suite 10
Chesham House
136 Regent St.
London W1R 5FA
Tel: 437-6900
Telex: 267653

SWEDEN

Elan Marketing Group
Humlegardsgatan Nr. 5
11446 Stockholm
Tel: 46-8-677243

Mini-Micro Marketplace

Carol Flanagan
275 Washington St.
Newton, MA 02158
(617) 964-3030

Direct-Response Postcards

Carol Flanagan
275 Washington St.
Newton, MA 02158
(617) 964-3030

Career Opportunities

Carol Flanagan
Recruitment Advertising Manager
275 Washington St.
Newton, MA 02158
(617) 964-3030

Cahners Magazine Division

William Platt, President
T.M. McDermott, Vice President
Electronics/Computer Group
Tom Dellamaria, VP/Production
Ira Siegel, VP/Research

Promotion Staff

Susan Rapaport
Marketing Communications
Director
Mary Gregory
Promotion Manager
Elizabeth Phillips
Marketing Assistant

Circulation

Denver, CO:
(303) 388-4511
Sherry Gronli
Group Manager

Image processor accommodates IBM PC/AT

Geared towards OEMs, system integrators and VARs, the Series 151 Image Processor is a VME-based subsystem that connects to the IBM PC/AT via a proprietary interface. Three or four processing modules are available. A proprietary software package is included. \$11,495. **Imaging Technology Inc.**, 600 W. Cummings Park, Woburn, Mass. 01801, (617) 938-8444.

Circle 348

Graphics board suits IBM PC

A graphics board for the IBM PC, /XT and /AT, SigmaEGA! supplies 256K bytes of on-board memory. The short-slot card allows all EGA graphics modes to be run without supplementary memory expansion modules. It interfaces with IBM Monochrome and Color Display Monitors. The device is soft-

ware-compatible with IBM, Microsoft, Lotus and Ashton-Tate packages. \$595. **Sigma Designs**, 2023 O'Toole Ave., San Jose, Calif. 95131, (408) 943-9480.

Circle 349

Accelerator card drives IBM PC

- 80286 microprocessor
- 8K-byte cache
- PC-DOS compatible

Powered by an 80286 7.2-MHz microprocessor, the 286 Express is an accelerator card for the IBM PC or PC/XT. An 8K-byte cache memory provides zero-wait access to the most recently used data while allowing a stock personal computer to accelerate as much as 600 percent. The half-slot device is PC-DOS compatible. It operates with LAN and mainframe communications products and conforms to the Lotus-Intel-Microsoft Expanded Memory Specification (EMS). An 80287 8-MHz math floating-point coprocessor is optional. \$795. **PC Technologies Inc.**,

704 Airport Blvd., P.O. Box 2090, Ann Arbor, Mich. 48106, (313) 996-9690.

Circle 350


Dual-height board uses 68000 processor

- 512K-byte RAM
- Supplies DMA
- 64K-byte EPROM


The VUSC is a dual-height VMEbus module based on the 68000 microprocessor. It controls rigid and flexible disks, optical memories, backup devices and printers employing SCSI, ST506 or SA450 interface protocols. The board supplies DMA and employs 512K bytes of dual-ported RAM and 64K bytes of EPROM to achieve zero-wait states. The unit can simultaneously control two ST506 drives, two SA450 flexible drives and up to eight SCSI devices. \$2,190. **Dual Systems Corp.**, 2530 San Pablo Ave., Berkeley, Calif. 94702, (415) 549-3854.

Circle 351

Half-Empty.



Add to this a full measure of quality built in by one of Japan's most respected high-tech manufacturers, YE Data, and you've reached a new level in floppy disk drive technology and unparalleled reliability.



The "half-full half-empty" floppy disk drives from C. Itoh Electronics. Meeting all your needs. With plenty of room to spare.

C. Itoh Electronics Family of Floppy Disk Drives

Model	Format	Capacity
YD-180-1601	8.0"	1.6MB
YD-580B-1354B	5.25"	0.5MB
YD-480B-1450B	5.25"	1.0MB
YD-380B-1710B	5.25"	1.6MB
YD-380B-1711B (Dual-Transfer Rate)	5.25"	1.0/1.6MB
YD-380B-1714B (Dual-Speed)	5.25"	1.0/1.6MB
YD-645B	3.5"	1.0MB
YD-665B	3.5"	1.0/1.6MB

C. Itoh Electronics, Inc.


Headquarters:
5301 Beethoven Street
Los Angeles, California 90066
213/306-6700

Eastern Region:
One University Place
Hackensack, New Jersey 07601
201/488-2520

C.ITOH

**Small Drives
From a
Big Company.**

The TeleVideo 905 terminal. What a difference \$10 makes.



Let's face it; there are a lot of \$399 terminals being sold these days. You get a basic box, a few tacked-on bells and whistles, and not a whole lot more.

But now there's the TeleVideo® 905. At \$409,

TELEVIDEO 905 VS. WYSE WY-30		
FEATURES	TELEVIDEO 905	WYSE WY-30
Individual programmable function keys	16	4
Tilt and swivel standard	Yes	No
High contrast super dark Mat-sushita screen	Yes	No
WordStar® mode	Yes	No
Full-size keyboard	Yes	No



it has a feature set so powerful, your customers will think they're sitting at an expensive workstation.

For example, there's a

sleekly designed monitor case with full tilt and swivel.

A full-size keyboard with sculptured keycaps for smooth, comfortable

typing. Sixteen non-volatile, programmable function keys. Key-switches that have been tested to 100,000,000 strokes. Even an enhanced numeric keypad.

There's also a buffered printer port. And, of course, compatibility with the TeleVideo 925 command set, the most popular and widely emulated ASCII command set in the world.

The TeleVideo 905. What a difference \$10 makes.

TeleVideo®
Settle for more.

TeleVideo Systems, Inc., 1170 Morse Avenue, Sunnyvale, CA 94088-3568, (408) 745-7760
AMSTERDAM: 31.2503.35444, PARIS: 33.1.4687.34.40, LONDON: 44.9905.6464

©1986 TeleVideo Systems, Inc. WYSE is a trademark of Wyse Technology. WordStar is a registered trademark of MicroPro International Corporation.

See your TeleVideo distributor.

CALIFORNIA

TELEVIDEO REGIONAL
SALES OFFICES
Sunnyvale (408) 745-7760
Newport Beach (714) 476-0244
D.H. MINICOM
Los Angeles (213) 483-2400
DAVID JAMISON CARLYLE CORP.
Culver City (213) 410-9250
DIGITAL SOURCE, INC.
San Diego (619) 569-9333
DUCOMMUN DATA SYSTEMS
Cypress (714) 220-6588
EMERITUS
Fresno (800) 325-9892
KIERULFF ELECTRONICS, INC.
San Jose (408) 220-6300
LEASAMETRIC
Foster City (415) 574-4441
PREMIER SOURCE DISTRIBUTING
Irvine (714) 261-2011
RC DATA
San Jose (408) 946-3800
U.S. INSTRUMENT RENTAL
San Mateo (415) 572-6600
VIVITAR COMPUTER PRODUCTS
Santa Monica (213) 829-3672
WESTERN MICRO SYSTEMS
Mountain View (415) 964-2050

FLORIDA

GENTRY ASSOCIATES
Orlando (305) 859-7450

GEORGIA

TELEVIDEO REGIONAL
SALES OFFICE
Norcross (404) 447-1231
INFOTEC, INC.
Atlanta (404) 458-1400

ILLINOIS

TELEVIDEO REGIONAL
SALES OFFICE
Schaumburg (312) 397-5400
DATA ONE
Prospect Hts. (312) 520-1300
PRO COM SALES
Elk Grove Village
(312) 860-1123
TEK-AIDS INDUSTRIES
Arlington Hts.
(312) 870-7400
UNITED STATIONERS
Forest Park (312) 699-5000

INDIANA

NASH & ASSOCIATES
Indianapolis (317) 925-1050

MARYLAND

FEDERAL DATA CORPORATION
Rockville (301) 294-9682

MASSACHUSETTS

TELEVIDEO REGIONAL
SALES OFFICE
Woburn (617) 890-3282
ARROW ELECTRONICS
Woburn (617) 938-8700
BUTLER ASSOCIATES, INC.
Newton (617) 964-5270
STRATUS COMPUTER
Marlboro (617) 460-2000

MICHIGAN

MIDCOM COMMUNICATIONS
Southfield (313) 353-5696
STAR-TRONIC
Farmington Hills
(313) 477-7586

MINNESOTA

AVNET COMPUTER TECHNOLOGIES
Eden Prairie (612) 944-1114

BENCHMARK COMPUTER SYSTEMS
Minneapolis (612) 831-2300
PC EXPRESS
Burnsville (612) 894-9153

NEW JERSEY

DATA STORE
Cherry Hill (609) 779-0200

NEW YORK

TELEVIDEO REGIONAL
SALES OFFICE
Syosset (516) 496-4777
ARROW ELECTRONICS
Melville (800) 323-4373
MANCHESTER EQUIPMENT
COMPANY
Hauppauge (516) 435-1199
TRANSACTION CONCEPTS, INC.
Forest Hills (718) 544-8898
TRICOM GROUP
W. Hempstead (516) 483-9700

NORTH CAROLINA

PEN-TECH SALES
Greensboro (919) 852-6000

OHIO

COMPUTER PLACE
Brooklyn Heights
(216) 351-7444
E.Q.S. SYSTEMS
Chesterland (216) 729-2222
REYNOLDS & REYNOLDS
Dayton (513) 443-2264
W.C. KOEPF & ASSOCIATES
Chargin Falls (216) 247-5129

OREGON

OMEGA DATA, INC.
Hillsboro (503) 640-3995

PENNSYLVANIA

ARCH ASSOCIATES
Fernwood (215) 284-0327

TEXAS

TELEVIDEO REGIONAL
SALES OFFICE
Irving (214) 550-1060
CARTERPHONE COMMUNICATIONS
Dallas (214) 630-9700
INTERPRINT, INC.
Austin (800) 637-0600
INTERPRINT, INC.
Houston (713) 465-0580
INTERPRINT, INC.
Plano (800) 527-5113
MICRO SOURCE OF TEXAS
Richardson (214) 690-5111
US DATA CORPORATION
Richardson (214) 680-9700

WASHINGTON

DATEC, INC.
Seattle (206) 575-1470
DYNAMIC SYSTEMS NORTHWEST
Mukilteo (206) 745-5311

VIRGINIA

MARVA DATA SERVICES
Falls Church (703) 893-1544

CANADA

ARROW ELECTRONICS
CANADA LIMITED
Montreal, Quebec
(514) 735-5511
COMPUTER DISTRIBUTION, INC.
N. Vancouver, BC
(604) 984-0641
DATAMEX, LIMITED
Montreal, Quebec
(514) 355-4923

 **TeleVideo**[®]
Settle for more.

CIRCLE NO. 81 ON INQUIRY CARD

NEW PRODUCTS

SUBASSEMBLIES

Video processor generates 64 colors

The VP 210 processes graphics in 64 colors from a computer screen. It transfers the display to almost any color printer or plotter. The video processor accepts RGB input directly from the terminal or personal computer. Data is stored in a 1M- or 2M-byte buffer. Resolution is 1,280 by 1,024 pixels. The unit acquires the graphics page from a screen in two to eight seconds. \$2,995, 1M byte; 3,495, 2M bytes. **Graftel Inc.**, 400 Executive Blvd., Executive Park, Elmsford, N.Y. 10523, (914) 592-3700.

Circle 352

Multifunction board stores 4M bytes of RAM

A multifunction board for the IBM PC/AT, Supermax/EMS has 4M bytes of memory, supporting expanded and extended memory. A parallel port and two serial ports are standard. The unit is compatible with Intel, Lotus and Microsoft software. \$2,595. **IDEAssociates**, 35 Dunham Road, Billerica, Mass. 01821, (617) 663-6878.

Circle 353

Board achieves 16-bit resolution

A data-acquisition board for the IBM PC/AT, the DT2827 achieves 16-bit resolution and 100-kHz throughput. The unit provides four channels of differential analog output, two 12-bit D/As and 16 lines of digital I/O. It supports interrupts and DMA transfers. Features include a channel RAM list and a programmable clock. \$2,495. **Data Translation Inc.**, 100 Locke Drive, Marlboro, Mass. 01752, (617) 481-3700.

Circle 354


Board supplies 2M bytes of RAM

The LBX 512K-2M dual-port memory board supplies up to 2M bytes of dynamic RAM. It runs zero-wait-states in asynchronous mode. Parity checking is standard. The device has a read-data access time of 145 nsec. \$890. **Central Data Corp.**, 1602 Newton Drive, Champaign, Ill. 61821-1098, (217) 359-8010


Circle 355

Storage Technology's
New 2925
Tape Accelerator.

*It goes with unsurpassed speed.
It comes with unsurpassed features.*



StorageTek's Model 2925 gives you the speed you need, and the features your customers demand. The **TAKE THE PERFORMANCE DRIVE.** 2925's Accelerator (Cache) feature dynamically adapts to system requirements and the host's capability ... at transfer rates ranging from 100 kilobytes per second up to 1.25 megabytes per second. The 2925 goes with speed indeed; but what it comes with is even more remarkable.



AT A GLANCE

Series Standard Features

Dual-speed 50 ips Start/Stop and 100 ips Streaming with Buffered or Synchronous mode

ANSI Standard 1600 bpi/6250 bpi formats

Convenient Auto-Threading

Integrated Formatter/Controller

Service Panel with Alpha/Numeric Display

Resident Diagnostics

Host-optimized Data Transfer Rates


Error correction codes are built into the cache's 256k of multi-record memory; so your data is checked both as it enters cache and as it is written onto tape. Data can be retrieved directly from cache—should defective media be encountered. The 2925 allows OEM systems integrators to attach ANSI-compatible 1600/6250 bpi capability to systems ranging from micros to minis... without software modification. For ease of integration, the 2925 is available with either

StorageTek- or Pertec-compatible interfaces. That's still only the beginning—be sure to read the accompanying list of features. You'll understand at a glance that 2925 performance is not only *speed... but reliability, flexibility and ease of operation.* StorageTek's experience with GCR 6250 bpi technology includes a full 11 years of pioneering, proving and perfecting. Our 2920 Series includes the 2921 (50 ips start/stop), the 2922 (50 ips start/stop with 100 ips streaming) in addition to the 2925 subsystem.

Take a drive in our 2920 Series... and experience performance you'll be proud to call your own.

Storage Technology. It's More Than Our Name... It's Our Commitment.

ROAD TEST RESULTS



StorageTek

OEM MARKETING/3N, Louisville, Colorado 80028-0001 USA (303) 673-4066

SOFTWARE REVIEW

SQL*CALC: CUSTOMER PLEASER FOR SYSTEM INTEGRATORS

Edward Teja
Contributing Editor

System integrators usually run into problems when they specify powerful software tools for end users. The more powerful and flexible the tools, the more hand holding is required before the user is satisfied. Regardless of who makes the software tools, it's the system integrator who must make the complete package work the way the end user wants it to.

SQL*CALC, a software package from Oracle Corp., simplifies procedures for application packages that perform analysis, forecasting or data manipulation. And, if that sounds nice, consider that most users already know how to use the bulk of the package's features.

This user-interface sleight of hand is slower than the eye. There are no tricks. Relying on there being a large number of users who have invested time in learning spreadsheets, Oracle has teamed Lotus Development Corp.'s 1-2-3 compatible spreadsheet with its own relational database management system, ORACLE. The communication language, as you've probably guessed, is the structured query language (SQL) used by IBM Corp. in its mainframe products.

The strategy, therefore, provides a familiar base for users who come from microcomputers (and know Lotus 1-2-3) as well as for users who migrate from the mainframe world where SQL is a standard. These are two large groups of fairly typical users. Certainly, the overlapping group—users who know both—is growing. And, just in case this isn't enough, SQL*CALC comes with a disk-based four-lesson tutorial so basic as to bore most sophisticated users.

Maintains database power

Of course Oracle is not the first company to attempt the integration of database and spreadsheet. But few have achieved it. SQL*CALC provides automatic data sharing between the two. It is not the forced sharing that comes from being able to access the database through the spreadsheet. The shortcoming in this access method, besides the fact that it requires extra steps, is that the user must understand both spreadsheets and database managers.

In SQL*CALC, the database data is the spreadsheet data. And the user won't have to think in database terms.

Despite this spreadsheet interface, Oracle's ORACLE is

by itself a powerful relational database. It has stood as a commercial product in its own right and any application that relies on ORACLE alone can continue to do so. SQL*CALC doesn't interfere. This is important if the product is going to measure up to real-world needs. The easiest way to simplify the use of a database, after all, is to simplify the database manager—and therefore the usefulness of the product. The database that SQL*CALC uses is exactly the same product that Oracle sells separately. If you already own the database product, you don't have to buy that portion of the package. That produces warm feelings in this reviewer.

The importance of this lies in the fact that you might want to create an accounting system, or a materials requirements planning (MRP) system, or a diagnostic system—or something that hasn't been done before—and still give your customer a way to selectively review, modify and project the data that the application program collects. By using ORACLE as the database, you install SQL*CALC as the user's window into the data with no modification to the application program.

And if you are concerned with multiple-user systems, or multiple systems sharing data, have no fear. With a networking package to be available from the manufacturer later this year, a single cell on a spreadsheet can effectively operate as a database query on a system located anywhere in the world. But, given the simple operation of SQL*CALC, you don't even have to depend on Oracle to provide the network.

This package demonstrates that it pays (the vendor) to know when to be different and when to be bland.

SQL*CALC currently runs on the IBM PC/XT or /AT and requires 512K bytes of RAM and 2M bytes of rigid disk memory. Development continues aimed at producing a package for UNIX systems. A package providing both SQL*CALC and the ORACLE database costs \$995. If you already have ORACLE, the package costs \$395.

Oracle Corp., 10 Davis Drive, Belmont, Calif., 94025, (415) 598-8000 or (800) 345-DBMS.

Circle 358

Interest Quotient (Circle One)
High 493 Medium 494 Low 495

YOUR SYSTEM IS FAR FROM



M'S BEAUTY SKIN-DEEP

As an OEM you're looking for a product that is really attractive. Not only in appearance, but more so in terms of technology, price and performance. In brief, a peripheral that guarantees integration and function, while also adding to the value of your own system.

Finding the right peripheral is difficult enough.

Finding the right supplier is even more difficult. Though equally important.

When evaluating a Facit Peripheral you should also look closely at the company behind the product. At our organization, production capacity and quality control. Plus, the support and service we can offer you. And, not least, evaluate whether our technical expertise and vision matches your business concept.

Then, our joint business-to-business operations can really take shape. We impose the most stringent demands on ourselves to earn and keep your confidence. In the long run, too.

Our frank approach is aimed at establishing lasting relationships. And as part of this approach our open-door R&D policy offers you the possibility of influencing the development of tomorrow's products.

Nice words! But they are not shallow promises. Our printers, plotters and video terminals already carry many Datamation 100 trademarks.

We would be proud to carry your colors, too.



FACIT

Your original peripheral equipment supplier

Head Office: *Facit AB, S-17291 Sundbyberg, Sweden. Phone: (8) 764 30 00.*
USA: *Facit Inc. P.O. Box 334, Merrimack, NH 03054. Phone: (603) 424-8000.*

CIRCLE NO. 252 ON INQUIRY CARD

“and we meet at the Invitational Computer Conferences throughout the world”



For 16 years, the “OEM Only” ICCs have brought OEM manufacturers to where the volume buyers live and work. And only the ICCs cover 17 major OEM territories throughout the U.S. and Europe — time and cost efficiently.

In one day, regional design engineers/system integrators can attend a full day of high-tech seminars and meet with major OEM suppliers of mini/micro computers, disk/tape drives, printers, terminals, controllers, etc. And the ICCs unique business hospitality format, unlike big national shows, make it easy for manufacturers to meet their invited guests one-on-one. So don't miss out! If you are a computer and peripheral OEM manufacturer, call us today to reserve space. If you are a volume buyer, call your local OEM supplier, or our offices, for an ICC invitation.

In the U.S., contact B.J. Johnson & Associates, Inc., 3151 Airway Avenue #C-2, Costa Mesa, CA 92626, Phone (714) 957-0171, Telex 5101002189 BJ JOHN.

In Europe, contact C. J. Nicholl & Associates, Ltd., 37 Brompton Road, London SW3 1DE, England, Phone 01-581 2326/9, Telex 888068 CJNAD G.



1986/87 U.S. SERIES:

Newton, MA—9/4/86
Dallas, TX—9/16/86
Minneapolis, MN—9/30/86
Gaithersburg, MD—10/16/86
Westlake Village, CA—10/28/86

Irvine, CA—1/8/87
Ft. Lauderdale, FL—1/29/87
Raleigh, NC—2/19/87
Austin, TX—3/3/87
San Jose, CA—3/17/87
Nashua, NH—4/2/87

1986/87 EUROPE SERIES:

Munich, W. Germany—9/10/86
Stockholm, Sweden—9/16/86
London, England—9/22/86

Frankfurt, W. Germany—1/22/87
Paris, France—1/27/87
Milano, Italy—2/3/87

CIRCLE NO. 84 ON INQUIRY CARD

ADVERTISERS' INDEX

COMPANY	PAGE NO.	INQUIRY NO.	COMPANY	PAGE NO.	INQUIRY NO.
Allen Bradley	112	60	Liberty Electronics USA	110	59
AMF Logic Sciences	68	40	Logicraft	D6	64
Analog & Digital Peripherals	142	213	Mannesmann Tally	14-15	10
AT&T Information Systems	93	52	Matrox Electronic Systems Ltd.	20	13
Bluebird Systems	40-41	23	Maxtor Corp.	62	37
Boston Business Computing Ltd.	D14	67	Mercury Computer Systems	D5	63
Caere Corp.	126	75	Microbar Systems	100	56
Charles River Data Systems	37	21	Microware, Inc.	142	214
C. Itoh Electronics	130, 131	80	Microware Systems Corp.	25	16
Colorgraphic Communications	142	207	Multi-Tech	38	22
Communications Research Group	141	206	NEC Peripherals	26, 100	17, 56
Concurrent Computer	8	6	Newbury Data	109	58
Control Data Corp./OEM	60-61	36	Northwest Digital Systems	D1	61
Convergent Technologies	50-51	31	Okidata Corp.	16	11
Decisionware	142	210	Omega	141	202-205
Digital Equipment Corp.	55, 113-118	—	Peripheral Technologies	142	208
Ducommun	24	15	Princeton Graphic Systems	71	41
Emulex Corp.	7	5	Pyramid Technology	34-35	20
Equinox Systems	19	12	Quality Micro Systems	103	83
Exide Electronics	48	30	RDS-Relational Database Systems	Cov. 2	1
ExpoConsul International	D16	71	Ryan McFarland	46	29
Facit	136-137	252	Santa Cruz Operations	11	8
Falco Data Products	87	49	Seagate Technology	94-95	53
Fortune Systems	33	19	Sequent Computer Systems	D8-9	65
Fox Research	45, 47	27, 28	Shape Magnetronics Inc.	129	78
Fujitsu America Inc. Storage Division	72-73	42	Softronic	142	212
Galaxy Graphics	74	251	Software Link	Cov. 3	85
Genstar REI Sales	142	211	Source EDP	140	—
Giltronix	128	77	Storage Technology	134	74
Grafpont	32	18	Strategic Information	D2	62
Hayes Microcomputer Products	96	54	Systech	12	9
Heurikon Corp.	43	25	Technology Forums	10	7
Hewlett-Packard Co./ISG	42, 121	24, 72	Televideo/Computer Div.	90-91	51
Houston Instrument			TeleVideo/Terminals	132-133	81
Div. of Bausch & Lomb	65, 67	38, 39	Texas Instruments	2-3	—
Ibex Computers Corp.	126	76	Texas Instruments Inc./Speech Div.	104	—
IBM/Information Systems	76-77	44	Toshiba	106-107	57
IBM/NDD	125	82	TRW Inc./Customer Service Div.	44	26
ICC	138	84	Universal Data Systems Inc.	Cov. 4	86
ID Systems	D13	66	Verbex	23	14
Illbruck/USA	6	3	Versatec Inc. (a Xerox Co.)	82-83	47
Intecolor Corp.,			Viking Acoustical	6	4
an Intelligent Systems Co.	79	45	Wave Mate	142	209
Intel Corp.	98-99	55	White Pine Software	D15	70
Interface Group	80	46	Wyse Technology	122-123	73
Interphase Corp.	56	34			
Irwin Magnetics	52	32			
ITT Information Systems	59	35			
Karl Leister	120	253			
KMW Systems Corp.	88	50			

See P. 140 for Career Opportunity Advertisers

See P. 141-142 for Mini-Micro Marketplace

This index is provided as an additional service. The publisher does not assume any liability for errors or omissions.

New, free Survey shows how salaries dramatically change according to your geographic location

The new, **1986 Local Metropolitan Computer Salary Survey** is now available with absolutely no cost or obligation to you.

In it, you'll learn where salaries are on the rise, where they are falling, what skills are in most demand and which new areas of specialization you really should consider exploring. The Survey covers sixty-three position categories ranging from Programmer to Computing Systems Director in fifty-six different metropolitan areas across the U.S. and Canada.

So whether you are interested in learning what your peers are making all across North America—or you want to get an idea of what you can expect to earn as you move up through the ranks of the profession—our new Survey will give you the most timely, accurate and thorough information available to computer professionals. Simply call the Source Edp office nearest you, and we will mail a copy to you in complete confidence.

Call the office nearest you.

To receive your free copy call the Source Edp office nearest you listed below.

United States:

Alabama	
Birmingham	205/322-8745
Arizona	
Phoenix	602/279-1010
Tucson	602/792-0375
California	
Northern	
Mountain View	415/969-4910
Sacramento	916/446-3470
San Francisco	415/434-2410
Walnut Creek	415/945-1910
Southern	
Fullerton	714/738-1313
Irvine	714/833-1730
Los Angeles	
Downtown	213/688-0041
South Bay	213/540-7500
West	213/203-8111
San Diego	619/573-0100
San Fernando Vly	818/781-4800
Colorado	
Colorado Springs	303/632-1717
Denver	303/298-8268
Englewood	303/773-3700
Connecticut	
Danbury	203/797-0590
Hartford	203/522-6590
New Haven	203/787-4595
Stamford	203/967-4888
Stratford	203/375-7240
Waterbury	203/574-5633
Delaware	
Wilmington	302/652-0933


District of Columbia	
Washington D.C.	202/293-9255
Florida	
Fort Lauderdale	305/491-0145
Jacksonville	904/356-1820
Melbourne	305/725-3095
N. Miami Beach	305/940-1014
Orlando	305/282-9455
Tampa	813/251-3215
Georgia	
Atlanta/Downtown	404/588-9350
Atlanta/North	404/953-0200
Atlanta/Perimtr.	404/255-2045
Illinois	
Chicago/E. Loop	312/861-0770
Chicago/W. Loop	312/346-1280
Oak Brook	312/986-0422
Peoria	309/673-0274
Rolling Meadows	312/392-0244
Indiana	
Fort Wayne	219/432-7333
Indianapolis	317/631-2900
Iowa	
Des Moines	515/243-0191
Kansas	
Overland Park	913/888-8885
Topeka	913/232-6833
Wichita	316/688-1621
Kentucky	
Louisville	502/581-9900
Louisiana	
Baton Rouge	504/924-7183
New Orleans	504/561-6000
Shreveport	318/222-6188
Maryland	
Baltimore	301/727-4050
Beltsville	301/595-4884
Columbia	301/730-6833
Rockville	301/258-8800
Towson	301/321-7044
Massachusetts	
Boston	617/482-7613
Burlington	617/273-5160

Springfield	413/739-4083
Wellesley	617/237-3120
Michigan	
Detroit	313/259-7607
Grand Rapids	616/459-6539
Lansing	517/484-4561
Southfield	313/352-6520
Troy	313/362-0070
Minnesota	
Bloomington	612/835-5100
Minneapolis	612/332-6460
St. Paul	612/227-6100
Mississippi	
Jackson	601/354-7900
Missouri	
Kansas City	816/474-3393
Clayton	314/862-3800
St. Louis	314/576-4444
Nebraska	
Omaha	402/346-0709
New Hampshire	
Nashua	603/888-7650
New Jersey	
Atlantic City	609/345-2444
Cherry Hill	609/488-5400
Clifton	201/473-5400
Edison	201/494-2800
Morrisstown	201/267-3222
Paramus	201/845-3900
Princeton	609/452-7277
Somerset	201/469-9444
New Mexico	
Albuquerque	505/247-4270
New York	
Albany	518/482-2035
Buffalo	716/855-0400
New York City	
Grand Central	212/557-8611
Penn Station	212/736-7445
Wall Street	212/962-8000
Rochester	716/263-2670

Syosset, L.I.	516/364-0900
Syracuse	315/422-2411
White Plains	914/694-4400
North Carolina	
Charlotte	704/552-6577
Greensboro	919/379-1155
Raleigh	919/847-7605
Winston-Salem	919/724-0630
Ohio	
Akron	216/535-1150
Cincinnati	513/769-5080
Cleveland	216/771-2070
Columbus	614/224-0660
Dayton	513/461-4660
Toledo	419/242-2601
Oklahoma	
Oklahoma City	405/722-7410
Tulsa	918/599-7700
Oregon	
Portland	503/223-6160
Pennsylvania	
Allentown	215/776-0524
Harrisburg	717/761-8190
King of Prussia	215/265-7250
Philadelphia	215/665-1717
Pittsburgh	412/261-6540
Reading	215/374-4230
Scranton	717/655-6464
Rhode Island	
Providence	401/751-0065
South Carolina	
Columbia	803/256-7446
Greenville	803/271-7044
Tennessee	
Chattanooga	615/265-8890
Memphis	901/525-0743
Nashville	615/256-0625
Texas	
Austin	512/479-0720
Dallas	
Central	214/954-1100
North	214/387-1600

El Paso	915/532-6316
Fort Worth	817/338-9300
Houston	
Downtown	713/751-0100
Galleria/Post Oak	713/439-0550
San Antonio	512/342-9898
Utah	
Salt Lake City	801/966-3900
Virginia	
McLean	703/790-5610
Washington	
Seattle	206/454-6400
Spokane	509/838-7877
Wisconsin	
Green Bay	414/432-1184
Madison	608/251-0104
Milwaukee	414/277-0345
Canada:	
Alberta	
Calgary	403/279-1940
Edmonton	403/459-1153
British Columbia	
Vancouver	604/222-1155
Manitoba	
Winnipeg	204/942-1151
Ontario	
Mississauga	416/848-3344
Toronto	416/591-1110
Willowdale	416/495-1551

1986 Local Metropolitan Computer Salary Survey



source edp
Personnel Services

source edp
Personnel Services

The world's largest recruiting firm devoted exclusively to the computer profession. Client companies assume our charges. Source Edp, Department 743, P.O. Box 7100, Mountain View, CA 94039. (When writing, please include your title.)

MINI-MICRO MARKETPLACE

A special section for advertisers of hardware, software and services.


READERS: Please circle reader service numbers on Reader Inquiry Card for additional information.

YOUR AD IN THE MINI-MICRO MARKETPLACE MEANS MORE SALES

for more information call
your regional sales manager
OR CAROL FLANAGAN

AT (617) 964-3030


CIRCLE NO. 201 ON INQUIRY CARD



NEW! OMEGA 1986 PRESSURE MEASUREMENT HANDBOOK & ENCYCLOPEDIA

featuring complete pressure measurement systems. Everything needed to measure, display, and control pressure is available under a single cover featuring transducers, strain gauges, accessories, recorders, digital readout meters, computer interfaces and more! All products are displayed in full-color complete with prices and specifications. This 264-page compendium is FREE! Write **OMEGA ENGINEERING, INC.**, Box 4047, Stamford, CT 06907 or call 203/359-7874.

CIRCLE NO. 202 ON INQUIRY CARD




1986 TEMPERATURE MEASUREMENT HANDBOOK AND ENCYCLOPEDIA

OMEGA presents the industry with a new product and reference source! Over 750 full-color pages of top quality products for sensing and control. This complete source, the standard for temperature measurement and control lists all prices and specifications for every product. New this year is a full section devoted completely to relative humidity measurement. Send for your FREE! copy now. Write **OMEGA ENGINEERING, INC.**, Box 4047, Stamford, CT 06907 or call 203/359-7874.

CIRCLE NO. 203 ON INQUIRY CARD

BLAST



PC-MINI-MAINFRAME COMMUNICATIONS SOFTWARE

ANY COMPUTER WITH BLAST CAN TALK TO ANY OTHER COMPUTER WITH BLAST, the universal file transfer utility linking many different computers, operating systems, and networks, via RS 232 serial ports


NO ADD-ON BOARDS TO BUY! BLAST software uses any asynchronous modems or direct connect for fast, error-free data transfer through noisy lines and PBXs, across LANs, and over satellites or packet switched networks

THE PERFECT LOW-COST LINK FOR PC's, MINIS, MAINFRAMES
Transfer binary or text files, or executable commands. Use BLAST standalone, or build it into your application

\$250 / Micros \$495-895 / Minis \$2495 / up Mainframes

COMMUNICATIONS RESEARCH GROUP
(800)-24-BLAST


CIRCLE NO. 206 ON INQUIRY CARD



NEW! 1986 pH & CONDUCTIVITY MEASUREMENT HANDBOOK & ENCYCLOPEDIA

containing over 100 full-color pages features a complete selection of products for the laboratory, field use and process control. Included is a technical reference section, field service products, laboratory instrumentation, electrodes and accessories, industrial control systems, auxiliary equipment, data acquisition and humidity measurement equipment. For a FREE! copy of your handbook, write **OMEGA ENGINEERING, INC.**, One Omega Drive, Box 4047, Stamford, CT 06907 or call 203/359-7874.

CIRCLE NO. 204 ON INQUIRY CARD



NEW! OMEGA 1986 FLOW MEASUREMENT HANDBOOK & ENCYCLOPEDIA

features a complete line of STATE-OF-THE-ART flow transducers, meters, controllers, recorders, and other accessories. For the first time, COMPLETE FLOW SYSTEMS will be emphasized and not just components. Also, computer interfacing will be made easy through diagrams and discussions. Over 226 full-color pages! Send for your FREE! copy today. Write **OMEGA ENGINEERING, INC.**, Box 4047, Stamford, CT 06907 or call 203/359-7874.

CIRCLE NO. 205 ON INQUIRY CARD

COLOR TERMINALS



Volume
Prices
as low as
\$3,000

19 inch
Available
as low as
\$3,400

COLORGRAPHIC

640 x 480 Bit Map 13" Terminals

Standard Features include:

- 4 Pages of 1024 x 512 x 4
- Extensive built-in Graphic Primitives
- 48 Lines of Text
- 8K of Macro Memory User Primitives
- ISC 8001G® and 8810® emulators available
- 32 KHZ non-interlace monitor

COLORGRAPHIC COMMUNICATIONS CORPORATION 5388 New Peachtree Road
Atlanta, GA 30341
404/455-3921


CIRCLE NO. 207 ON INQUIRY CARD

6809 SINGLE BOARD COMPUTER

The PT-69, a powerful computer system on a single board, performs equal to larger and more expensive systems. It features:

- OS/9 Operating System (Optional)
- 2 8-Bit Parallel Ports
- 2 RS-232 Ports
- Time-of-day Clock
- 56K RAM; 4K EPROM
- Controls up to 4 DS/DD 5 1/4" Drives

OEM PRICE: \$185




FLOPPY/HARD DISK SYSTEMS AVAILABLE

PERIPHERAL TECHNOLOGY

1480 Terrell Mill Rd., Suite 870
Marietta, GA 30067
404/984-0742

* OEM Qty is 100.
OS/9 is a trademark of Microware and Motorola.

CIRCLE NO. 208 ON INQUIRY CARD



10 Mhz 80286 IBM PC/XT MOTHERBOARD

- 11.5 Times Faster Than PC; Twice as fast as the AT
- 1MB Ram On-Board Zero Wait States
- Optional 80287 Math Co-Processor
- PC/XT Hardware & Software Compatible
- Supports PC-DOS, Unix, Pick, CP/M-86, SMC OS



WAVE MATE, Inc.

14009 S. Crenshaw Blvd., Hawthorne, CA 90250
(213) 978-8600 TLX 194369
In Europe: Brussels 649-1070 TLX 61828

CIRCLE NO. 209 ON INQUIRY CARD

From **DECISIONWARE, INC.**
For Your IBM PC or Compatible

Do You Write?
Reports, Manuals, or Business Letters

RIGHTWRITER® VERSION 2.0
THE Intelligent Grammar & Style Checker

- Automatically finds errors in grammar, style, usage and punctuation.
- Works with WordStar®, MultiMate®, and twenty other leading word processors.
- A knowledge base of over 2200 rules.
- Calculates the overall reading grade level.
- Comprehensive user manual included.

PRICE
\$95.00

DecisionWare, Inc.

2033 Wood Street • Suite 218
Sarasota, Florida 33577 • Phone (813) 952-9211

CIRCLE NO. 210 ON INQUIRY CARD

LIKE-NEW INSTRUMENTS FOR SALE!

Thousands of bargain-priced electronic instruments - with warranties - available now. Analyzers, PROM programmers, oscilloscopes, printers, recorders, terminals...much more. Call for free catalog: Eastern Time Zone (including Miss, Tenn, Ala) (800) 225-1008, in Mass (800) 643-1011. All other locations (800) 227-8409, in Cal (800) 331-3440.



Genstar REI Sales Company

CIRCLE NO. 211 ON INQUIRY CARD

TERMINAL EMULATION

Softerm PC emulates over 30 popular terminals including the:

- DEC VT102, VT220
- Data General D200, D410
- IBM 3101-20 (block mode)
- Hewlett-Packard 2622A
- Honeywell VIP7801, VIP7803

Guaranteed Compatibility


Call for free product brief
\$195 MC-VISA-COD
For the IBM PC/XT/AT, DG1, NEC,
Wang PC, TI Pro, Gridcase, Tandy

SOFTRONICS

7899 Lexington Dr., Ste 210
Colorado Springs, CO 80918
(303) 593-9540

CIRCLE NO. 212 ON INQUIRY CARD

IBM PC COMPATIBLE RS232 EASI-DISK 5 1/4" FLOPPY DATA STORAGE & TRANSFER SYSTEM



- Reads & Writes IBM PC DOS 5 1/4" Disks
- RS-232C I/O
- Rugged Portable Package
- Host and/or Manual Controls
- ASCII or Full Binary Operation
- Baud Rates 110 to 19.2 K Baud
- Automatic Data Verification
- Price \$1,095 in Singles - OEM Qtys. Less

28 other systems with storage from 100K to 35 megabytes
ANALOG & DIGITAL PERIPHERALS INC




815 Diana Drive
Troy, Ohio 45373
513/339-2241
TWX 810/450-2685

Branch Off Oklahoma City OK - Factory Yucca Valley CA

CIRCLE NO. 213 ON INQUIRY CARD

ENCLOSURE PRODUCTS



- Tape and Hard Disk Drives Enclosures for all Major Micros.
- Single Board Computer Packages
- Custom Design Available
- Class 'B' Certification Support Can Be Provided
- Call For Pricing and Catalog

Microware Inc.

41711 Joy Road • Canton, MI 48187
(313) 459-3557

CIRCLE NO. 214 ON INQUIRY CARD

Promote New Literature

at a **LOW
COST**

If you've got catalogs or literature,
distribute them at a low cost in the
MINI-MICRO MARKETPLACE.

Call Carol Flanagan
(617) 964-3030

CIRCLE NO. 215 ON INQUIRY CARD



Inside Every PC-SHADOW™ Is a Network Solution

Increasingly, companies are taking a bottom-line approach to purchasing PCs. Everyone seems to wish that they could purchase an IBM PC with a built-in network for under \$1,000. Effectively, now you can...by combining the useability of PC-Shadow™ Workstations with the power of MultiLink Advanced!™

PC-Shadow™...More Than Just a Terminal, It's a PC-Workstation. If you know how to use an IBM PC, you already know how to use our PC-Workstation. Every key that's on an AT's keyboard is located in the same place on a PC-Shadow™.

Just like the PC, PC-Shadow™ has an easy-to-read 25 line screen which supports all graphics characters and attributes that are on the IBM Monochrome Display.

Best of all, when you attach a printer to PC-Shadow's™ auxiliary port, you're able to get complete printouts of reports and analyses...not just a "print screen!"

PC-DOS Networking Power At Your Fingertips. PC-Shadow™ was designed expressly to work with MultiLink Advanced!™ our software-driven, departmental networking solution. It transforms ONE IBM PC/XT or AT into the CPU of a multi-user, multi-tasking system.

Up to eight PC-Shadows!™ can be connected to a single computer sharing printers, hard disks, programs, and files.

100% compatibility with LANLink!™ our company-wide local area network, makes it possible for your PC-Shadow™ network to grow with you.

Net More by Spending Less. At \$695 per workstation, PC-Shadows™ represent the most cost-effective networking solution available. For complete details and the dealer nearest you, call The Software Link TODAY. VISA, MC, AMEX accepted.

PC-SHADOW™



THE SOFTWARE LINK, INC.

Developers of LANLink™ and MultiLink Advanced!™

8601 Dunwoody Place, Suite 632, Atlanta, GA 30338

Telex 4996147 SWLINK

THE SOFTWARE LINK, INC./CANADA
250 Cochrane Drive, Suite 12
Markham, Ontario L3R 6B7
CALL: 416/477-5480

CALL: 404/998-0700
Dealer Inquiries Invited

CIRCLE NO. 85 ON INQUIRY CARD

LANLink!™ MultiLink Advanced!™ and PC-Shadow!™
are trademarks of The Software Link, Inc.
IBM PC, XT, AT & PC-DOS are trademarks of IBM Corp.



SYNC-UP™

Single-board simplicity for remote micro-to-mainframe communications

A Sync-Up modem card — that's all you need to link your remote PC, XT, AT or compatible to your synchronous mainframe. And you can make the connection at 4800 bps, dial-up or dedicated line, or 2400 bps dial-up. Insert the modem into any expansion slot, plug in the Telco connector, install the communications software and your link is ready.

Sync-Up is simple. If your mainframe is supporting 201C or 208A/B modems, implementation is a matter of minutes, with no changes required at the mainframe end.

Sync-Up is versatile. It's available with the following UDS software options: DIAL for use with your existing emulator package; BSC for 2780/3780 or 3270 emulation; or SNA for 3270 or 3770 emulators.

It supports most other synchronous communications packages.

Sync-Up is economical. Prices start at \$625, quantity one, for a 201C without software.

Sync-Up is NOW. 201s and 208A/Bs are available for immediate shipment.

For technical details and complete pricing information, contact Universal Data Systems, 5000 Bradford Drive, Huntsville, AL 35805. Telephone 205/721-8000; Telex 752602 UDS HTV.

 Universal Data Systems

 **MOTOROLA INC.**
Information Systems Group

UDS modems are offered nationally by leading distributors. Call the nearest UDS office for distributor listings in your area.
DISTRICT OFFICES: Apple Valley, MN, 612/432-2344 • Atlanta, GA, 404/998-2715 • Aurora, CO, 303/368-9000 • Blue Bell, PA, 215/643-2336 • Boston, MA, 617/875-8868 • Columbus, OH, 614/895-3025 • East Brunswick, NJ, 201/238-1515 • Glenview, IL, 312/998-8180 • Houston, TX, 713/988-5506 • Huntsville, AL, 205/721-8000 • Issaquah, WA, 206/392-9600 • Livonia, MI, 313/522-4750 • Mesa, AZ, 602/820-6611 • Milwaukee, WI, 414/273-8743 • Mission Viejo, CA, 714/770-4555 • Mountain View, CA, 415/969-3323 • Richardson, TX, 214/680-0002 • St. Louis, MO, 314/434-4919 • Silver Spring, MD, 301/942-8558 • Tampa, FL, 813/684-0615 • Uniondale, NY, 516/222-0918 • Van Nuys, CA, 818/890-3282 • Willowdale, Ont, Can, 416/495-0008

CIRCLE NO. 86 ON INQUIRY CARD

Created by Dayner/Hall, Inc., Winter Park, Florida